

**OCTOBER 6, 2025** 

# Trauma Informed Care: Principles for Everyday Practice

DDAP TECHNICAL ASSISTANCE WEBINAR

## Disclaimers

• Alignment with The ASAM Criteria is required of drug and alcohol treatment providers that receive funding for providing treatment services under agreements with Single County Authorities and/or Managed Care Organizations.

• DDAP stresses the importance of reviewing the ASAM Criteria text in its entirety, attending the ASAM training, and reviewing the resources available through DDAP including trainings and documents

# Learning Objectives

- Define trauma and trauma informed care
- Promote general understanding of adverse childhood experiences, cultural competence, and social determinants of health through a trauma informed lens
- Identify ways in incorporate trauma informed practices into your everyday work

# Poll Question 1

What is your role at your agency?

- **Executive Director**
- Clinical Director
- Counselor
- Administration
- Medical Staff
- Support Staff (e.g. CRS)
  Case Manager
  DDAP

- SCA
- MCO



# Poll Question 2

I believe being informed about trauma is essential to my work.

- Strongly agree
  Somewhat agree
  Neither agree or disagree
  Somewhat disagree
  Strongly agree

# Poll Question 3

My workplace incorporates trauma informed practices for both staff and the individuals we serve.

- Strongly agree Somewhat agree
- Neither agree or disagree Somewhat disagree
- Strongly agree

# Today's Presenter

#### VICTORIA JANKOWSKI, LPC, CAADC, PMAC

PA Department of Drug & Alcohol Programs
Bureau of Operational Excellence
Division of Evaluation and Improvement

vjankowski@pa.gov

### What is Trauma?

SAMHSA defines individual trauma as an event or circumstance resulting in:



physical harm



emotional harm, and/or



life-threatening harm



#### What is Trauma?

Individual trauma results from:

- an event
- series of events or
- set of circumstances

...that is experienced by an individual as physically or emotionally harmful or life threatening and that has lasting adverse effects on the individual's functioning and mental, physical, social, emotional, or spiritual well-being.




### **Trauma and Stress Responses**





Freeze








#### Trauma and -Stressor Related Disorders

- DSM-5 (2013) & DSM-V Text Revision (2022)
  - Reactive Attachment Disorder (children only)
  - Disinhibited Social Engagement Disorder (children only)
  - Acute Stress Disorder
  - Adjustment Disorders
  - Posttraumatic Stress Disorder
  - Prolonged Grief Disorder (new in DSM-5 TR)
  - Other Specified Trauma and Stressor-Related Disorder
  - Unspecified Trauma and Stressor-Related Disorder



## Adverse Childhood Experiences (ACEs)





#### Trauma & Substance Use Disorder

- Closely linked
- Can be cyclical
- Relationship between substance use and human trafficking
- Relationship between intimate partner violence and substance use
- Telehealth considerations



### **Agency Approaches to Trauma**


Trauma Informed Approach

Trauma Informed Care

Trauma Specific Treatment Services




# Trauma Informed Approach





### Trauma Informed Approach

#### SAMHSA's 4 R's





### **Trauma Informed Care**






SAMHSA, 2014

### Trauma Specific Treatment Services

- Evidence-based services and promising practices that facilitate recovery from trauma.
- Integrated treatment (SUD/Trauma)
- Examples:
  - EMDR
  - Seeking Safety
  - TREM
  - TF-CBT




### In Practice





### Vicarious Trauma






# **Trauma Informed Supervision**



- Practice reflective supervision
- Protect your supervision time
- Ensure mutual respect



**Culturally and Linguistically Appropriate Services (CLAS)** 





# **Cultural Humility**


















### Social Determinants of Health (SDOH)





### Intersectionality

- Individuals are made up of all their experiences
- Oppression that compounds and exacerbates traumatic experiences.
- Substance use does not occur in a vacuum.





#### Resources

- Case Management and Clinical Services Manual
- TIP 57 Trauma-Informed Care in Behavioral Health Services (SAMHSA)
- About Adverse Childhood Experiences | Adverse Childhood Experiences
   (ACEs) | CDC
- Philadelphia ACE Survey | ACES Philadelphia
- National CLAS Standards
- Social Determinants of Health | Public Health Gateway | CDC







Next Technical Assistance Call
November 3, 2025 @ 10:00am
Topic: Updates to DDAP's Case Management and Clinical Services
(CMCS) Manual