

### MY 2023 CHIP Core Set Rates

<b>Developmental Screening in the First Three Years of Life (DEV-CH)</b>										
	ABH	CBC	GEI	HPP	HHK	IBC	UHC	UPMC	Mean	Weighted Average
1 Year	65.04%	50.00%	55.42%	77.78%	65.48%	61.25%	74.55%	80.71%	66.28%	68.92%
2 Years	65.50%	54.95%	58.02%	63.64%	68.57%	70.92%	67.47%	79.91%	66.12%	69.00%
3 Years	57.83%	53.54%	50.59%	54.05%	69.35%	63.91%	64.85%	78.62%	61.56%	65.40%
Total	62.38%	52.96%	54.46%	61.96%	68.31%	66.10%	67.61%	79.54%	64.17%	67.52%
The percentage of children screened for developmental delay using a standardized screening tool in the 12 months preceding or on their first, second, or third birthday.										

<b>Screening for Depression and Follow-Up Plan: Ages 12 to 17 (CDF-CH)</b>										
	ABH	CBC	GEI	HPP	HHK	IBC	UHC	UPMC	Mean	Weighted Average
Rate %	3.24%	4.66%	4.47%	0.16%	16.35%	0.04%	10.88%	38.31%	9.76%	14.38%
The percentage of children 12 years through 17 years of age screened for depression on the date of the encounter or 14 days prior to the date of the encounter using an age-appropriate standardized depression screening tool and, if positive, a follow-up plan is documented on the date of the eligible encounter during the measurement year.										

<b>Sealant Receipt on Permanent First Molars (SFM-CH)</b>										
	ABH	CBC	GEI	HPP	HHK	IBC	UHC	UPMC	Mean	Weighted Average
Rate 1 %	36.08%	49.68%	55.77%	50.12%	47.58%	54.64%	55.10%	35.21%	48.02%	46.41%
Rate 2 %	23.58%	39.81%	38.73%	36.66%	34.62%	40.80%	40.86%	6.30%	32.67%	29.36%
Rate 1	The percentage of unduplicated enrolled children who have ever received a sealant on at least one permanent first molar in the 48 months prior to the 10th birthday.									
Rate 2	The percentage of unduplicated number of enrolled children who have received sealants on all four permanent first molars in the 48 months prior to the 10th birthday.									

<b>Topical Fluoride for Children (TFL-CH)</b>										
	<b>ABH</b>	<b>CBC</b>	<b>GEI</b>	<b>HPP</b>	<b>HKK</b>	<b>IBC</b>	<b>UHC</b>	<b>UPMC</b>	<b>Mean</b>	<b>Weighted Average</b>
Rate 1 %	19.46%	21.14%	25.25%	20.99%	22.83%	28.96%	24.09%	23.24%	23.25%	23.31%
Rate 2 %	16.49%	20.83%	22.69%	20.59%	22.54%	19.67%	22.99%	22.06%	20.98%	21.30%
Rate 3 %	0.35%	0.16%	0.20%	0.17%	0.22%	9.29%	0.58%	0.63%	1.45%	1.22%
Rate 1	The percentage of members who received at least two topical fluoride applications as dental or oral health services within the measurement year.									
Rate 2	The percentage of members who received at least two topical fluoride applications as dental services within the measurement year.									
Rate 3	The percentage of members who received at least two topical fluoride applications as oral health services within the measurement year.									
<b>Breakdown of Ages 1 to 20 Cohort into Age Bands (TFL-CH)</b>										
<b>Ages 1-2</b>										
	<b>ABH</b>	<b>CBC</b>	<b>GEI</b>	<b>HPP</b>	<b>HKK</b>	<b>IBC</b>	<b>UHC</b>	<b>UPMC</b>	<b>Mean</b>	<b>Weighted Average</b>
Rate 1 %	12.50%	10.19%	14.32%	14.08%	10.80%	10.88%	15.66%	17.64%	13.26%	14.67%
Rate 2 %	7.34%	4.85%	8.86%	7.28%	4.63%	9.84%	5.85%	4.37%	6.63%	6.03%
Rate 3 %	4.37%	4.85%	3.64%	4.37%	5.86%	1.04%	8.56%	11.71%	5.55%	7.40%
<b>Ages 3-5</b>										
	<b>ABH</b>	<b>CBC</b>	<b>GEI</b>	<b>HPP</b>	<b>HKK</b>	<b>IBC</b>	<b>UHC</b>	<b>UPMC</b>	<b>Mean</b>	<b>Weighted Average</b>
Rate 1 %	22.86%	19.41%	28.68%	23.08%	21.08%	31.76%	27.83%	25.40%	25.01%	25.30%
Rate 2 %	19.07%	17.72%	24.75%	22.33%	19.94%	25.00%	25.23%	23.21%	22.16%	22.59%
Rate 3 %	0.43%	0.21%	0.11%	0.00%	0.43%	6.76%	0.74%	0.37%	1.13%	0.75%
<b>Ages 6-7</b>										
	<b>ABH</b>	<b>CBC</b>	<b>GEI</b>	<b>HPP</b>	<b>HKK</b>	<b>IBC</b>	<b>UHC</b>	<b>UPMC</b>	<b>Mean</b>	<b>Weighted Average</b>
Rate 1 %	25.68%	27.43%	34.38%	28.69%	29.34%	41.37%	34.12%	32.55%	31.70%	31.94%
Rate 2 %	22.75%	26.91%	30.37%	28.27%	29.13%	30.33%	33.18%	32.22%	29.14%	30.00%
Rate 3 %	0.20%	0.00%	0.00%	0.00%	0.00%	11.04%	0.39%	0.00%	1.45%	0.92%
<b>Ages 8-9</b>										
	<b>ABH</b>	<b>CBC</b>	<b>GEI</b>	<b>HPP</b>	<b>HKK</b>	<b>IBC</b>	<b>UHC</b>	<b>UPMC</b>	<b>Mean</b>	<b>Weighted Average</b>
Rate 1 %	27.17%	26.72%	34.23%	25.16%	33.41%	36.03%	31.92%	31.49%	30.77%	31.22%
Rate 2 %	22.96%	26.72%	31.36%	25.00%	33.33%	25.06%	31.44%	30.87%	28.34%	29.28%
Rate 3 %	0.09%	0.00%	0.00%	0.00%	0.00%	10.97%	0.24%	0.00%	1.41%	0.94%
<b>Ages 10-11</b>										

	ABH	CBC	GEI	HPP	HHK	IBC	UHC	UPMC	Mean	Weighted Average
Rate 1 %	24.23%	26.06%	31.43%	27.02%	27.92%	33.30%	28.73%	29.56%	28.53%	28.71%
Rate 2 %	22.12%	26.06%	28.61%	27.02%	27.92%	21.97%	28.00%	29.11%	26.35%	26.92%
Rate 3 %	0.07%	0.00%	0.00%	0.00%	0.00%	11.34%	0.26%	0.00%	1.46%	1.09%
<b>Ages 12-14</b>										
	ABH	CBC	GEI	HPP	HHK	IBC	UHC	UPMC	Mean	Weighted Average
Rate 1 %	20.50%	23.73%	27.31%	23.43%	25.97%	32.42%	25.04%	24.85%	25.41%	25.34%
Rate 2 %	17.01%	23.73%	24.95%	23.35%	25.97%	21.77%	24.34%	24.44%	23.19%	23.44%
Rate 3 %	0.14%	0.00%	0.00%	0.00%	0.04%	10.65%	0.29%	0.00%	1.39%	1.13%
<b>Ages 15-18</b>										
	ABH	CBC	GEI	HPP	HHK	IBC	UHC	UPMC	Mean	Weighted Average
Rate 1 %	11.30%	15.08%	13.33%	13.52%	15.08%	21.19%	15.11%	13.18%	14.72%	14.58%
Rate 2 %	9.43%	15.08%	12.56%	13.52%	15.08%	13.44%	14.65%	13.10%	13.36%	13.39%
Rate 3 %	0.07%	0.00%	0.00%	0.00%	0.00%	7.74%	0.15%	0.00%	1.00%	0.86%
<b>Ages 19-20</b>										
	ABH	CBC	GEI	HPP	HHK	IBC	UHC	UPMC	Mean	Weighted Average
Rate 1 %	3.75%	1.54%	1.61%	2.30%	5.19%	4.12%	0.81%	3.44%	2.85%	3.21%
Rate 2 %	3.75%	1.54%	1.61%	2.30%	5.19%	1.03%	0.81%	3.44%	2.46%	2.98%
Rate 3 %	0.00%	0.00%	0.00%	0.00%	0.00%	3.09%	0.00%	0.00%	0.39%	0.23%

<b>Oral Evaluation, Dental Services (OEV-CH)</b>										
	ABH	CBC	GEI	HPP	HHK	IBC	UHC	UPMC	Mean	Weighted Average
Rate %	35.38%	46.60%	44.94%	46.30%	49.23%	38.50%	47.10%	49.91%	44.74%	45.32%
The percentage of members ages <1-20 years old that received a comprehensive or periodic oral evaluation within the measurement year.										
<b>Breakdown of Ages &lt;1 to 20 Cohort into Age Bands (OEV-CH)</b>										
<b>Ages &lt;1</b>										
	ABH	CBC	GEI	HPP	HHK	IBC	UHC	UPMC	Mean	Weighted Average
Rate %	4.35%	0.00%	0.00%	4.55%	0.00%	0.00%	1.85%	0.00%	1.03%	1.16%
<b>Ages 1-2</b>										

	ABH	CBC	GEI	HPP	HHK	IBC	UHC	UPMC	Mean	Weighted Average
Rate %	16.72%	11.48%	19.63%	20.75%	11.76%	20.51%	16.49%	16.56%	16.74%	16.66%
<b>Ages 3-5</b>										
	ABH	CBC	GEI	HPP	HHK	IBC	UHC	UPMC	Mean	Weighted Average
Rate %	35.07%	39.66%	45.54%	46.14%	43.60%	43.43%	46.01%	49.41%	43.61%	44.45%
<b>Ages 6-7</b>										
	ABH	CBC	GEI	HPP	HHK	IBC	UHC	UPMC	Mean	Weighted Average
Rate %	43.99%	54.56%	53.30%	53.26%	53.99%	48.82%	56.83%	60.49%	53.15%	54.17%
<b>Ages 8-9</b>										
	ABH	CBC	GEI	HPP	HHK	IBC	UHC	UPMC	Mean	Weighted Average
Rate %	43.18%	55.97%	56.11%	52.31%	58.30%	46.18%	57.02%	60.14%	53.65%	54.68%
<b>Ages 10-11</b>										
	ABH	CBC	GEI	HPP	HHK	IBC	UHC	UPMC	Mean	Weighted Average
Rate %	42.43%	57.31%	52.20%	56.34%	57.55%	40.79%	53.87%	58.18%	52.33%	52.87%
<b>Ages 12-14</b>										
	ABH	CBC	GEI	HPP	HHK	IBC	UHC	UPMC	Mean	Weighted Average
Rate %	39.68%	50.66%	48.05%	52.56%	53.01%	41.02%	51.35%	54.44%	48.85%	49.39%
<b>Ages 15-18</b>										
	ABH	CBC	GEI	HPP	HHK	IBC	UHC	UPMC	Mean	Weighted Average
Rate %	28.90%	41.05%	37.41%	39.68%	46.76%	33.89%	40.37%	42.91%	38.87%	39.35%
<b>Ages 19-20</b>										
	ABH	CBC	GEI	HPP	HHK	IBC	UHC	UPMC	Mean	Weighted Average
Rate %	14.36%	27.70%	16.79%	17.24%	35.52%	22.74%	24.30%	27.83%	23.31%	24.50%

Contraceptive Care for All Women Ages 15-20 (CCW-CH)										
	ABH	CBC	GEI	HPP	HHK	IBC	UHC	UPMC	Mean	Weighted Average
Rate 1 %	16.02%	22.83%	24.18%	14.58%	27.25%	14.34%	18.37%	26.88%	20.56%	21.67%
Rate 2 %	0.79%	1.25%	2.06%	1.09%	2.35%	0.83%	1.85%	2.39%	1.58%	1.74%
Rate 1	The percentage of women that were provided a most (sterilization, IUD/IUS, implant) or moderately (injectables, oral pills, patch, ring, or diaphragm) effective method of contraception in the measurement year.									
Rate 2	The percentage of women that were provided a long-acting reversible contraceptive (LARC) method of contraception in the measurement year.									

Breakdown of Ages 15 to 20 Cohort into Individual Years (CCW-CH)										
<b>Age 15</b>										
	ABH	CBC	GEI	HPP	HHK	IBC	UHC	UPMC	Mean	Weighted Average
Rate 1 %	5.09%	12.14%	10.95%	3.51%	15.07%	7.96%	8.65%	14.34%	9.72%	10.74%
Rate 2 %	0.00%	0.36%	0.35%	0.00%	1.37%	0.00%	0.40%	1.30%	0.47%	0.64%
<b>Age 16</b>										
	ABH	CBC	GEI	HPP	HHK	IBC	UHC	UPMC	Mean	Weighted Average
Rate 1 %	14.91%	16.73%	19.19%	12.56%	23.92%	12.72%	15.18%	23.74%	17.37%	18.61%
Rate 2 %	0.88%	0.39%	2.58%	1.01%	2.28%	0.58%	1.95%	1.63%	1.41%	1.51%
<b>Age 17</b>										
	ABH	CBC	GEI	HPP	HHK	IBC	UHC	UPMC	Mean	Weighted Average
Rate 1 %	18.18%	27.24%	31.34%	12.43%	32.49%	17.00%	21.85%	34.49%	24.38%	26.20%
Rate 2 %	0.34%	1.43%	2.11%	1.13%	2.79%	0.86%	0.98%	2.63%	1.54%	1.70%
<b>Age 18</b>										
	ABH	CBC	GEI	HPP	HHK	IBC	UHC	UPMC	Mean	Weighted Average
Rate 1 %	27.69%	36.68%	37.02%	26.92%	39.46%	19.70%	29.82%	36.57%	31.73%	32.43%
Rate 2 %	1.92%	3.02%	3.85%	1.92%	3.01%	2.27%	4.68%	3.73%	3.05%	3.22%
<b>Age 19</b>										
	ABH	CBC	GEI	HPP	HHK	IBC	UHC	UPMC	Mean	Weighted Average

Rate 1 %	NA	NA	NA	38.71%	39.29%	NA	37.50%	48.48%	41.00%	42.16%
Rate 2 %	NA	NA	NA	3.23%	3.57%	NA	6.25%	10.61%	5.91%	6.49%
Note: MCO rates with denominator < 30 will be reported as "NA" in final reporting.										
<b>Age 20</b>										
	<b>ABH</b>	<b>CBC</b>	<b>GEI</b>	<b>HPP</b>	<b>HHK</b>	<b>IBC</b>	<b>UHC</b>	<b>UPMC</b>	<b>Mean</b>	<b>Weighted Average</b>
Rate 1 %	NA	NA	NA							
Rate 2 %	NA	NA	NA							
Note: MCO rates with denominator < 30 will be reported as "NA" in final reporting.										
NA: All MCO rates had denominators <30 and no averages were reported.										

<b>Contraceptive Care for Postpartum Women Ages 15-20 (CCP-CH)</b>										
	<b>ABH</b>	<b>CBC</b>	<b>GEI</b>	<b>HPP</b>	<b>HHK</b>	<b>IBC</b>	<b>UHC</b>	<b>UPMC</b>	<b>Mean</b>	<b>Weighted Average</b>
Rate 1 %	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Rate 2 %	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Rate 3 %	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Rate 4 %	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Note: MCO rates with denominator < 30 will be reported as "NA" in final reporting.										
NA: All MCO rates had denominators <30 and no averages were reported.										
Rate 1 %	The percentage of women ages 15-20 who had a live birth between the dates of January 1 and October 31 of the measurement year and were provided with contraception within the immediate postpartum period of 3 days after delivery.									
Rate 2 %	The percentage of women ages 15-20 who had a live birth between the dates of January 1 and October 31 of the measurement year and were provided with contraception within 60 days of delivery.									
Rate 3 %	The percentage of women ages 15-20 who had a live birth between the dates of January 1 and October 31 of the measurement year and were provided with a long-acting reversible contraceptive (LARC) method of contraception within the immediate postpartum period of 3 days after delivery.									
Rate 4 %	The percentage of women ages 15-20 who had a live birth between the dates of January 1 and October 31 of the measurement year and were provided with a LARC method of contraception within 60 days of delivery.									