Managed Care Organization Outcomes Program Year Five

Report to the Pennsylvania General Assembly

March 1, 2024



Contents

| 1. Introduction | on and Background | 1 |
|-----------------|--|----|
| | of Legislative Requirements | |
| 3. Potentially | / Avoidable Event Methodology | 3 |
| 4. Managed | Care Organization Results | g |
| 5. Next Step | s | 16 |
| Appendix A: | Potentially Avoidable Readmissions | 18 |
| Appendix B: | Potentially Avoidable Admissions. | 36 |
| Appendix C: | Potentially Avoidable Visits | 64 |
| Appendix D: | Glossary | 71 |
| Appendix E: | MCO Report Template | 75 |
| Appendix F: | Low-Acuity Non-Emergent ICD-10 Diagnosis Code List | 85 |

Introduction and Background

The Act of June 22, 2018 (P.L. 258, No. 40) (Act 40) contained provisions, hereinafter, referred to as the Health Care Outcomes provisions, which required the Department of Human Services (Department or DHS) to establish Medicaid outcomes-based programs within the Commonwealth of Pennsylvania's Medical Assistance (MA) Program to provide hospitals and MA managed care organizations (MCOs) with information to reduce potentially avoidable events (PAEs) and further increase efficiency in Medicaid hospital services.

The Health Care Outcomes provisions define PAEs as consisting of the following:

- Potentially avoidable readmissions (PARs).
- Potentially avoidable admissions (PAAs).
- Potentially avoidable complications (PACs).
- Potentially avoidable emergency visits (PAVs).
- A combination of the events listed above.

This report is intended to provide an overview of the MCO Outcomes Program to the General Assembly. As this is the fifth year of the program, a year-over-year comparison of the two most recent years is provided. This report is delivered in a detailed graphical format to allow MCOs and the Department to gain greater insight into the current findings in order to take necessary action to improve performance in the future. The findings for calendar year (CY) 2021 also capture the Department's Community HealthChoices (CHC) program on a statewide basis. The findings are presented by geographical zone as defined in the Department's Physical Health (PH) HealthChoices and CHC programs.

1

¹ 62 P.S. §§ 501-a-536-a.

Overview of Legislative Requirements

The Health Care Outcomes provisions include several requirements. One of the requirements is for the Department to conduct an analysis of the Medicaid Program and produce a report describing how hospitals and MCOs can improve efficiency and outcomes by reducing PAEs. The Department conducted the required analysis, and produced a report titled "Comprehensive Analysis Health Care Outcomes Report to the Pennsylvania General Assembly". This report, which provides a detailed description of the legislative requirements and the methodology used to select PAEs, the results of the analysis, and recommendations, was delivered to the General Assembly on December 31, 2019. A revised report was delivered to the General Assembly on February 28, 2020. For more information regarding the Comprehensive analysis, please refer to the full report which can be found at the following location:

https://www.dhs.pa.gov/docs/Publications/Documents/Highlighted Reports/Health Care Outcomes Final 20200228.pdf

A second requirement in the Health Care Outcomes provisions is that the Department provide a progress report to the General Assembly by March 1, 2020 and each March 1 thereafter. This document titled "Managed Care Organization Outcomes Program Year Five" serves as the fifth-year progress report.

As specified by Act 40, the required PAEs for the MCO Outcomes Program are PAR, PAA, PAV, and PAC. As this is the fifth year of the analysis, a year-over-year comparison of the two most recent years is included. A hospital outcomes program report is also required and will be provided as a separate report titled "Hospital Outcomes Program Year Five".

Federal law, as well as the Department's policy, precludes the MCOs for payment of PACs. The Department has evaluated its policy, and surveyed the MCOs and determined that processes are in place and effective to prevent MCO payment to providers related to PACs.

Potentially Avoidable Event Methodology

The Department is required to select a clinical categorical PAE methodology that will provide performance information at both the aggregate and case level. The methodology must include risk adjustment scoring to account for patient severity of illness and the population's chronic illness burden. Mercer Government Human Services Consulting (Mercer), part of Mercer Health & Benefits LLC, the Commonwealth's independent actuary who prepared this analysis, has developed the suite of clinical efficiencies which were selected as the methodology for identifying the PAEs of PAR, PAA, and PAV. Mercer worked under the direction of the Department to leverage the clinical efficiencies consistent with managed care rate setting to meet the requirements of the Health Care Outcomes provisions.

The methodology utilized in Year Five of this analysis is consistent with the methodology used in the prior four years and consistent with the methodology utilized in managed care rate setting to adjust for inpatient and emergency department (ED) inefficiencies. Mercer utilizes the most current version of the applicable software. In some instances, this may result in changes to the identification of certain PAEs as codes sets are retired or replaced.

Impact of Coronavirus Disease 2019

The Year Five Act 40 Healthcare Outcomes report is for the CY 2021 period, which continued to be impacted by the COVID-19 pandemic. In Pennsylvania, early detection through testing and vaccine administration to decrease the prevalence of COVID-19 were in effect. The availability of vaccines emerged during this time frame through emergency use authorization from the FDA with the goal to decrease the severity of COVID-19 illness and related hospitalizations. Widespread testing sites were available as an alternative to presenting to an Emergency Department or Urgent clinic.

All individuals with a COVID-19 diagnosis during the review period were removed from the inpatient results.

Data Sources


Mercer utilized PH HealthChoices and CHC encounter data for beneficiaries served through the managed care program. The Department and Mercer utilized state fiscal year (SFY) 2021–2022 base data in the development of the CHC and PH HealthChoices CY 2024 capitation rates. Therefore, the results included in this document pertaining to the CY 2021 time period will not align with the SFY 2021–2022 results noted within the CY 2024 rate-development process.

The data used in this analysis includes services provided to MCO members for service dates January 1, 2021, through December 31, 2021. While the data was checked for reasonableness compared to rate development, it will vary given the different

time periods being analyzed. As with the 2023 (Year 4) PAE analysis, data utilized for the PAE analysis include inpatient services, but as noted above, individuals with a COVID-19 diagnosis during the CY 2021 base period were removed from the inpatient results.

The following should be considered when reviewing the results of the analysis:

- All data considered in this analysis was submitted by PH
 HealthChoices MCOs or CHC-MCOs through the Provider
 Reimbursement and Operations Management Information System
 (PROMISe™). No adjustments were made to account for misreporting
 or underreporting of data.
- Identified PAEs and associated dollars within Mercer's analyses are
 not intended to express an opinion on the medical necessity of an
 event or imply a particular event is avoidable in a particular instance.
 Instead, the analysis serves to identify and quantify opportunities for
 improvement, which may exist within the Medicaid delivery system.
- 3. The PAA and PAR analyses include an overlapping identification process, which avoids double counting of PAEs within each analysis. PAR is analyzed first, then PAA. Therefore, if a readmission is considered potentially avoidable, the admission will not be included in the PAA results but will instead be included in the PAR results.



Example: If an individual with a history of asthma is admitted to a hospital because of intense shortness of breath and bluish lips, the admission is likely medically necessary. If the individual had received appropriate medication and evidence-based treatment in an outpatient setting, their asthma symptoms may not have progressed to the point at which the individual needed to be hospitalized. In other words, the admission was potentially avoidable even though it may have been medically necessary.

- 4. Costs associated with PAEs are displayed in total prior to adjustments applied as part of the managed care rate-setting process.
- 5. The PAA analysis is specific to inpatient facilities and does not consider long-term care facilities.
- 6. The Department grouped results for the MA MCOs by PH HealthChoices and CHC zones.

Potentially Avoidable Event Process

Each PAE is identified following an established process described below.

Potentially Avoidable Readmissions

PARs are return hospitalizations within a 30-day period that may have resulted from a deficiency in the care or treatment provided to the beneficiary during a previous hospital stay or from a deficiency in post-hospital discharge follow up. The readmission analysis considers all hospital readmissions within 30 days of a previous discharge for the same beneficiary at any facility and any diagnosis-related group (DRG). Mercer applied exclusionary criteria for certain conditions referred to as clinical global exclusions (e.g., indications of trauma, cancer, burns, HIV/AIDS). These clinical global exclusions are made for conditions and situations that may require more complex treatment for beneficiaries. Any beneficiary identified as having a clinical global exclusion is excluded from both PAR and PAA analyses.

After clinical global exclusions are considered, Mercer clinicians review all remaining readmissions to determine if the readmission should be considered potentially avoidable. Readmissions are not considered potentially avoidable when:

- Readmissions are for conditions unrelated to the previous admission.
- Beneficiaries chose to leave against medical advice.
- Beneficiaries were three years of age and under or 85 years of age and older.
- There is evidence of transition of care as reflected by the presence of a claim for a visit to a primary care provider, specialist, or a clinic such as a federally qualified health center after the hospital discharge and prior to the readmission.
- Beneficiaries were discharged due to death or placement into hospice.

Potentially Avoidable Admissions

PAAs are admissions to a hospital that may have reasonably been prevented with adequate access to ambulatory care or health care coordination.

The admissions analysis considers indicators were developed by the Agency for Healthcare Research and Quality (AHRQ) and include select prevention quality indicators (PQIs) and pediatric quality indicators (PDIs).² Mercer has selected 10 adult and four pediatric indicators in this analysis, displayed in Table 1 and Table 2 below. The AHRQ indicators selected relate to conditions the MCO can impact or improve outcomes within one reporting year. This is important as the PH HealthChoices and CHC actuarial rate-development process, which was utilized for this analysis, must reflect reasonable and achievable assumptions regarding the

² AHRQ, Quality Indicator Resources. Available at https://www.qualityindicators.ahrq.qov/Modules/default.aspx

level of assumed efficiency within the rating period for which the capitation rates are being developed. The assumed efficiency levels are evaluated annually by Mercer and/or the Department for use in the managed care rate-setting process.³

In addition to the criteria specified by AHRQ, similar to the process described related to PAR, Mercer follows a similar clinical global exclusion process.

PDIs do not apply to the CHC program as the population is limited to individuals ages 21 years and older.

Table 1 — AHRQ PDI Included in PAA Analysis

| AHRQ PDI Number | PDI Description (Pediatric) |
|-----------------|--|
| 14 | Asthma Admission Rate |
| 15 | Diabetes Short-Term Complications Admission Rate |
| 16 | Gastroenteritis Admission Rate |
| 18 | Urinary Tract Infection Admission Rate |

Table 2 — AHRQ PQI Included in PAA Analysis

| AHRQ PQI Number | PQI Description (Adult) |
|-----------------|--|
| 1 | Diabetes Short-Term Complications Admissions Rate |
| 3 | Diabetes Long-Term Complications Admissions Rate |
| 5 | Chronic Obstructive Pulmonary Disease or Asthma in Older Adults Admission Rate |
| 7 | Hypertension Admission Rate |
| 8 | Heart Failure Admission Rate |

³ The Department also maintains a Hospital Quality Incentive Program (HQIP) which includes an analysis of potentially avoidable hospital admissions using 3M's Population-focused Preventable Software to calculate the results. Due to differences in methodology and the specific criteria applied by Mercer for this analysis, the results of the accompanying analysis will not match those determined through the HQIP program.

| AHRQ PQI Number | PQI Description (Adult) |
|-----------------|---|
| 11 | Bacterial Pneumonia Admission Rate |
| 12 | Urinary Tract Infection Admission Rate |
| 14 | Uncontrolled Diabetes Admission Rate |
| 15 | Asthma in Younger Adults Admission Rate |
| 16 | Rate of Lower-Extremity Amputation Diabetes |

Potentially Avoidable Emergency Visits

PAVs include treatment in an emergency medical facility for a condition that may not require emergency medical attention because the condition could be or could have been treated or prevented by a physician or other health care provider in a nonemergency setting.

The visits analysis considers ED utilization to identify instances of PAV. These are referred to as low acuity non-emergent (LANE) visits. The criteria used to define LANE ED visits is based on publicly available studies, as well as input from both the Department's and Mercer's clinical staff, and physicians with training and experience in primary care, urgent care, and emergency medicine.

Consistent with the methodology utilized in the prior years of the analysis, each LANE diagnosis code has an assigned percentage preventable value collaboratively developed by Office of Medical Assistance Program's Chief Medical Officer and Mercer clinicians. The encounters are categorized by primary diagnosis and by procedure code, in which a hierarchical process is applied to identify potentially preventable visits. For example, the analysis will identify PAVs starting with visits having procedure code 99281, then visits with procedure code 99282 and finally (if the preventable percentage allows) visits with procedure code 99283.

LANE International Classification of Diseases Tenth Revision (ICD-10) codes and associated percentage preventable values are reviewed on an annual basis and are adjusted, where applicable.

A listing of LANE ICD-10 diagnosis codes and their associated ICD-10 groupings are included as Appendix F.

Zone Criteria

For purposes of this analysis, the results are calculated on a statewide basis and by geographical zone as defined in the Department's PH HealthChoices and CHC programs. The MCO results are assigned to a geographical zone based on MCO assignment.

Each zone will reflect its own unique member and hospital composition as well as a rural and urban mix. All results should be reviewed in consideration of these potential zone variations (i.e., there may be more PAEs identified as a proportion of overall admits/visits based on geography).

Risk Adjustment

The Health Care Outcomes provisions require risk adjustment scoring to account for severity of illness and population chronic illness burden. To account for the acuity differences inherent in the data, Mercer calculated the acuity following one of two methods based on the data source being utilized (inpatient or ED data). These acuity factors were not directly applied within the results but are instead, intended to inform the overall acuity level of the events being analyzed. The risk-adjustment approach for each PAE is as follows:

- PAR and PAA: An average all patient refined-diagnosis related groups (APR-DRGs) relative value weight (case mix index [CMI])
 was calculated by MCO for all admissions. APR-DRGs classify patients according to their reason of admission. Each APR-DRG is
 assigned a value weight for severity of illness and risk of mortality. The CMI is calculated by aggregating all assigned value
 weights and dividing by the number of admissions.
- 2. PAV: Mercer developed cost weights using the statewide cost per visit for all ED visits billed with procedure codes 99281–99285. These procedure codes represent evaluation and management services provided in the ED. Procedure codes 99281–99283 represent ED visits for less complex or severe conditions. Procedure codes 99284 and 99285 represent ED visits for conditions that are most urgent and of high severity. To develop the cost weights, the average cost per visit was calculated for each of the five procedure codes separately. Then, the cost per visit for each procedure code was divided by the total cost per visit across all procedure codes to derive a cost relativity. The resulting factors were then assigned to the data at the claim level and aggregated by MCO for all ED visits.

Managed Care Organization Results

An evaluation of Year Five data suggests opportunities exist to improve the efficiency of how care and services are delivered.

The accompanying information is provided in graphical format by geographical zone to assist the Department and MCOs in the identification of opportunities to develop interventions that will improve patient care and decrease avoidable cost.

The table and figure below display the combined statewide PAE results for both the PH HealthChoices MCOs and the CHC-MCOs. The following should be noted for each Health Care Outcomes data year:

- CY 2020 data:
 - Data includes PH HealthChoices MCOs.
 - Data includes CHC-MCOs.
- CY 2021 data:
 - Data includes PH HealthChoices MCOs.
 - Data includes CHC-MCOs.


Table 3 — MCO Results for PAE and Cost

| Description of PAEs | Number of PAEs | | of | Percentage of Admits/Visits | Associated | Associated | | of Inpatient/ED |
|---------------------|-------------------|---------|---------|-----------------------------------|---------------|---------------|---------|--------------------|
| | CY 2020 | CY 2021 | CY 2020 | CY 2021 | CY 2020 | CY 2021 | CY 2020 | CY 2021 |
| PAR | 4,986 | 5,035 | 2.1% | 1.9% | \$56,125,127 | \$57,725,412 | 2.1% | 1.9% |
| PAA | 10,928 | 13,976 | 4.6% | 5.3% | \$95,686,488 | \$126,322,923 | 3.6% | 4.2% |
| PAV | 198,888 | 203,537 | 15.7% | 14.3% | \$44,354,219 | \$48,239,923 | 9.3% | 9.7% |
| Total | 214,802 | 222,548 | | | \$196,165,833 | \$232,288,263 | | |

^{*}Costs in the table may differ from results provided directly to the MCOs as part of rate setting, as costs associated with PAEs are displayed prior to replacement costs, other adjustments, and/or rounding. Additionally, as noted above, CY 2024 rate setting was based on SFY 2021–2022 data and not CY 2021 data.

PAR cost amounts are separate from any recoupment activities that may have occurred by either the MCOs or through the fee-for-service program.

Figure 1 — PAE (as a percentage of total admits or visits), MCO Results by PH HealthChoices and CHC Program Zones



- > PAR Potentially Avoidable Readmission
- > PAA Potentially Avoidable Admission
- ➤ PAV Potentially Avoidable Emergency Visit

Note: MCO results have not been adjusted for beneficiary risk or the impact of maternity delivery events.

Overall, combined PAEs are up by 7,746 events from CY 2020 to CY 2021. All three PAE categories had increases in their total numbers ranging from less than 1% for PAR, PAV at approximately 2%, and nearly a 28% increase for PAA. As a percentage of total events, PAAs also increased slightly from 4.6% to 5.3%, however PARs and PAVs decreased from 2.1% to 1.9% and 15.7% to 14.3%, respectively.

There is a statewide increase in PAEs year-over-year, as well as an increase in total dollars of approximately \$36.1 million. The increase in dollars followed the similar pattern of increase in actual events, with PAAs accounting for the largest share of the impact at \$30.6 million.

Table 4 below displays the 20 most frequent APR-DRGs for PARs. In addition, a comparison to the prior year is displayed including the percentage change in both occurrence and identified cost.

The following APR-DRGs had the most notable increases in occurrence:

- ACUTE KIDNEY INJURY
- INFECTIOUS & PARASITIC DISEASES INCLUDING HIV W O.R. PROCEDURE

The following APR-DRGs had the most notable decreases in occurrence:

- SICKLE CELL ANEMIA CRISIS
- SEPTICEMIA & DISSEMINATED INFECTIONS

Table 4 — PAR by APR-DRG

| APR DRG Number | APR DRG Description | DAE DAE I | | PAE % Change | Cost Associated With PAEs | Cost Associated With PAEs | Cost % Change |
|-------------------|--|-----------|---------|-----------------|---------------------------------|---------------------------------|------------------|
| | | CY 2020 | CY 2021 | | CY 2020 | CY 2021 | |
| 0420 | DIABETES | 336 | 298 | -11% | \$2,338,970 | \$2,587,459 | 11% |
| 0720 | SEPTICEMIA & DISSEMINATED INFECTIONS | 323 | 274 | -15% | \$4,807,651 | \$4,121,256 | -14% |
| 0662 | SICKLE CELL ANEMIA CRISIS | 334 | 255 | -24% | \$2,842,354 | \$1,948,330 | -31% |
| 0194 | HEART FAILURE | 238 | 254 | 7% | \$3,303,793 | \$4,078,325 | 23% |
| 0775 | ALCOHOL ABUSE & DEPENDENCE | 158 | 184 | 16% | \$807,292 | \$873,808 | 8% |
| 0282 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY | 165 | 182 | 10% | \$1,454,817 | \$1,176,168 | -19% |
| 0140 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE | 161 | 139 | -14% | \$1,444,577 | \$1,234,892 | -15% |
| 0133 | RESPIRATORY FAILURE | 115 | 123 | 7% | \$1,591,795 | \$1,808,705 | 14% |
| 0280 | ALCOHOLIC LIVER DISEASE | 102 | 103 | 1% | \$888,861 | \$947,038 | 7% |
| 0383 | CELLULITIS & OTHER SKIN INFECTIONS | 73 | 100 | 37% | \$746,630 | \$869,273 | 16% |
| 0710 | INFECTIOUS & PARASITIC DISEASES INCLUDING HIV W O.R. PROCEDURE | 68 | 98 | 44% | \$933,853 | \$1,722,741 | 84% |
| 0463 | KIDNEY & URINARY TRACT INFECTIONS | 74 | 80 | 8% | \$1,055,348 | \$1,204,615 | 14% |

| APR DRG Number | APR DRG Description | Number of PAEs | Number of PAEs | PAE % Change | Cost Associated With PAEs | Cost Associated With PAEs | Cost % Change |
|-------------------|---|----------------|----------------|-----------------|---------------------------------|---------------------------------|------------------|
| | | CY 2020 | CY 2021 | | CY 2020 | CY 2021 | |
| 0469 | ACUTE KIDNEY INJURY | 39 | 72 | 85% | \$466,753 | \$944,153 | 102% |
| 0403 | PROCEDURES FOR OBESITY | 74 | 69 | -7% | \$844,459 | \$742,732 | -12% |
| 0956 | UNGROUPABLE | 49 | 69 | 41% | \$458,549 | \$1,091,978 | 138% |
| 0425 | OTHER NON- HYPOVOLEMIC ELECTROLYTE DISORDERS | 90 | 62 | -31% | \$900,116 | \$615,216 | -32% |
| 0141 | ASTHMA | 70 | 59 | -16% | \$481,608 | \$535,352 | 11% |
| 0053 | SEIZURE | 50 | 58 | 16% | \$580,452 | \$644,227 | 11% |
| 0249 | OTHER GASTROENTERITIS, NAUSEA & VOMITING | 45 | 58 | 29% | \$385,873 | \$697,574 | 81% |
| 0192 | CARDIAC CATHETERIZATION FOR OTHER NON-CORONARY CONDITIONS | 45 | 57 | 27% | \$943,061 | \$830,991 | -12% |

PAAs as a percentage of admissions increased from 4.6% to 5.3%. The cost associated with PAAs also increased from \$95.9 million to \$126.3 million.

PAVs as a percentage of total emergency room visits decreased from 15.7% to 14.3%. The cost associated with PAVs increased from \$44.3 million to \$48.2 million.

Overall

The Department's efficiency adjustments took into account the costs associated with the PAEs as part of the rate-setting process. Over the past five years, the Department has reduced capitation rates in PH HealthChoices and CHC by more than \$1.6 billion for inefficient costs.

In order to provide the data in a format that will provide the most descriptive information, the baseline results are graphically displayed by PAE and by zone in Appendices A–C.

Section 5 Next Steps

The analyses included in this report address the requirements of Health Care Outcomes provisions regarding development of an MCO Outcomes Program. The MCO level analyses will be completed and ready for distribution to each MCO in the second calendar quarter of 2024. A template of the analysis that will be provided to each MCO is included as Appendix E.

In order to identify opportunities for the MCOs to reduce PAEs, the Department is focusing on the following efforts. In addition, the Department released the 2023 CHIP and Medical Assistance Quality Strategy⁴ and continues to strengthen the strategies included in the document through the efforts below:

- 1. As noted in the last report, the Department reviews these efficiency adjustments and its strategy for reducing inefficiencies in managed care as part of the annual rate development process for the PH HealthChoices program. The PH HealthChoices efficiency adjustments for hospital services include readmissions within 30 days for any facilities, admissions related to the conditions identified as potentially avoidable using AHRQ's PQI and PDI, admissions for cellulitis conditions, short inpatient stays, and LANE ED usage. The Department continues to increase the final efficiency adjustments in the rate setting to encourage the MCOs to be more efficient in future rate years.
- 2. The Department includes quality measures in its MCO Pay-for-Performance (P4P) arrangement in the HealthChoices Agreement, which incentivizes meeting or exceeding national benchmarks in all-cause readmissions, or improving performance with respect to decreasing all-cause readmissions year over year.
- 3. The Department includes value-based purchasing (VBP) requirements in the HealthChoices Agreement to improve quality of care, to improve the efficiency of services, to reduce cost, and to support addressing Social Determinants of Health (SDOH). For PH HealthChoices CY 2023, 50% of the medical portion of the capitation and maternity care revenue rate must be expended through VBP arrangements, at least half of which must be in medium and high-risk level arrangements like shared savings, shared risk, bundle payments, and global payment. In addition, the PH-MCOs must incorporate Community-Based Organizations (CBOs) into VBP arrangements with Network Providers to address SDOH. 75% of the medical portion of the capitation and maternity care revenue expended in shared savings, shared risk, bundle payments, and global payment must incorporate at least one CBO that addresses at least one SDOH domain. The remaining 25% must incorporate one or more CBOs that together address two or more SDOH domains. The Department encourages the MCOs to establish VBP arrangements that include efforts in reducing hospital PAEs. The VBP requirement links provider payments to patient outcomes, aligning incentives to improve care and reduce

⁴ 2023 CHIP and Medical Assistance Quality Strategy for Pennsylvania Final

- costs. The Department monitors the MCOs VBP and holds them accountable for the VBP requirement and ensures that they operate efficiently while providing high-quality, cost-effective care.
- 4. The Department includes Community-Based Care Management in the HealthChoices Agreement, which allows the MCOs to utilize community health workers and requires the PH-MCOs to collaborate with CBOs to encourage the use of preventive services, mitigate SDOH barriers, reduce healthcare disparities, and improve maternal and child health. The Department supports the MCO efforts to outreach to beneficiaries at risk of admission or readmission.
- 5. The Department manages the Integrated Care Plan (ICP) P4P initiative, which incentivizes PH and Behavioral Health-MCOs to share data on high-need members and meet certain quality thresholds, including readmission rates for individuals with Serious Persistent Mental Illness (SPMI) within 30 days of an inpatient stay, hospital admission rates for individuals with SPMI, and ED visits for the same population.
- 6. PH-MCOs are required to submit Performance Improvement Projects (PIPs) each year, which are implemented over the course of a three-year cycle. From 2019-2022, the Department required PH-MCOs to design and implement projects intended to reduce PAEs. All plans implemented these projects during the PIP cycle, but mixed results led the Department to choose to continue the same PIPs during the 2023-2026 cycle.
- 7. The Department requires the PH-MCOs to implement a Patient Centered Medical Home (PCMH) program. The PCMH model of care includes key components such as: whole person focused on behavioral health and PH, comprehensive focus on wellness as well as acute and chronic conditions, increased access to care, improved quality of care, team-based approach to care management/coordination, and use of electronic health records and health information technology to track and improve care. The PH-MCOs contract with high volume providers in their network who meet the HealthChoices requirements of a PCMH, make payments, collect quality related data, reward PCMHs with quality-based enhanced payments and develop a learning network that includes PCMHs and other PH-MCOs.
- 8. In addition to strengthening the VBP requirement, efficiency adjustments and care coordination strategies listed above, the Department continues to address SDOH. SDOH, which include elements such as access to food, access to health services, education and employment, environmental conditions, income, housing, and relationships, among others are considered responsible for approximately 80% of a person's health outcomes. The Department focuses on improvement of SDOH to address the whole person health rather than focusing on specific body systems, diagnoses, or conditions, and to reduce health disparities based on age, race, ethnicity, sex, primary language, and disability status. Through whole person care and SDOH, the Department continues to explore opportunities that are expected to reduce health care costs including preventable events.

Potentially Avoidable Readmissions

Contents

| Table Number | Table Title |
|--------------|---|
| 1 | Total Events |
| 2 | Total Dollars |
| 3 | APR-DRG Case Mix Index |
| 4 | Events and Dollars by Rate Cell |
| 5 | Events and Dollars by Age Band and Gender |
| 6 | Events and Dollars by Top 10 APR-DRG |

The tables identified above are included for each zone. Zone results are displayed in the following order: Southeast, Southwest, Lehigh/Capital, Northeast, and Northwest. This is the fifth year of the analysis; therefore, both CY 2021 and CY 2020 results are available and displayed as applicable.

Detailed Description of Tables

Table 1 — displays the total number of PAR as a percentage of total inpatient hospital admissions. This value is displayed at both the zone and statewide level.

Table 2 — displays the total expenditures related to PAR as a percentage of total inpatient hospital expenditures. This value is displayed at both the zone and statewide level.

Table 3 — displays the average APR-DRG CMI for those admissions identified as PAR at the zone and statewide level.⁵ Also displays the APR-DRG average CMI for all admissions at the zone and statewide level.

Table 4 — displays the total number of PAR as a percentage of total hospital inpatient admissions by rate cell. This value is displayed at both the zone and statewide level.

Table 5 — displays the total number of PAR as a percentage of total inpatient hospital admissions by age band and gender. These values are displayed at both the zone and statewide level.

Table 6 — displays the 10 most frequent diagnosis (APR-DRG) in the zone that result in PAR within the zone. These values are displayed at both the zone and statewide level.

Additional Notes Regarding Data


- 1. Admissions and Dollars for CY 2021 service dates are based on PH HealthChoices MCO encounter data and CHC-MCO encounter data submitted through January 6, 2023.
- 2. Inpatient is defined as acute inpatient hospital admissions.
- 3. APR-DRGs are assigned by PROMISe system and represent APR-DRG version 37. CMI reflects the average APR-DRG relative value weight of all admissions. If APR-DRG relative value weight was not present on the claim, an average relative value weight was assigned. These average relative value weights were calculated at the hospital level.
- 4. There are always at least two admissions related to a PAR. The first admission is referred to as the "anchor admission". When the beneficiary is discharged and admitted again within 30 days, the subsequent admission is referred to as a "readmission". The PAR APR-DRG is assigned based on the anchor admission.
- 5. Replacement costs, which are the costs that would have been incurred to care for the beneficiary in an appropriate setting, are not considered in this analysis.
- 6. Age and gender are assigned using eligibility files provided by the Department.
- 7. Encounters with revenue code 0762 and no room and board code, indicating an observation stay, were excluded from PAR analysis.

⁵ APR-DRGs classify patients according to their reason of admission. Each APR-DRG is assigned a value weight for severity of illness and risk of mortality. The CMI is calculated by aggregating all assigned value weights and dividing by the number of admissions.


- 8. Readmissions are defined as inpatient hospital admissions within 30 days of an admission for the same beneficiary with any DRG at any facility. Not all readmissions within 30 days are considered potentially avoidable. Therefore, Mercer clinicians review readmissions (line by line) to determine if the readmission should be considered potentially avoidable. An admission is not considered potentially avoidable when:
 - A. Beneficiary has a qualifying clinical global exclusion diagnosis (examples include trauma and malignancies).
 - B. Beneficiary is three years of age and under or 85 years of age and older.
 - C. Beneficiary has a qualifying outpatient encounter between admissions.
 - D. Beneficiary was discharged due to death or to hospice.
- 9. PAR values displayed are post clinical global exclusions and clinical review (as described in number 8 above). Targeted efficiency levels are not applied.

| PAE Analysis: | Potentially Avoidable Readmissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zone: | Southeast |

| | Southeast | Statewide |
|------------|-----------|-----------|
| PAE | 2,573 | 5,035 |
| Total | 103,014 | 261,361 |
| 2021 PAE % | 2.5% | 1.9% |
| 2020 PAE % | 2.7% | 2.1% |
| 5.0% | | vents |







| Southeast | | Events | | | | | Dollars | | | | | | |
|------------------------------|---------|--------|-----------------|-----------------|----|---------------|---------|------------|-----------------|-----------------|--|--|--|
| Rate Cell | Total | PAE | 2021 % of Total | 2020 % of Total | | Total | | PAE | 2021 % of Total | 2020 % of Total | | | |
| Under Age 1 | 16,751 | - | 0.0% | 0.0% | \$ | 188,546,973 | \$ | - | 0.0% | 0.0% | | | |
| TANF-MAGI Ages 1-20 | 6,430 | 85 | 1.3% | 0.7% | \$ | 93,729,564 | \$ | 1,756,085 | 1.9% | 0.8% | | | |
| TANF-MAGI Ages 21+ | 16,417 | 146 | 0.9% | 0.9% | \$ | 124,243,768 | \$ | 1,868,062 | 1.5% | 1.6% | | | |
| Disabled-BCC Ages 1+ | 17,843 | 749 | 4.2% | 4.9% | \$ | 295,810,138 | \$ | 9,955,475 | 3.4% | 3.7% | | | |
| Newly Eligible Ages 19 to 44 | 19,606 | 517 | 2.6% | 2.7% | \$ | 230,125,779 | \$ | 5,565,919 | 2.4% | 2.2% | | | |
| Newly Eligible Ages 45 to 64 | 14,120 | 458 | 3.2% | 3.4% | \$ | 223,052,130 | \$ | 5,270,425 | 2.4% | 2.6% | | | |
| NFCE Non-Dual 21-59 | 8,102 | 466 | 5.8% | 7.0% | \$ | 142,652,024 | \$ | 7,284,894 | 5.1% | 5.7% | | | |
| NFCE Non-Dual 60+ | 3,745 | 152 | 4.1% | 4.6% | \$ | 64,568,042 | \$ | 2,458,347 | 3.8% | 4.2% | | | |
| Total | 103,014 | 2,573 | 2.5% | 2.7% | \$ | 1,362,728,420 | \$ | 34,159,206 | 2.5% | 2.6% | | | |

| Statewide | Events | | | | | Dollars | | | | | |
|------------------------------|---------|-------|-----------------|-----------------|----|---------------|----|------------|-----------------|-----------------|--|
| Rate Cell | Total | PAE | 2021 % of Total | 2020 % of Total | | Total | | PAE | 2021 % of Total | 2020 % of Total | |
| Under Age 1 | 51,195 | - | 0.0% | 0.0% | \$ | 462,320,242 | \$ | - | 0.0% | 0.0% | |
| TANF-MAGI Ages 1-20 | 17,537 | 183 | 1.0% | 0.9% | \$ | 217,660,644 | \$ | 2,706,795 | 1.2% | 1.0% | |
| TANF-MAGI Ages 21+ | 45,607 | 330 | 0.7% | 0.8% | \$ | 298,787,157 | \$ | 3,206,854 | 1.1% | 1.2% | |
| Disabled-BCC Ages 1+ | 46,366 | 1,631 | 3.5% | 4.0% | \$ | 714,663,649 | \$ | 18,651,148 | 2.6% | 3.1% | |
| Newly Eligible Ages 19 to 44 | 46,427 | 1,018 | 2.2% | 2.4% | \$ | 494,453,165 | \$ | 9,715,493 | 2.0% | 2.1% | |
| Newly Eligible Ages 45 to 64 | 36,382 | 969 | 2.7% | 3.0% | \$ | 546,218,093 | \$ | 10,526,640 | 1.9% | 2.2% | |
| NFCE Non-Dual 21-59 | 12,004 | 663 | 5.5% | 6.4% | \$ | 202,861,831 | \$ | 9,586,012 | 4.7% | 5.1% | |
| NFCE Non-Dual 60+ | 5,843 | 241 | 4.1% | 4.7% | \$ | 93,575,992 | \$ | 3,332,471 | 3.6% | 4.0% | |
| Total | 261,361 | 5,035 | 1.9% | 2.1% | \$ | 3,030,540,775 | \$ | 57,725,412 | 1.9% | 2.1% | |



| PAE Analysis: | Potentially Avoidable Readmissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| 7 | Courthough |

| Zone: | Southeast | | | | | | | | | |
|---|----------------------|-----------------|-------------|-----------------|-----------------|---------------------|------------|-----------------|-----------------|--|
| Events and | d Dollars by Age Bar | nd and Gender | | | | | | | | |
| | Southeast | | Ev | ents | | | Do | llars | | |
| Age Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | PAE as a % of Total Events by Gender Southea Statewid |
| All Ages | Male | 44,405 | 1,374 | 3.1% | 3.4% | \$ 704,965,175 \$ | 17,615,700 | 2.5% | 2.7% | 5.0% |
| ll Ages | Female | 58,609 | 1,199 | 2.0% | 2.2% | \$ 657,763,244 \$ | 16,543,505 | 2.5% | 2.4% | 4.0% |
| otal | | 103,014 | 2,573 | 2.5% | 2.7% | \$ 1,362,728,420 \$ | 34,159,206 | 2.5% | 2.6% | |
| | | | | | | | | | | 3.0% |
| nder Age 1 | | 16,751 | - | 0.0% | 0.0% | \$ 188,546,973 \$ | - | 0.0% | 0.0% | 2.0% |
| ears 1-20 | | 9,955 | 149 | 1.5% | 1.7% | \$ 169,875,057 \$ | 2,966,568 | 1.7% | 1.8% | |
| ears 21-44 | | 40,468 | 1,035 | 2.6% | 2.6% | \$ 423,870,359 \$ | 12,956,784 | 3.1% | 2.8% | 1.0% |
| ears 45-64 | | 34,083 | 1,331 | 3.9% | 4.6% | \$ 553,402,891 \$ | 17,419,544 | 3.1% | 3.7% | 0.0% |
| ears 65+ | | 1,757 | 58 | 3.3% | 2.4% | \$ 27,033,140 \$ | 816,310 | 3.0% | 1.8% | Male Female Total |
| otal | | 103,014 | 2,573 | 2.5% | 2.7% | \$ 1,362,728,420 \$ | 34,159,206 | 2.5% | 2.6% | |
| | | | | | | | | | | |
| : | Statewide | | Ev | ents | | | Do | llars | | DAE 0/ -f T-t-I F t - k A Southe |
| ge Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | PAE as a % of Total Events by Age 7.0% Statewi |
| l Ages | Male | 105,923 | 2,586 | 2.4% | 2.7% | \$ 1,504,597,633 \$ | 29,215,275 | 1.9% | 2.2% | 6.0% — |
| l Ages | Female | 155,438 | 2,449 | 1.6% | 1.7% | \$ 1,525,943,142 \$ | 28,510,137 | 1.9% | 2.0% | 5.0% |
| otal | | 261,361 | 5,035 | 1.9% | 2.1% | \$ 3,030,540,775 \$ | 57,725,412 | 1.9% | 2.1% | 4.0% |
| | | | | | | | | | | |
| Inder Age 1 | | 51,195 | - | 0.0% | 0.0% | \$ 462,320,242 \$ | - | 0.0% | 0.0% | 3.0% |
| ears 1-20 | | 27,409 | 344 | 1.3% | 1.6% | \$ 400,429,329 \$ | 4,975,696 | 1.2% | 1.7% | 2.0% |
| | | 100,634 | 1,969 | 2.0% | 2.1% | \$ 922,842,548 \$ | 20,943,221 | 2.3% | 2.4% | 1.0% |
| ears 21-44 | | | | 0.00/ | 0.00/ | \$ 1.202,463,752 \$ | 30,792,432 | 2.6% | 3.0% | 0.0% |
| | | 79,123 | 2,637 | 3.3% | 3.8% | φ 1,202,403,732 φ | 00,702,402 | | | |
| 'ears 21-44 'ears 45-64 'ears 65+ | | 79,123 3,000 | 2,637 85 | 3.3% 2.8% | | \$ 42,484,903 \$ | | 2.4% | 1.7% | Under Age 1 Years 1-20 Years 21-44 Years 45-64 Years 65+ Total |




PAE Analysis: Potentially Avoidable Readmissions

Program Type: Managed Care

Service Dates: January 1, 2021 - December 31, 2021

Zone: Southeast


| 6. Event | s and Dol | lars by Top 10 APR-DRG | | | | | | | | | | | |
|--------------|--------------------|--|-------|----|------------|------------------------|------------------------|-----------|----|------------|------------------------|------------------------|--|
| | Top 10 PAE by Zone | | | | Sout | heast | | Statewide | | | | | |
| Zone Rank | APR DRG | Description | PAE | Р | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | Р | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | |
| 1 | 0662 | SICKLE CELL ANEMIA CRISIS | 199 | \$ | 1,571,215 | 7.7% | 9.3% | 255 | \$ | 1,948,330 | 5.1% | 6.7% | |
| 2 | 0194 | HEART FAILURE | 158 | \$ | 3,265,353 | 6.1% | 6.2% | 254 | \$ | 4,078,325 | 5.0% | 4.8% | |
| 3 | 0720 | SEPTICEMIA & DISSEMINATED INFECTIONS | 136 | \$ | 2,313,655 | 5.3% | 6.4% | 274 | \$ | 4,121,256 | 5.4% | 6.5% | |
| 4 | 0420 | DIABETES | 128 | \$ | 1,477,394 | 5.0% | 5.6% | 298 | \$ | 2,587,459 | 5.9% | 6.7% | |
| 5 | 0775 | ALCOHOL ABUSE & DEPENDENCE | 96 | \$ | 571,150 | 3.7% | 3.1% | 184 | \$ | 873,808 | 3.7% | 3.2% | |
| 6 | 0140 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE | 93 | \$ | 909,940 | 3.6% | 4.1% | 139 | \$ | 1,234,892 | 2.8% | 3.2% | |
| 7 | 0282 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY | 63 | \$ | 448,322 | 2.4% | 2.4% | 182 | \$ | 1,176,168 | 3.6% | 3.3% | |
| 8 | 0383 | CELLULITIS & OTHER SKIN INFECTIONS | 52 | \$ | 627,701 | 2.0% | 1.4% | 100 | \$ | 869,273 | 2.0% | 1.5% | |
| 9 | 0133 | RESPIRATORY FAILURE | 51 | \$ | 866,784 | 2.0% | 1.8% | 123 | \$ | 1,808,705 | 2.4% | 2.3% | |
| 10 | 0710 | INFECTIOUS & PARASITIC DISEASES INCLUDING HIV W O.R. PROCEDURE | 42 | \$ | 710,556 | 1.6% | 1.4% | 80 | \$ | 1,204,615 | 1.6% | 1.5% | |
| | | All Else | 1,555 | \$ | 21,397,134 | 60.4% | 58.4% | 3,146 | \$ | 37,822,581 | 62.5% | 60.3% | |
| | | Total | 2,573 | \$ | 34,159,206 | 100.0% | 100.0% | 5,035 | \$ | 57,725,412 | 100.0% | 100.0% | |







| PAE Analysis: | Potentially Avoidable Readmissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zone: | Southwest |

| | Southwest | Statewide |
|------------|-------------------|-----------|
| PAE | 994 | 5,035 |
| Total | 52,606 | 261,361 |
| 2021 PAE % | 1.9% | 1.9% |
| 2020 PAE % | 2.2% | 2.1% |
| 5.0% | as a % of Total E | vents |







| Southwest | | Ever | nts | | Dollars | | | | | | | | |
|------------------------------|--------|------|-----------------|-----------------|---------|-------------|----|-----------|-----------------|-----------------|--|--|--|
| Rate Cell | Total | PAE | 2021 % of Total | 2020 % of Total | | Total | | PAE | 2021 % of Total | 2020 % of Total | | | |
| Under Age 1 | 10,247 | - | 0.0% | 0.0% | \$ | 85,321,192 | \$ | - | 0.0% | 0.0% | | | |
| TANF-MAGI Ages 1-20 | 3,604 | 48 | 1.3% | 1.6% | \$ | 41,778,576 | \$ | 584,805 | 1.4% | 1.9% | | | |
| TANF-MAGI Ages 21+ | 8,931 | 65 | 0.7% | 0.9% | \$ | 53,678,006 | \$ | 416,149 | 0.8% | 0.8% | | | |
| Disabled-BCC Ages 1+ | 10,782 | 362 | 3.4% | 4.0% | \$ | 153,638,298 | \$ | 3,018,866 | 2.0% | 2.8% | | | |
| Newly Eligible Ages 19 to 44 | 8,857 | 194 | 2.2% | 2.6% | \$ | 91,889,908 | \$ | 1,407,193 | 1.5% | 2.2% | | | |
| Newly Eligible Ages 45 to 64 | 7,716 | 185 | 2.4% | 3.0% | \$ | 107,338,149 | \$ | 1,392,705 | 1.3% | 2.0% | | | |
| NFCE Non-Dual 21-59 | 1,599 | 100 | 6.3% | 5.8% | \$ | 23,533,041 | \$ | 965,053 | 4.1% | 3.5% | | | |
| NFCE Non-Dual 60+ | 870 | 40 | 4.6% | 6.0% | \$ | 11,425,070 | \$ | 386,989 | 3.4% | 3.5% | | | |
| Total | 52,606 | 994 | 1.9% | 2.2% | \$ | 568,602,241 | \$ | 8,171,759 | 1.4% | 2.0% | | | |

| Statewide | | Even | its | | | Dol | lars | |
|------------------------------|---------|-------|-----------------|-----------------|---------------------|------------------|-----------------|-----------------|
| Rate Cell | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total |
| Under Age 1 | 51,195 | - | 0.0% | 0.0% | \$ 462,320,242 | \$ - | 0.0% | 0.0% |
| TANF-MAGI Ages 1-20 | 17,537 | 183 | 1.0% | 0.9% | \$ 217,660,644 | \$ 2,706,795 | 1.2% | 1.0% |
| TANF-MAGI Ages 21+ | 45,607 | 330 | 0.7% | 0.8% | \$ 298,787,157 | \$ 3,206,854 | 1.1% | 1.2% |
| Disabled-BCC Ages 1+ | 46,366 | 1,631 | 3.5% | 4.0% | \$ 714,663,649 | \$ 18,651,148 | 2.6% | 3.1% |
| Newly Eligible Ages 19 to 44 | 46,427 | 1,018 | 2.2% | 2.4% | \$ 494,453,165 | \$ 9,715,493 | 2.0% | 2.1% |
| Newly Eligible Ages 45 to 64 | 36,382 | 969 | 2.7% | 3.0% | \$ 546,218,093 | \$ 10,526,640 | 1.9% | 2.2% |
| NFCE Non-Dual 21-59 | 12,004 | 663 | 5.5% | 6.4% | \$ 202,861,831 | \$ 9,586,012 | 4.7% | 5.1% |
| NFCE Non-Dual 60+ | 5,843 | 241 | 4.1% | 4.7% | \$ 93,575,992 | \$ 3,332,471 | 3.6% | 4.0% |
| Total | 261,361 | 5,035 | 1.9% | 2.1% | \$ 3,030,540,775 | \$ 57,725,412 | 1.9% | 2.1% |



| PAE Analysis: | Potentially Avoidable Readmissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| 7 | Couldbroad |

| Zone: | Southwest | | | | | | | | | | | | | |
|--------------|----------------------|--------------|-------|-----------------|-----------------|-------------------|------------|-----------------|-----------------|-------------|------------|------------------------|-------------|--------------------------|
| . Events and | l Dollars by Age Ban | d and Gender | | | | | | | | | | | | |
| S | outhwest | | Eve | ents | | | Do | llars | | | | | | |
| Age Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | | AE as a % | of Total Events by | Gender | ■Southwest ■Statewide |
| All Ages | Male | 21,342 | 501 | 2.3% | 2.6% | \$ 279,537,253 | 4,159,833 | 1.5% | 1.9% | 5.0% | | | | |
| II Ages | Female | 31,264 | 493 | 1.6% | 1.9% | \$ 289,064,988 \$ | 4,011,926 | 1.4% | 2.0% | 4.0% | | | | |
| otal | | 52,606 | 994 | 1.9% | 2.2% | \$ 568,602,241 | 8,171,759 | 1.4% | 2.0% | | | | | |
| | | | | | | | | | | 3.0% | | | | |
| Inder Age 1 | | 10,247 | - | 0.0% | 0.0% | \$ 85,321,192 | - | 0.0% | 0.0% | 2.0% | | | | |
| ears 1-20 | | 5,818 | 86 | 1.5% | 2.2% | \$ 79,862,242 | 970,370 | 1.2% | 2.0% | | | | | |
| ears 21-44 | | 19,536 | 366 | 1.9% | 2.1% | \$ 166,101,419 | 2,632,278 | 1.6% | 2.2% | 1.0% | | | | |
| ears 45-64 | | 16,674 | 533 | 3.2% | 3.7% | \$ 233,642,477 | 4,500,497 | 1.9% | 2.5% | 0.0% | | | | |
| ears 65+ | | 331 | 9 | 2.7% | 4.1% | \$ 3,674,911 | 68,614 | 1.9% | 2.0% | Ma | ale | Female | | Total |
| otal | | 52,606 | 994 | 1.9% | 2.2% | \$ 568,602,241 | 8,171,759 | 1.4% | 2.0% | | | | | |
| | | | | | | | | | | | | | | |
| | Statewide | | Eve | ents | | | Do | llars | | | DAE | 0/ (- 1- 1- | | Southwes |
| ge Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | 7.0% | PAE as a | a % of Total Events | by Age | Statewide |
| ll Ages | Male | 105,923 | 2,586 | 2.4% | 2.7% | \$ 1,504,597,633 | 29,215,275 | 1.9% | 2.2% | 6.0% | | | | |
| II Ages | Fema l e | 155,438 | 2,449 | 1.6% | 1.7% | \$ 1,525,943,142 | 28,510,137 | 1.9% | 2.0% | 5.0% | | | | |
| otal | | 261,361 | 5,035 | 1.9% | 2.1% | \$ 3,030,540,775 | 57,725,412 | 1.9% | 2.1% | | | | | |
| | | | | | | | | | | 4.0% | | | | |
| Inder Age 1 | | 51,195 | - | 0.0% | 0.0% | \$ 462,320,242 | - | 0.0% | 0.0% | 3.0% | | | | |
| ears 1-20 | | 27,409 | 344 | 1.3% | 1.6% | \$ 400,429,329 | 4,975,696 | 1.2% | 1.7% | 2.0% | | | | |
| ears 21-44 | | 100,634 | 1,969 | 2.0% | 2.1% | \$ 922,842,548 | 20,943,221 | 2.3% | 2.4% | 1.0% | | | | |
| ears 45-64 | | 79,123 | 2,637 | 3.3% | 3.8% | \$ 1,202,463,752 | 30,792,432 | 2.6% | 3.0% | 0.0% | | | | |
| | | 3,000 | 85 | 2.8% | 2.3% | \$ 42,484,903 | 1,014,063 | 2.4% | 1.7% | Under Age 1 | Years 1-20 | Years 21-44 Years 45-6 | 4 Years 65+ | Total |
| ears 65+ | | 3,000 | 00 | 2.0 /0 | 2.0 / 0 | | | | | | | | | |




PAE Analysis: Potentially Avoidable Readmissions

Program Type: Managed Care

Service Dates: January 1, 2021 - December 31, 2021

Zone: Southwest


| 6. Even | ts and Dol | llars by Top 10 APR-DRG | | | | | | | | | | | |
|--------------|------------|---|-----|----|------------|------------------------|------------------------|-----------|-----|------------|------------------------|------------------------|--|
| | | Top 10 PAE by Zone | | | South | nwest | | Statewide | | | | | |
| Zone Rank | APR DRG | Description | PAE | P. | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | PAI | E Dollars | 2021 % of Total PAE | 2020 % of Total PAE | |
| 1 | 0420 | DIABETES | 69 | \$ | 362,483 | 6.9% | 8.5% | 298 | \$ | 2,587,459 | 5.9% | 6.7% | |
| 2 | 0282 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY | 59 | \$ | 342,201 | 5.9% | 4.9% | 182 | \$ | 1,176,168 | 3.6% | 3.3% | |
| 3 | 0720 | SEPTICEMIA & DISSEMINATED INFECTIONS | 47 | \$ | 567,619 | 4.7% | 6.2% | 274 | \$ | 4,121,256 | 5.4% | 6.5% | |
| 4 | 0775 | ALCOHOL ABUSE & DEPENDENCE | 41 | \$ | 131,730 | 4.1% | 3.5% | 184 | \$ | 873,808 | 3.7% | 3.2% | |
| 5 | 0280 | ALCOHOLIC LIVER DISEASE | 35 | \$ | 246,272 | 3.5% | 3.4% | 103 | \$ | 947,038 | 2.0% | 2.0% | |
| 6 | 0133 | RESPIRATORY FAILURE | 31 | \$ | 256,814 | 3.1% | 2.9% | 123 | \$ | 1,808,705 | 2.4% | 2.3% | |
| 7 | 0194 | HEART FAILURE | 28 | \$ | 167,590 | 2.8% | 4.2% | 254 | \$ | 4,078,325 | 5.0% | 4.8% | |
| 8 | 0383 | CELLULITIS & OTHER SKIN INFECTIONS | 26 | \$ | 94,050 | 2.6% | 1.7% | 100 | \$ | 869,273 | 2.0% | 1.5% | |
| 9 | 0662 | SICKLE CELL ANEMIA CRISIS | 23 | \$ | 81,276 | 2.3% | 4.9% | 255 | \$ | 1,948,330 | 5.1% | 6.7% | |
| 10 | 0140 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE | 19 | \$ | 159,121 | 1.9% | 2.1% | 139 | \$ | 1,234,892 | 2.8% | 3.2% | |
| | | All Else | 616 | \$ | 5,762,603 | 62.0% | 57.8% | 3,123 | \$ | 38,080,159 | 62.0% | 59.8% | |
| | | Total | 994 | \$ | 8,171,759 | 100.0% | 100.0% | 5,035 | \$ | 57,725,412 | 100.0% | 100.0% | |







| PAE Analysis: | Potentially Avoidable Readmissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zone: | Lehigh/Capital |

| Zone: | Lenign/Capital | |
|--------------------------------------|----------------|-----------|
| 1. Total Events | | |
| | Lehigh/Capital | Statewide |
| PAE | 771 | 5,035 |
| Total | 54,982 | 261,361 |
| 2021 PAE % | 1.4% | 1.9% |
| 2020 PAE % | 1.5% | 2.1% |
| 5.0% 4.0% 3.0% 2.0% 1.0% | | |







| Lehigh/Capital | | Ever | nts | | Dollars | | | | | | | | |
|------------------------------|--------|------|-----------------|-----------------|---------|-------------|----|-----------|-----------------|-----------------|--|--|--|
| Rate Cell | Total | PAE | 2021 % of Total | 2020 % of Total | | Total | | PAE | 2021 % of Total | 2020 % of Total | | | |
| Under Age 1 | 12,823 | - | 0.0% | 0.0% | \$ | 102,733,240 | \$ | - | 0.0% | 0.0% | | | |
| TANF-MAGI Ages 1-20 | 3,849 | 30 | 0.8% | 0.6% | \$ | 44,203,266 | \$ | 235,189 | 0.5% | 0.9% | | | |
| TANF-MAGI Ages 21+ | 10,948 | 60 | 0.5% | 0.6% | \$ | 67,200,853 | \$ | 446,004 | 0.7% | 0.9% | | | |
| Disabled-BCC Ages 1+ | 8,563 | 268 | 3.1% | 3.7% | \$ | 134,474,924 | \$ | 3,200,524 | 2.4% | 3.0% | | | |
| Newly Eligible Ages 19 to 44 | 9,666 | 173 | 1.8% | 2.3% | \$ | 93,047,388 | \$ | 1,766,212 | 1.9% | 1.7% | | | |
| Newly Eligible Ages 45 to 64 | 7,312 | 161 | 2.2% | 2.7% | \$ | 112,016,959 | \$ | 1,986,701 | 1.8% | 2.0% | | | |
| NFCE Non-Dual 21-59 | 1,192 | 61 | 5.1% | 4.2% | \$ | 19,289,209 | \$ | 954,895 | 5.0% | 3.4% | | | |
| NFCE Non-Dual 60+ | 629 | 18 | 2.9% | 3.3% | \$ | 9,421,999 | \$ | 143,449 | 1.5% | 3.1% | | | |
| Total | 54,982 | 771 | 1.4% | 1.5% | \$ | 582,387,837 | \$ | 8,732,974 | 1.5% | 1.7% | | | |

| Statewide | | Even | ts | | Dollars | | | | | | | |
|------------------------------|---------|-------|-----------------|-----------------|---------|---------------|----|------------|-----------------|-----------------|--|--|
| Rate Cell | Total | PAE | 2021 % of Total | 2020 % of Total | | Total | | PAE | 2021 % of Total | 2020 % of Total | | |
| Under Age 1 | 51,195 | - | 0.0% | 0.0% | \$ | 462,320,242 | \$ | - | 0.0% | 0.0% | | |
| TANF-MAGI Ages 1-20 | 17,537 | 183 | 1.0% | 0.9% | \$ | 217,660,644 | \$ | 2,706,795 | 1.2% | 1.0% | | |
| TANF-MAGI Ages 21+ | 45,607 | 330 | 0.7% | 0.8% | \$ | 298,787,157 | \$ | 3,206,854 | 1.1% | 1.2% | | |
| Disabled-BCC Ages 1+ | 46,366 | 1,631 | 3.5% | 4.0% | \$ | 714,663,649 | \$ | 18,651,148 | 2.6% | 3.1% | | |
| Newly Eligible Ages 19 to 44 | 46,427 | 1,018 | 2.2% | 2.4% | \$ | 494,453,165 | \$ | 9,715,493 | 2.0% | 2.1% | | |
| Newly Eligible Ages 45 to 64 | 36,382 | 969 | 2.7% | 3.0% | \$ | 546,218,093 | \$ | 10,526,640 | 1.9% | 2.2% | | |
| NFCE Non-Dual 21-59 | 12,004 | 663 | 5.5% | 6.4% | \$ | 202,861,831 | \$ | 9,586,012 | 4.7% | 5.1% | | |
| NFCE Non-Dual 60+ | 5,843 | 241 | 4.1% | 4.7% | \$ | 93,575,992 | \$ | 3,332,471 | 3.6% | 4.0% | | |
| Total | 261,361 | 5,035 | 1.9% | 2.1% | \$ | 3,030,540,775 | \$ | 57,725,412 | 1.9% | 2.1% | | |



| PAE Analysis: | Potentially Avoidable Readmissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| 7 | I shink/Conital |

| Zone: | Lehigh/Capital | | | | | | | | | | | | |
|---------------|--------------------|---------------|-------|-----------------|-----------------|------------------|---------------|-----------------|-----------------|-------|------------------------------|------------------------|----------------------------------|
| 5. Events and | Dollars by Age Bar | nd and Gender | | | | | | | | | | | |
| Leh | igh/Capital | | Eve | ents | | | Do | llars | | | | | |
| Age Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | | | tal Events by Gende | er ■Lehigh/Capital ■Statewide |
| All Ages | Male | 20,784 | 383 | 1.8% | 2.1% | \$ 280,556,213 | \$ 4,168,163 | 1.5% | 1.9% | 5.0% | | | |
| All Ages | Female | 34,198 | 388 | 1.1% | 1.2% | \$ 301,831,624 | \$ 4,564,810 | 1.5% | 1.5% | 4.0% | | | |
| Total | | 54,982 | 771 | 1.4% | 1.5% | \$ 582,387,837 | \$ 8,732,974 | 1.5% | 1.7% | | | | |
| | | | | | | | | | | 3.0% | | | |
| Under Age 1 | | 12,823 | - | 0.0% | 0.0% | \$ 102,733,240 | \$ - | 0.0% | 0.0% | 2.0% | | | |
| Years 1-20 | | 6,094 | 70 | 1.1% | 1.3% | \$ 85,335,608 | \$ 798,455 | 0.9% | 1.5% | | | | |
| Years 21-44 | | 21,727 | 318 | 1.5% | 1.6% | \$ 179,119,734 | \$ 3,411,732 | 1.9% | 1.9% | 1.0% | | | |
| Years 45-64 | | 13,729 | 372 | 2.7% | 3.1% | \$ 206,850,705 | \$ 4,445,240 | 2.1% | 2.5% | 0.0% | | | |
| Years 65+ | | 609 | 11 | 1.8% | 1.7% | \$ 8,348,550 | \$ 77,546 | 0.9% | 1.5% | 0.078 | Male | Female | Total |
| Total | | 54,982 | 771 | 1.4% | 1.5% | \$ 582,387,837 | \$ 8,732,974 | 1.5% | 1.7% | | | | |
| | | | | | | | | | | | | | |
| S | statewide | | Eve | ents | | | Do | llars | | | | | ■Lehigh/Capital |
| Age Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | 7.0% | | f Total Events by Ag | Statewide |
| All Ages | Male | 105,923 | 2,586 | 2.4% | 2.7% | \$ 1,504,597,633 | \$ 29,215,275 | 1.9% | 2.2% | 6.0% | | | |
| All Ages | Female | 155,438 | 2,449 | 1.6% | 1.7% | \$ 1,525,943,142 | \$ 28,510,137 | 1.9% | 2.0% | 5.0% | | | |
| Total | | 261,361 | 5,035 | 1.9% | 2.1% | \$ 3,030,540,775 | \$ 57,725,412 | 1.9% | 2.1% | l | | | |
| | | | | | | | | | | 4.0% | | | |
| Under Age 1 | | 51,195 | - | 0.0% | 0.0% | \$ 462,320,242 | \$ - | 0.0% | 0.0% | 3.0% | | | |
| Years 1-20 | | 27,409 | 344 | 1.3% | 1.6% | \$ 400,429,329 | \$ 4,975,696 | 1.2% | 1.7% | 2.0% | | | |
| Years 21-44 | | 100,634 | 1,969 | 2.0% | 2.1% | \$ 922,842,548 | \$ 20,943,221 | 2.3% | 2.4% | 1.0% | | | |
| Years 45-64 | | 79,123 | 2,637 | 3.3% | 3.8% | \$ 1,202,463,752 | \$ 30,792,432 | 2.6% | 3.0% | 0.0% | | | |
| Years 65+ | | 3,000 | 85 | 2.8% | 2.3% | \$ 42,484,903 | \$ 1,014,063 | 2.4% | 1.7% | | Under Age 1 Years 1-20 Years | 21-44 Years 45-64 Year | rs 65+ Total |
| Total | | 261,361 | 5,035 | 1.9% | 2.1% | \$ 3,030,540,775 | \$ 57,725,412 | 1.9% | 2.1% | | | | |




PAE Analysis: Potentially Avoidable Readmissions

Program Type: Managed Care

Service Dates: January 1, 2021 - December 31, 2021

Zone: Lehigh/Capital


| 6. Event | Events and Dollars by Top 10 APR-DRG | | | | | | | | | | | | |
|--------------|--------------------------------------|---|--------------|----|------------|------------------------|------------------------|-----------|---------------|------------------------|------------------------|--|--|
| | | Top 10 PAE by Zone | | | Lehigh | /Capital | | Statewide | | | | | |
| Zone Rank | APR DRG | Description | PAE PAE Doll | | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | PAE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | | |
| 1 | 0420 | DIABETES | 57 | \$ | 482,472 | 7.4% | 7.3% | 298 | \$ 2,587,459 | 5.9% | 6.7% | | |
| 2 | 0720 | SEPTICEMIA & DISSEMINATED INFECTIONS | 40 | \$ | 735,256 | 5.2% | 7.5% | 274 | \$ 4,121,256 | 5.4% | 6.5% | | |
| 3 | 0775 | ALCOHOL ABUSE & DEPENDENCE | 33 | \$ | 114,285 | 4.3% | 3.1% | 184 | \$ 873,808 | 3.7% | 3.2% | | |
| 4 | 0194 | HEART FAILURE | 31 | \$ | 232,927 | 4.0% | 2.9% | 254 | \$ 4,078,325 | 5.0% | 4.8% | | |
| 5 | 0282 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY | 28 | \$ | 197,961 | 3.6% | 3.2% | 182 | \$ 1,176,168 | 3.6% | 3.3% | | |
| 6 | 0662 | SICKLE CELL ANEMIA CRISIS | 27 | \$ | 266,302 | 3.5% | 5.8% | 255 | \$ 1,948,330 | 5.1% | 6.7% | | |
| 7 | 0280 | ALCOHOLIC LIVER DISEASE | 16 | \$ | 169,540 | 2.1% | 2.3% | 103 | \$ 947,038 | 2.0% | 2.0% | | |
| 8 | 0383 | CELLULITIS & OTHER SKIN INFECTIONS | 16 | \$ | 115,789 | 2.1% | 1.4% | 100 | \$ 869,273 | 2.0% | 1.5% | | |
| 9 | 0133 | RESPIRATORY FAILURE | 14 | \$ | 418,216 | 1.8% | 2.1% | 123 | \$ 1,808,705 | 2.4% | 2.3% | | |
| 10 | 0247 | INTESTINAL OBSTRUCTION | 13 | \$ | 91,176 | 1.7% | 0.3% | 40 | \$ 368,572 | 0.8% | 0.9% | | |
| | | All Else | 496 | \$ | 5,909,051 | 64.3% | 64.1% | 3,222 | \$ 38,946,479 | 64.0% | 62.1% | | |
| | | Total | 771 | \$ | 8,732,974 | 100.0% | 100.0% | 5,035 | \$ 57,725,412 | 100.0% | 100.0% | | |







| PAE Analysis: | Potentially Avoidable Readmissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zone: | Northeast |

| | Northeast | Statewide |
|--------------|-----------|-----------|
| PAE | 487 | 5,035 |
| Total | 34,873 | 261,361 |
| 2021 PAE % | 1.4% | 1.9% |
| 2020 PAE % | 1.3% | 2.1% |
| 5.0% 4.0% | | |







| Northeast | | Ever | nts | | Dollars | | | | | | | |
|------------------------------|--------|------|-----------------|-----------------|-------------------|----|-----------|-----------------|-----------------|--|--|--|
| Rate Cell | Total | PAE | 2021 % of Total | 2020 % of Total | Total | | PAE | 2021 % of Total | 2020 % of Total | | | |
| Under Age 1 | 7,679 | - | 0.0% | 0.0% | \$ 60,000,639 | \$ | - | 0.0% | 0.0% | | | |
| TANF-MAGI Ages 1-20 | 2,438 | 11 | 0.5% | 0.8% | \$ 24,959,087 | \$ | 44,203 | 0.2% | 0.8% | | | |
| TANF-MAGI Ages 21+ | 6,510 | 47 | 0.7% | 0.6% | \$ 38,018,194 | \$ | 406,115 | 1.1% | 1.2% | | | |
| Disabled-BCC Ages 1+ | 6,154 | 169 | 2.7% | 2.5% | \$ 85,932,669 | \$ | 1,630,632 | 1.9% | 2.6% | | | |
| Newly Eligible Ages 19 to 44 | 5,949 | 92 | 1.5% | 1.4% | \$ 56,003,544 | \$ | 720,510 | 1.3% | 1.9% | | | |
| Newly Eligible Ages 45 to 64 | 5,156 | 125 | 2.4% | 2.5% | \$ 71,932,667 | \$ | 1,589,027 | 2.2% | 1.8% | | | |
| NFCE Non-Dual 21-59 | 643 | 22 | 3.4% | 5.3% | \$ 9,902,521 | \$ | 253,061 | 2.6% | 4.7% | | | |
| NFCE Non-Dual 60+ | 344 | 21 | 6.1% | 3.0% | \$ 4,605,504 | \$ | 219,676 | 4.8% | 3.0% | | | |
| Total | 34,873 | 487 | 1.4% | 1.3% | \$ 351,354,825 | \$ | 4,863,224 | 1.4% | 1.7% | | | |

| Statewide | | Even | nts | | Dollars | | | | | | | |
|------------------------------|---------|-------|-----------------|-----------------|---------|---------------|----|------------|-----------------|-----------------|--|--|
| Rate Cell | Total | PAE | 2021 % of Total | 2020 % of Total | | Total | | PAE | 2021 % of Total | 2020 % of Total | | |
| Under Age 1 | 51,195 | - | 0.0% | 0.0% | \$ | 462,320,242 | \$ | - | 0.0% | 0.0% | | |
| TANF-MAGI Ages 1-20 | 17,537 | 183 | 1.0% | 0.9% | \$ | 217,660,644 | \$ | 2,706,795 | 1.2% | 1.0% | | |
| TANF-MAGI Ages 21+ | 45,607 | 330 | 0.7% | 0.8% | \$ | 298,787,157 | \$ | 3,206,854 | 1.1% | 1.2% | | |
| Disabled-BCC Ages 1+ | 46,366 | 1,631 | 3.5% | 4.0% | \$ | 714,663,649 | \$ | 18,651,148 | 2.6% | 3.1% | | |
| Newly Eligible Ages 19 to 44 | 46,427 | 1,018 | 2.2% | 2.4% | \$ | 494,453,165 | \$ | 9,715,493 | 2.0% | 2.1% | | |
| Newly Eligible Ages 45 to 64 | 36,382 | 969 | 2.7% | 3.0% | \$ | 546,218,093 | \$ | 10,526,640 | 1.9% | 2.2% | | |
| NFCE Non-Dual 21-59 | 12,004 | 663 | 5.5% | 6.4% | \$ | 202,861,831 | \$ | 9,586,012 | 4.7% | 5.1% | | |
| NFCE Non-Dual 60+ | 5,843 | 241 | 4.1% | 4.7% | \$ | 93,575,992 | \$ | 3,332,471 | 3.6% | 4.0% | | |
| Total | 261,361 | 5,035 | 1.9% | 2.1% | \$ | 3,030,540,775 | \$ | 57,725,412 | 1.9% | 2.1% | | |




| PAE Analysis: | Potentially Avoidable Readmissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| 7 | Nexternat |

| Zone: | Northeast | | | | | | | | | | | | |
|---------------|---------------------|--------------|-------|-----------------|-----------------|------------------|-------------|-----------------|-----------------|-------|------------------------|-------------------------|---------------------------|
| 5. Events and | Dollars by Age Band | d and Gender | | | | | | | | | | | |
| N | lortheast | | Eve | ents | | | | Dollars | | | | | |
| Age Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | | PAE as a % | % of Total Events by G | ender Northeast Statewide |
| All Ages | Male | 13,341 | 232 | 1.7% | 1.6% | \$ 163,499,425 | \$ 2,342,2 | 63 1.4% | 1.6% | 5.0% | | | |
| All Ages | Female | 21,532 | 255 | 1.2% | 1.1% | \$ 187,855,400 | \$ 2,520,9 | 60 1.3% | 1.8% | 4.0% | | | |
| Total | | 34,873 | 487 | 1.4% | 1.3% | \$ 351,354,825 | \$ 4,863, | 24 1.4% | 1.7% | | | | |
| | | | | | | | | | | 3.0% | | | |
| Under Age 1 | | 7,679 | - | 0.0% | 0.0% | \$ 60,000,639 | \$ | 0.0% | 0.0% | 2.0% | | | |
| Years 1-20 | | 3,716 | 23 | 0.6% | 1.4% | \$ 44,412,558 | \$ 144,7 | 93 0.3% | | | | | |
| Years 21-44 | | 13,236 | 171 | 1.3% | 1.1% | \$ 105,797,586 | \$ 1,437, | 93 1.4% | | 1.0% | | | |
| Years 45-64 | | 10,037 | 289 | 2.9% | 2.6% | | | | | 0.0% | | | |
| Years 65+ | | 205 | 4 | 2.0% | 1.6% | | | | | | Male | Female | Total |
| Total | | 34,873 | 487 | 1.4% | 1.3% | \$ 351,354,825 | \$ 4,863,2 | 24 1.4% | 1.7% | | | | |
| | | | | | | | | | | | | | |
| S | statewide | | Eve | ents | | | | Dollars | | | DAE on | a % of Total Events by | Northeast |
| Age Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | 7.0% | | a % or lotal Events by | Statewide |
| All Ages | Male | 105,923 | 2,586 | 2.4% | 2.7% | \$ 1,504,597,633 | \$ 29,215,2 | 75 1.9% | 2.2% | 6.0% | | | |
| All Ages | Female | 155,438 | 2,449 | 1.6% | 1.7% | \$ 1,525,943,142 | \$ 28,510, | 37 1.9% | 2.0% | 5.0% | | | |
| Total | | 261,361 | 5,035 | 1.9% | 2.1% | \$ 3,030,540,775 | \$ 57,725,4 | 12 1.9% | 2.1% | 4.0% | | | |
| Under Age 1 | | 51,195 | - | 0.0% | 0.0% | \$ 462,320,242 | ¢ | 0.0% | 0.0% | 3.0% | | | |
| Years 1-20 | | 27,409 | 344 | 1.3% | | \$ 400,429,329 | | | | 2.0% | | | |
| Years 21-44 | | 100.634 | 1,969 | 2.0% | | \$ 922,842,548 | | | | 1.0% | | | |
| Years 45-64 | | 79,123 | 2,637 | 3.3% | | \$ 1.202,463,752 | | | 3.0% | 0.0% | | | |
| Years 65+ | | 3,000 | 85 | 2.8% | 2.3% | | | | | 0.070 | Under Age 1 Years 1-20 | Years 21-44 Years 45-64 | Years 65+ Total |
| Total | | 261,361 | 5,035 | 1.9% | | \$ 3,030,540,775 | | | 2.1% | | - | | |



| PAE Analysis: | Potentially Avoidable Readmissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zone: | Northeast |


| 6. Event | 6. Events and Dollars by Top 10 APR-DRG | | | | | | | | | | | | | |
|--------------|---|--|-----|-------------|-----------|------------------------|------------------------|-----------|-------------|------------|------------------------|------------------------|--|--|
| | | Top 10 PAE by Zone | | | | | | Statewide | | | | | | |
| Zone Rank | APR DRG | Description | PAE | PAE Dollars | | 2021 % of Total PAE | 2020 % of Total PAE | PAE | PAE Dollars | | 2021 % of Total PAE | 2020 % of Total PAE | | |
| 1 | 0720 | SEPTICEMIA & DISSEMINATED INFECTIONS | 40 | \$ | 379,875 | 8.2% | 5.5% | 274 | \$ | 4,121,256 | 5.4% | 6.5% | | |
| 2 | 0420 | DIABETES | 36 | \$ | 207,717 | 7.4% | 7.7% | 298 | \$ | 2,587,459 | 5.9% | 6.7% | | |
| 3 | 0194 | HEART FAILURE | 28 | \$ | 327,745 | 5.7% | 3.0% | 254 | \$ | 4,078,325 | 5.0% | 4.8% | | |
| 4 | 0282 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY | 23 | \$ | 158,164 | 4.7% | 5.5% | 182 | \$ | 1,176,168 | 3.6% | 3.3% | | |
| 5 | 0133 | RESPIRATORY FAILURE | 15 | \$ | 83,204 | 3.1% | 4.0% | 123 | \$ | 1,808,705 | 2.4% | 2.3% | | |
| 6 | 0710 | INFECTIOUS & PARASITIC DISEASES INCLUDING HIV W O.R. PROCEDURE | 13 | \$ | 183,130 | 2.7% | 1.7% | 80 | \$ | 1,204,615 | 1.6% | 1.5% | | |
| 7 | 0140 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE | 13 | \$ | 71,165 | 2.7% | 1.7% | 139 | \$ | 1,234,892 | 2.8% | 3.2% | | |
| 8 | 0463 | KIDNEY & URINARY TRACT INFECTIONS | 12 | \$ | 258,854 | 2.5% | 0.5% | 72 | \$ | 944,153 | 1.4% | 0.8% | | |
| 9 | 0775 | ALCOHOL ABUSE & DEPENDENCE | 12 | \$ | 53,348 | 2.5% | 3.5% | 184 | \$ | 873,808 | 3.7% | 3.2% | | |
| 10 | 0469 | ACUTE KIDNEY INJURY | 10 | \$ | 92,467 | 2.1% | 2.5% | 69 | \$ | 742,732 | 1.4% | 1.5% | | |
| | | All Else | 285 | \$ | 3,047,553 | 58.5% | 64.3% | 3,360 | \$ | 38,953,299 | 66.7% | 66.2% | | |
| | | Total | 487 | \$ | 4,863,224 | 100.0% | 100.0% | 5,035 | \$ | 57,725,412 | 100.0% | 100.0% | | |







| PAE Analysis: | Potentially Avoidable Readmissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zone: | Northwest |

| | Northwest | Statewide |
|--------------|-----------|-----------|
| PAE | 210 | 5,035 |
| Total | 15,886 | 261,361 |
| 2021 PAE % | 1.3% | 1.9% |
| 2020 PAE % | 1.6% | 2.1% |
| 5.0% 4.0% | | |







| | | | | | _ | | | | | | | |
|------------------------------|--------|------|-----------------|-----------------|---------|-------------|----|-----------|-----------------|-----------------|--|--|
| Northwest | | Even | its | | Dollars | | | | | | | |
| Rate Cell | Total | PAE | 2021 % of Total | 2020 % of Total | | Total | | PAE | 2021 % of Total | 2020 % of Total | | |
| Under Age 1 | 3,695 | - | 0.0% | 0.0% | \$ | 25,718,198 | \$ | - | 0.0% | 0.0% | | |
| TANF-MAGI Ages 1-20 | 1,216 | 9 | 0.7% | 0.5% | \$ | 12,990,152 | \$ | 86,513 | 0.7% | 0.4% | | |
| TANF-MAGI Ages 21+ | 2,801 | 12 | 0.4% | 0.8% | \$ | 15,646,336 | \$ | 70,524 | 0.5% | 1.2% | | |
| Disabled-BCC Ages 1+ | 3,024 | 83 | 2.7% | 3.0% | \$ | 44,807,620 | \$ | 845,651 | 1.9% | 1.8% | | |
| Newly Eligible Ages 19 to 44 | 2,349 | 42 | 1.8% | 3.0% | \$ | 23,386,546 | \$ | 255,658 | 1.1% | 1.8% | | |
| Newly Eligible Ages 45 to 64 | 2,078 | 40 | 1.9% | 2.1% | \$ | 31,878,188 | \$ | 287,782 | 0.9% | 1.1% | | |
| NFCE Non-Dual 21-59 | 468 | 14 | 3.0% | 4.2% | \$ | 7,485,035 | \$ | 128,110 | 1.7% | 5.2% | | |
| NFCE Non-Dual 60+ | 255 | 10 | 3.9% | 5.9% | \$ | 3,555,377 | \$ | 124,011 | 3.5% | 5.4% | | |
| Total | 15,886 | 210 | 1.3% | 1.6% | \$ | 165,467,452 | \$ | 1,798,250 | 1.1% | 1.4% | | |

| Statewide | | Even | its | | Dollars | | | | | | | |
|------------------------------|---------|-------|-----------------|-----------------|---------|---------------|----|------------|-----------------|-----------------|--|--|
| Rate Cell | Total | PAE | 2021 % of Total | 2020 % of Total | | Total | | PAE | 2021 % of Total | 2020 % of Total | | |
| Under Age 1 | 51,195 | - | 0.0% | 0.0% | \$ | 462,320,242 | \$ | - | 0.0% | 0.0% | | |
| TANF-MAGI Ages 1-20 | 17,537 | 183 | 1.0% | 0.9% | \$ | 217,660,644 | \$ | 2,706,795 | 1.2% | 1.0% | | |
| TANF-MAGI Ages 21+ | 45,607 | 330 | 0.7% | 0.8% | \$ | 298,787,157 | \$ | 3,206,854 | 1.1% | 1.2% | | |
| Disabled-BCC Ages 1+ | 46,366 | 1,631 | 3.5% | 4.0% | \$ | 714,663,649 | \$ | 18,651,148 | 2.6% | 3.1% | | |
| Newly Eligible Ages 19 to 44 | 46,427 | 1,018 | 2.2% | 2.4% | \$ | 494,453,165 | \$ | 9,715,493 | 2.0% | 2.1% | | |
| Newly Eligible Ages 45 to 64 | 36,382 | 969 | 2.7% | 3.0% | \$ | 546,218,093 | \$ | 10,526,640 | 1.9% | 2.2% | | |
| NFCE Non-Dual 21-59 | 12,004 | 663 | 5.5% | 6.4% | \$ | 202,861,831 | \$ | 9,586,012 | 4.7% | 5.1% | | |
| NFCE Non-Dual 60+ | 5,843 | 241 | 4.1% | 4.7% | \$ | 93,575,992 | \$ | 3,332,471 | 3.6% | 4.0% | | |
| Total | 261,361 | 5,035 | 1.9% | 2.1% | \$ | 3,030,540,775 | \$ | 57,725,412 | 1.9% | 2.1% | | |



| PAE Analysis: | Potentially Avoidable Readmissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| 7 | Nedland |


| Zone: | Northwest | | | | | | | | | | | | | | |
|---------------|--------------------|--------------|-------|-----------------|-----------------|------------------|--------|-----------|-----------------|-----------------|-------|------------------|-----------------------------|---------------|--------------------------|
| 5. Events and | Dollars by Age Ban | d and Gender | | | | | | | | | | | | | |
| N | lorthwest | | Eve | ents | | Dollars | | | | | | | | | |
| Age Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | P | AE | 2021 % of Total | 2020 % of Total | | PAE a | s a % of Total Events b | y Gender | ■Northwest ■Statewide |
| All Ages | Male | 6,051 | 96 | 1.6% | 2.0% | \$ 76,039,567 | \$ | 929,316 | 1.2% | 1.5% | 5.0% | | | | |
| All Ages | Female | 9,835 | 114 | 1.2% | 1.4% | \$ 89,427,885 | \$ | 868,934 | 1.0% | 1.4% | 4.0% | | | | |
| Total | | 15,886 | 210 | 1.3% | 1.6% | \$ 165,467,452 | \$ 1, | ,798,250 | 1.1% | 1.4% | | | | | |
| | | | | | | | | | | | 3.0% | | | | |
| Under Age 1 | | 3,695 | - | 0.0% | 0.0% | \$ 25,718,198 | \$ | - | 0.0% | 0.0% | 2.0% | | | | |
| Years 1-20 | | 1,826 | 16 | 0.9% | 0.8% | \$ 20,943,866 | \$ | 95,510 | 0.5% | 0.3% | | | | _ | |
| Years 21-44 | | 5,667 | 79 | 1.4% | 1.8% | \$ 47,953,450 | \$ | 505,234 | 1.1% | 2.4% | 1.0% | | | | |
| Years 45-64 | | 4,600 | 112 | 2.4% | 3.3% | \$ 69,721,049 | \$ 1, | ,163,871 | 1.7% | 1.8% | 0.0% | | | | |
| Years 65+ | | 98 | 3 | 3.1% | 1.1% | \$ 1,130,889 | \$ | 33,635 | 3.0% | 0.7% | 0.070 | Male | Female | | Total |
| Total | | 15,886 | 210 | 1.3% | 1.6% | \$ 165,467,452 | \$ 1, | ,798,250 | 1.1% | 1.4% | | | | | |
| | | | | | | | | | | | | | | | |
| S | Statewide | | Eve | ents | | | | Doll | ars | | | | | | ■ Northwest |
| Age Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | P | AE | 2021 % of Total | 2020 % of Total | 7.0% | | E as a % of Total Event | s by Age | ■ Statewide |
| All Ages | Male | 105,923 | 2,586 | 2.4% | 2.7% | \$ 1,504,597,633 | \$ 29, | ,215,275 | 1.9% | 2.2% | 6.0% | | | | |
| All Ages | Female | 155,438 | 2,449 | 1.6% | 1.7% | \$ 1,525,943,142 | \$ 28, | 3,510,137 | 1.9% | 2.0% | 5.0% | | | | |
| Total | | 261,361 | 5,035 | 1.9% | 2.1% | \$ 3,030,540,775 | \$ 57, | ,725,412 | 1.9% | 2.1% | | | | | |
| | | | | | | | | | | | 4.0% | | | _ | |
| Under Age 1 | | 51,195 | - | 0.0% | 0.0% | \$ 462,320,242 | \$ | - | 0.0% | 0.0% | 3.0% | | | | |
| Years 1-20 | | 27,409 | 344 | 1.3% | 1.6% | \$ 400,429,329 | \$ 4, | ,975,696 | 1.2% | 1.7% | 2.0% | | | | |
| Years 21-44 | | 100,634 | 1,969 | 2.0% | 2.1% | \$ 922,842,548 | \$ 20, | ,943,221 | 2.3% | 2.4% | 1.0% | | | | |
| Years 45-64 | | 79,123 | 2,637 | 3.3% | 3.8% | \$ 1,202,463,752 | \$ 30, | ,792,432 | 2.6% | 3.0% | 0.0% | | | | |
| Years 65+ | | 3,000 | 85 | 2.8% | 2.3% | \$ 42,484,903 | \$ 1, | ,014,063 | 2.4% | 1.7% | | Under Age 1 Year | s 1-20 Years 21-44 Years 45 | -64 Years 65+ | - Total |
| Total | | 261,361 | 5,035 | 1.9% | 2.1% | \$ 3,030,540,775 | \$ 57, | ,725,412 | 1.9% | 2.1% | | | | | |



Appendix A

| PAE Analysis: | Potentially Avoidable Readmissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| 7 | Namberrant |

| 6. Event | s and Dol | lars by Top 10 APR-DRG | | | | | | | | | | |
|--------------|------------|---|-----|----|------------|------------------------|------------------------|-----------|---------------|------------------------|------------------------|--|
| | | Top 10 PAE by Zone | | | North | nwest | | Statewide | | | | |
| Zone Rank | APR DRG | Description | | Р | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | PAE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | |
| 1 | 0133 | RESPIRATORY FAILURE | 12 | \$ | 183,688 | 5.7% | 3.3% | 123 | \$ 1,808,705 | 2.4% | 2.3% | |
| 2 | 0720 | SEPTICEMIA & DISSEMINATED INFECTIONS | 11 | \$ | 124,850 | 5.2% | 7.1% | 274 | \$ 4,121,256 | 5.4% | 6.5% | |
| 3 | 0280 | ALCOHOLIC LIVER DISEASE | 10 | \$ | 109,167 | 4.8% | 3.3% | 103 | \$ 947,038 | 2.0% | 2.0% | |
| 4 | 0194 | HEART FAILURE | 9 | \$ | 84,709 | 4.3% | 2.1% | 254 | \$ 4,078,325 | 5.0% | 4.8% | |
| 5 | 0282 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY | 9 | \$ | 29,520 | 4.3% | 2.5% | 182 | \$ 1,176,168 | 3.6% | 3.3% | |
| 6 | 0420 | DIABETES | 8 | \$ | 57,392 | 3.8% | 7.5% | 298 | \$ 2,587,459 | 5.9% | 6.7% | |
| 7 | 0201 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS | 5 | \$ | 47,177 | 2.4% | 0.8% | 48 | \$ 495,305 | 1.0% | 0.7% | |
| 8 | 0469 | ACUTE KIDNEY INJURY | 4 | \$ | 40,402 | 1.9% | 1.2% | 69 | \$ 742,732 | 1.4% | 1.5% | |
| 9 | 0425 | OTHER NON-HYPOVOLEMIC ELECTROLYTE DISORDERS | 4 | \$ | 25,002 | 1.9% | 0.8% | 62 | \$ 615,216 | 1.2% | 1.8% | |
| 10 | 0956 | UNGROUPABLE | 4 | \$ | 11,482 | 1.9% | 0.0% | 66 | \$ 679,310 | 1.3% | 0.2% | |
| | | All Else | 134 | \$ | 1,084,861 | 63.8% | 71.4% | 3,556 | \$ 40,473,899 | 70.6% | 70.1% | |
| | | Total | 210 | \$ | 1,798,250 | 100.0% | 100.0% | 5,035 | \$ 57,725,412 | 100.0% | 100.0% | |





Potentially Avoidable Admissions

Contents

| Table Number | Table Title |
|--------------|---|
| 1 | Total Events |
| 2 | Total Dollars |
| 3 | APR-DRG Case Mix Index |
| 4 | Events and Dollars by Rate Cell |
| 5 | Events and Dollars by Age Band and Gender |
| 6 | Events and Dollars by Top 10 APR-DRG |
| 7 | Admissions and Dollars by PDI (Pediatric) |
| 8 | Admissions and Dollars by PQI (Adult) |

The tables identified above are included for each zone. Zone results are displayed in the following order: Southeast, Southwest, Lehigh/Capital, Northeast, and Northwest. This is the fifth year of the analysis; therefore, both CY 2021 and CY 2020 results are available and displayed as applicable.

Detailed Description of Tables

Table 1 — displays the total number of PAA as a percentage of total inpatient hospital admissions. This value is displayed at both the zone and statewide level.

Table 2 — displays the total expenditures related to PAA as a percentage of total inpatient hospital expenditures. This value is displayed at both the zone and statewide level.

- **Table 3** displays the average APR-DRG CMI for those admissions identified as PAA at the zone and statewide level. Also displays the average APR-DRG CMI for all admissions at the zone and statewide level.
- **Table 4** displays the total number of PAA as a percentage of total inpatient hospital admissions by rate cell. This value is displayed at both the zone and statewide level.
- **Table 5** displays the total number of PAA as a percentage of total inpatient hospital admissions by age band and gender. These values are displayed at both the zone and statewide level.
- **Table 6** displays the 10 most frequent diagnosis (APR-DRG) in the zone that result in PAA within the zone. These values are displayed at both the zone and statewide level.
- **Table 7** displays the total number of PDIs identified and the expenditures related to PDI. These values are displayed at both the zone and statewide level.
- **Table 8** displays the total number of PQIs identified and the expenditures related to PQI. These values are displayed at both the zone and statewide level.

Additional Notes Regarding Data


- Admissions and Dollars for CY 2021 service dates are based on PH HealthChoices MCO encounter data and CHC-MCO
 encounter data submitted through January 6, 2023.
- 2. Inpatient is defined as acute inpatient hospital admissions.
- 3. APR-DRGs are assigned by PROMISe system and represent APR-DRG version 37. CMI reflects the average relative value weight across all admissions as established by the Department. If APR-DRG relative value weight was not present, an average relative value weight was assigned. These average relative value weights were calculated at the hospital level.
- 4. Version 2022 AHRQ logic was used for PDIs and PQIs.
- 5. PAA values displayed are post clinical global exclusions, enrollment duration and PAR overlap. Targeted efficiency levels are not applied.
- 6. PQIs include beneficiaries 18 years of age or older, and PDIs include beneficiaries through 17 years of age. As a result, PDIs do not apply to the CHC program as the CHC population is limited to individuals ages 21 years and older.
- 7. Replacement costs, which are costs that would have been incurred to care for the beneficiary in an appropriate setting are not considered in this analysis.


- 8. Age and gender are assigned using eligibility files provided by the Department.
- 9. Encounters with revenue code 0762 and no room and board code, indicating an observation stay, were excluded from PAA analysis.
- 10. All encounters for beneficiaries with a qualifying clinical global exclusion diagnosis (examples include trauma and malignancies) were excluded.
- 11. Additional clinical exclusions were applied in addition to the specific to AHRQ's PQIs/PDIs exclusionary criteria (for example, transfers from other facilities).

| | _ |
|----------------|-------------------------------------|
| PAE Analysis: | Potentially Avoidable Admissions |
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zone: | Southeast |

| 1. Total Events | | | | | | | | | | | |
|-----------------|-----------------|------------|--|--|--|--|--|--|--|--|--|
| | Southeast | Statewide | | | | | | | | | |
| PAE | 6,736 | 13,976 | | | | | | | | | |
| Total | 103,014 | 261,361 | | | | | | | | | |
| 2021 PAE % | 6.5% | 5.3% | | | | | | | | | |
| 2020 PAE % | 5.3% | 4.6% | | | | | | | | | |
| 6.0% | | | | | | | | | | | |
| 2.0% | | | | | | | | | | | |
| 0.0% | | | | | | | | | | | |
| 203 | 21 PAE % | 2020 PAE % | | | | | | | | | |
| 1 | Southeast State | ewide | | | | | | | | | |

| | | Sou | ıtheast | | Statewide | | | | | |
|------------|------|---------|-----------|-----|---------------|--|--|--|--|--|
| PAE | | \$ 6 | 7,475,990 | \$ | \$ 126,322,92 | | | | | |
| Total | | \$ 1,36 | 2,728,420 | \$ | 3,030,540,775 | | | | | |
| 2021 PAE % | ó | | 5.0% | | 4.29 | | | | | |
| 2020 PAE % | 6 | | 4.0% | | 3.6% | | | | | |
| 6.0% — | | | | | | | | | | |
| | | 1 | | | | | | | | |
| 4.0% — | | | | | | | | | | |
| | | | | | | | | | | |
| 4.0% — | | | | | | | | | | |
| 4.0% — | 2021 | PAE % | 2 | 020 | PAE % | | | | | |





| Southeast | | Eve | ents | | Dollars | | | | | | | |
|------------------------------|--------------------------|-------|-----------------|-----------------|---------|---------------|----|------------|-----------------|-----------------|--|--|
| Rate Cell | Total PAE 2021 % of Tota | | 2021 % of Total | 2020 % of Total | | Total | | PAE | 2021 % of Total | 2020 % of Total | | |
| Under Age 1 | 16,751 | 32 | 0.2% | 0.1% | \$ | 188,546,973 | \$ | 231,412 | 0.1% | 0.1% | | |
| TANF-MAGI Ages 1-20 | 6,430 | 736 | 11.4% | 9.1% | \$ | 93,729,564 | \$ | 5,925,149 | 6.3% | 4.8% | | |
| TANF-MAGI Ages 21+ | 16,417 | 495 | 3.0% | 2.2% | \$ | 124,243,768 | \$ | 4,153,830 | 3.3% | 2.8% | | |
| Disabled-BCC Ages 1+ | 17,843 | 1,721 | 9.6% | 8.4% | \$ | 295,810,138 | \$ | 17,669,511 | 6.0% | 5.2% | | |
| Newly Eligible Ages 19 to 44 | 19,606 | 955 | 4.9% | 4.2% | \$ | 230,125,779 | \$ | 7,817,043 | 3.4% | 2.7% | | |
| Newly Eligible Ages 45 to 64 | 14,120 | 1,332 | 9.4% | 7.7% | \$ | 223,052,130 | \$ | 13,685,716 | 6.1% | 5.0% | | |
| NFCE Non-Dual 21-59 | 8,102 | 929 | 11.5% | 9.7% | \$ | 142,652,024 | \$ | 11,555,225 | 8.1% | 6.5% | | |
| NFCE Non-Dual 60+ | 3,745 | 536 | 14.3% | 11.5% | \$ | 64,568,042 | \$ | 6,438,103 | 10.0% | 8.2% | | |
| Total | 103,014 | 6,736 | 6.5% | 5.3% | \$ | 1,362,728,420 | \$ | 67,475,990 | 5.0% | 4.0% | | |

| Statewide | | Eve | ents | Dollars % of Total 2020 % of Total Total PAE 2021 % of Total 2020 0.1% 0.1% \$ 462,320,242 \$ 402,193 0.1% 7.8% 6.1% \$ 217,660,644 \$ 9,615,601 4.4% 2.3% 2.0% \$ 298,787,157 \$ 8,193,776 2.7% | | | | | | |
|------------------------------|---------|--------|-----------------|--|------|---------------|----|-------------|-----------------|-----------------|
| Rate Cell | Total | PAE | 2021 % of Total | 2020 % of Total | | Total | | PAE | 2021 % of Total | 2020 % of Total |
| Under Age 1 | 51,195 | 64 | 0.1% | 0.1% | \$ | 462,320,242 | \$ | 402,193 | 0.1% | 0.1% |
| TANF-MAGI Ages 1-20 | 17,537 | 1,372 | 7.8% | 6.1% | \$ | 217,660,644 | \$ | 9,615,601 | 4.4% | 3.4% |
| TANF-MAGI Ages 21+ | 45,607 | 1,062 | 2.3% | 2.0% | \$ | 298,787,157 | \$ | 8,193,776 | 2.7% | 2.6% |
| Disabled-BCC Ages 1+ | 46,366 | 4,232 | 9.1% | 8.7% | , \$ | 714,663,649 | \$ | 40,502,809 | 5.7% | 5.3% |
| Newly Eligible Ages 19 to 44 | 46,427 | 2,216 | 4.8% | 4.5% | \$ | 494,453,165 | \$ | 16,257,437 | 3.3% | 3.0% |
| Newly Eligible Ages 45 to 64 | 36,382 | 2,993 | 8.2% | 7.2% | \$ | 546,218,093 | \$ | 27,948,602 | 5.1% | 4.6% |
| NFCE Non-Dual 21-59 | 12,004 | 1,284 | 10.7% | 8.6% | \$ | 202,861,831 | \$ | 15,177,634 | 7.5% | 5.7% |
| NFCE Non-Dual 60+ | 5,843 | 753 | 12.9% | 9.7% | \$ | 93,575,992 | \$ | 8,224,876 | 8.8% | 6.8% |
| Total | 261,361 | 13,976 | 5.3% | 4.6% | \$ | 3,030,540,775 | \$ | 126,322,928 | 4.2% | 3.6% |




| PAE Analysis: | Potentially Avoidable Admissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| _ | |

| Zone: | Southeast | | | | | | | | | | | | | |
|---------------|----------------------|--------------|--------|-----------------|-----------------|-------------------|-------------|-----------------|-----------------|-----------|--------------|--------------------------|-----------|-------------|
| 5. Events and | l Dollars by Age Ban | d and Gender | | | | | | | | | | | | |
| 8 | Southeast | | Eve | ents | | | Dol | lars | | | DAE as a | % of Total Events by Ge | ander | ■Southeast |
| Age Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | 8.0% | I AL as a | 70 OF TOTAL EVENTS by O | ender | ■Statewide |
| All Ages | Male | 44,405 | 3,369 | 7.6% | 6.3% | \$ 704,965,175 | 35,680,396 | 5.1% | 4.0% | 0.0 % | | | | |
| All Ages | Female | 58,609 | 3,367 | 5.7% | 4.6% | \$ 657,763,244 | 31,795,594 | 4.8% | 3.9% | 6.0% | | | | |
| Total | | 103,014 | 6,736 | 6.5% | 5.3% | \$ 1,362,728,420 | 67,475,990 | 5.0% | 4.0% | 0.070 | | | | |
| | | | | | | | | | | 4.0% | | | | |
| Under Age 1 | | 16,751 | 32 | 0.2% | 0.1% | \$ 188,546,973 | 231,412 | 0.1% | 0.1% | 4.070 | | | | |
| Years 1-20 | | 9,955 | 999 | 10.0% | 8.2% | \$ 169,875,057 | 7,749,456 | 4.6% | 3.8% | 2.0% | | | | |
| Years 21-44 | | 40,468 | 1,732 | 4.3% | 3.5% | \$ 423,870,359 | 15,239,144 | 3.6% | 2.8% | 2.0 /6 | | | | |
| Years 45-64 | | 34,083 | 3,787 | 11.1% | 9.5% | \$ 553,402,891 | 42,540,150 | 7.7% | 6.4% | 0.0% | | | | |
| Years 65+ | | 1,757 | 186 | 10.6% | 8.3% | \$ 27,033,140 | 1,715,827 | 6.3% | 5.3% | | Vlale | Female | Т | otal |
| Total | | 103,014 | 6,736 | 6.5% | 5.3% | \$ 1,362,728,420 | 67,475,990 | 5.0% | 4.0% | | | | | |
| | | | | | | | | | | | | | | |
| | Statewide | | Eve | ents | | | Dol | lars | | | PAE as | a % of Total Events by A | Aae | ■ Southeast |
| Age Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | 16.0% | | | | Statewide |
| All Ages | Male | 105,923 | 6,907 | 6.5% | 5.5% | \$ 1,504,597,633 | 66,033,085 | 4.4% | 3.7% | 14.0% | | | | |
| All Ages | Fema l e | 155,438 | 7,069 | 4.5% | 4.0% | \$ 1,525,943,142 | 60,289,843 | 4.0% | 3.6% | 12.0% | | | | |
| Total | | 261,361 | 13,976 | 5.3% | 4.6% | \$ 3,030,540,775 | 126,322,928 | 4.2% | 3.6% | 10.0% | | | | |
| | | | | | | | | | | 8.0% | _ | | | |
| Under Age 1 | | 51,195 | 64 | 0.1% | 0.1% | \$ 462,320,242 \$ | 402,193 | 0.1% | 0.1% | 6.0% | | | | |
| Years 1-20 | | 27,409 | 1,969 | 7.2% | 5.9% | \$ 400,429,329 \$ | 13,447,472 | 3.4% | 2.8% | 4.0% | | | | |
| Years 21-44 | | 100,634 | 3,846 | 3.8% | 3.4% | \$ 922,842,548 \$ | 30,884,959 | 3.3% | 3.0% | 2.0% | | | | |
| Years 45-64 | | 79,123 | 7,798 | 9.9% | 8.8% | \$ 1,202,463,752 | 79,048,994 | 6.6% | 5.8% | 0.0% | | | | |
| Years 65+ | | 3,000 | 299 | 10.0% | 8.3% | \$ 42,484,903 | 2,539,310 | 6.0% | 4.9% | Under Age | 1 Years 1-20 | Years 21-44 Years 45-64 | Years 65+ | Total |
| Total | | 261,361 | 13,976 | 5.3% | 4.6% | \$ 3,030,540,775 | 126,322,928 | 4.2% | 3.6% | | | | | |



| PAE Analysis: | Potentially Avoidable Admissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zono: | Southoast |


| 6. Event | s and Dol | lars by Top 10 APR-DRG | | | | | | | | | | | |
|--------------|------------|---|-------|------------|------------------------|------------------------|--------|-----------|------------|------------------------|------------------------|--------|--|
| | | Top 10 PAE by Zone | | | Sout | neast | | Statewide | | | | | |
| Zone Rank | APR DRG | Description PAE PAE Dollars | | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | Р | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | | |
| 1 | 0194 | HEART FAILURE | 1,266 | \$ | 12,234,802 | 18.8% | 18.7% | 2,458 | \$ | 21,808,033 | 17.6% | 16.8% | |
| 2 | 0420 | DIABETES | 1,265 | \$ | 8,559,332 | 18.8% | 19.3% | 3,051 | \$ | 18,534,683 | 21.8% | 22.2% | |
| 3 | 0141 | ASTHMA | 1,147 | \$ | 7,747,619 | 17.0% | 16.3% | 1,857 | \$ | 11,899,245 | 13.3% | 12.4% | |
| 4 | 0140 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE | 729 | \$ | 6,580,988 | 10.8% | 12.9% | 1,430 | \$ | 11,371,106 | 10.2% | 12.0% | |
| 5 | 0463 | KIDNEY & URINARY TRACT INFECTIONS | 413 | \$ | 2,743,442 | 6.1% | 5.6% | 895 | \$ | 5,404,299 | 6.4% | 6.6% | |
| 6 | 0139 | OTHER PNEUMONIA | 395 | \$ | 3,285,373 | 5.9% | 6.8% | 956 | \$ | 7,297,638 | 6.8% | 8.9% | |
| 7 | 0199 | HYPERTENSION | 334 | \$ | 2,562,092 | 5.0% | 5.8% | 635 | \$ | 4,348,849 | 4.5% | 4.6% | |
| 8 | 0192 | CARDIAC CATHETERIZATION FOR OTHER NON-CORONARY CONDITIONS | 299 | \$ | 5,986,957 | 4.4% | 3.6% | 549 | \$ | 9,573,412 | 3.9% | 3.0% | |
| 9 | 0048 | PERIPHERAL, CRANIAL & AUTONOMIC NERVE DISORDERS | 128 | \$ | 986,278 | 1.9% | 1.6% | 227 | \$ | 1,644,180 | 1.6% | 1.5% | |
| 10 | 0305 | AMPUTATION OF LOWER LIMB EXCEPT TOES | 118 | \$ | 3,013,736 | 1.8% | 1.6% | 309 | \$ | 6,517,539 | 2.2% | 1.9% | |
| | | All Else | 642 | \$ | 13,775,372 | 9.5% | 7.9% | 1,609 | \$ | 27,923,943 | 11.5% | 10.1% | |
| | | Total | 6,736 | \$ | 67,475,990 | 100.0% | 100.0% | 13,976 | \$ | 126,322,928 | 100.0% | 100.0% | |





| PAE Analysis: | Potentially Avoidable Admissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zono: | Couthoast |


| 7. Admissio | Admissions and Dollars by PDI (Pediatric) | | | | | | | | | | | | |
|-------------|--|-----|----|------------|------------------------|------------------------|-------|----|------------|------------------------|------------------------|--|--|
| | | | | Sout | heast | | | | State | ewide | | | |
| PDI# | PDI Description | PAE | P | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | F | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | | |
| 14 | Asthma Admission Rate | 597 | \$ | 3,944,055 | 68.0% | 65.8% | 947 | \$ | 6,019,172 | 57.5% | 54.1% | | |
| 15 | Diabetes Short-Term Complications Admission Rate | 107 | \$ | 1,662,935 | 12.2% | 18.5% | 254 | \$ | 2,489,567 | 15.4% | 20.6% | | |
| 16 | Gastroenteritis Admission Rate | 106 | \$ | 827,357 | 12.1% | 8.4% | 271 | \$ | 1,811,085 | 16.5% | 14.7% | | |
| 18 | Urinary Tract Infection Admission Rate | 68 | \$ | 470,864 | 7.7% | 7.4% | 174 | \$ | 1,221,649 | 10.6% | 10.6% | | |
| | Total | 878 | \$ | 6,905,210 | 100.0% | 100.0% | 1,646 | \$ | 11,541,473 | 100.0% | 100.0% | | |
| | | | | | | | | | | | | | |





| PAE Analysis: | Potentially Avoidable Admissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zono: | Courthoget |


| 8. Admissio | Admissions and Dollars by PQI (Adult) | | | | | | | | | | | |
|-------------|---|-------|----|------------|------------------------|------------------------|-----------|----|-------------|------------------------|------------------------|--|
| | | | | Sout | heast | | Statewide | | | | | |
| PQI# | PQI Description | PAE | P | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | P | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | |
| 1 | Diabetes Short-Term Complications Admissions Rate | 892 | \$ | 7,077,776 | 15.2% | 15.4% | 2,215 | \$ | 14,920,412 | 18.0% | 18.2% | |
| 3 | Diabetes Long-Term Complications Admission Rate | 510 | \$ | 6,890,247 | 8.7% | 7.5% | 1,257 | \$ | 15,655,157 | 10.2% | 8.7% | |
| 5 | COPD or Asthma in Older Adults Admission Rate | 1,046 | \$ | 9,537,158 | 17.9% | 20.0% | 1,906 | \$ | 15,495,231 | 15.5% | 17.5% | |
| 7 | Hypertension Admission Rate | 371 | \$ | 3,035,251 | 6.3% | 7.1% | 705 | \$ | 5,320,062 | 5.7% | 5.7% | |
| 8 | Heart Failure Admission Rate | 1,566 | \$ | 18,933,949 | 26.7% | 25.4% | 3,010 | \$ | 32,799,765 | 24.4% | 22.3% | |
| 11 | Bacterial Pneumonia Admission Rate | 412 | \$ | 3,756,276 | 7.0% | 8.0% | 1,002 | \$ | 8,459,752 | 8.1% | 10.3% | |
| 12 | Urinary Tract Infection Admission Rate | 345 | \$ | 2,272,578 | 5.9% | 5.4% | 733 | \$ | 4,452,981 | 5.9% | 6.2% | |
| 14 | Uncontrolled Diabetes Admission Rate | 278 | \$ | 1,767,809 | 4.7% | 4.0% | 579 | \$ | 3,404,398 | 4.7% | 4.3% | |
| 15 | Asthma in Younger Adults Admission Rate | 262 | \$ | 2,007,885 | 4.5% | 4.5% | 477 | \$ | 3,350,454 | 3.9% | 3.8% | |
| 16 | Rate of Lower-Extremity Amputation Diabetes | 176 | \$ | 5,291,849 | 3.0% | 2.7% | 446 | \$ | 10,923,242 | 3.6% | 3.1% | |
| | Total | 5,858 | \$ | 60,570,779 | 100.0% | 100.0% | 12,330 | \$ | 114,781,455 | 100.0% | 100.0% | |







| PAE Analysis: | Potentially Avoidable Admissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zone: | Southwest |

| 1. Total Events | | | | | | | | | | | |
|----------------------------------|------------------|-----------|--|--|--|--|--|--|--|--|--|
| | Southwest | Statewide | | | | | | | | | |
| PAE | 2,746 | 13,976 | | | | | | | | | |
| Total | 52,606 | 261,361 | | | | | | | | | |
| 2021 PAE % | 5.2% | 5.3% | | | | | | | | | |
| 2020 PAE % | 4.8% | 4.6% | | | | | | | | | |
| 8.0% — 6.0% — 4.0% — 2.0% — 6.0% | | | | | | | | | | | |
| 0.0% | PAE % 2 | 020 PAE % | | | | | | | | | |
| =: | Southwest Statev | vide | | | | | | | | | |







| Southwest | | Eve | ents | | Dollars | | | | | | | |
|------------------------------|--------|-------|-----------------|-----------------|---------|-------------|----|------------|-----------------|-----------------|--|--|
| Rate Cell | Total | PAE | 2021 % of Total | 2020 % of Total | | Total | | PAE | 2021 % of Total | 2020 % of Total | | |
| Under Age 1 | 10,247 | 9 | 0.1% | 0.1% | \$ | 85,321,192 | \$ | 52,240 | 0.1% | 0.1% | | |
| TANF-MAGI Ages 1-20 | 3,604 | 244 | 6.8% | 5.6% | \$ | 41,778,576 | \$ | 1,623,010 | 3.9% | 3.5% | | |
| TANF-MAGI Ages 21+ | 8,931 | 211 | 2.4% | 2.1% | \$ | 53,678,006 | \$ | 1,432,002 | 2.7% | 2.5% | | |
| Disabled-BCC Ages 1+ | 10,782 | 1,017 | 9.4% | 9.4% | \$ | 153,638,298 | \$ | 9,048,947 | 5.9% | 5.6% | | |
| Newly Eligible Ages 19 to 44 | 8,857 | 457 | 5.2% | 4.7% | \$ | 91,889,908 | \$ | 2,921,170 | 3.2% | 3.1% | | |
| Newly Eligible Ages 45 to 64 | 7,716 | 574 | 7.4% | 6.7% | \$ | 107,338,149 | \$ | 4,531,409 | 4.2% | 4.2% | | |
| NFCE Non-Dual 21-59 | 1,599 | 138 | 8.6% | 9.3% | \$ | 23,533,041 | \$ | 1,281,452 | 5.4% | 5.1% | | |
| NFCE Non-Dual 60+ | 870 | 96 | 11.0% | 9.8% | \$ | 11,425,070 | \$ | 759,595 | 6.6% | 5.6% | | |
| Total | 52,606 | 2,746 | 5.2% | 4.8% | \$ | 568,602,241 | \$ | 21,649,824 | 3.8% | 3.7% | | |

| Statewide | | Eve | ents | | Dollars | | | | | | | |
|------------------------------|---------|--------|-----------------|-----------------|---------|---------------|----|-------------|-----------------|-----------------|--|--|
| Rate Cell | Total | PAE | 2021 % of Total | 2020 % of Total | | Total | | PAE | 2021 % of Total | 2020 % of Total | | |
| Under Age 1 | 51,195 | 64 | 0.1% | 0.1% | \$ | 462,320,242 | \$ | 402,193 | 0.1% | 0.1% | | |
| TANF-MAGI Ages 1-20 | 17,537 | 1,372 | 7.8% | 6.1% | \$ | 217,660,644 | \$ | 9,615,601 | 4.4% | 3.4% | | |
| TANF-MAGI Ages 21+ | 45,607 | 1,062 | 2.3% | 2.0% | \$ | 298,787,157 | \$ | 8,193,776 | 2.7% | 2.6% | | |
| Disabled-BCC Ages 1+ | 46,366 | 4,232 | 9.1% | 8.7% | \$ | 714,663,649 | \$ | 40,502,809 | 5.7% | 5.3% | | |
| Newly Eligible Ages 19 to 44 | 46,427 | 2,216 | 4.8% | 4.5% | \$ | 494,453,165 | \$ | 16,257,437 | 3.3% | 3.0% | | |
| Newly Eligible Ages 45 to 64 | 36,382 | 2,993 | 8.2% | 7.2% | \$ | 546,218,093 | \$ | 27,948,602 | 5.1% | 4.6% | | |
| NFCE Non-Dual 21-59 | 12,004 | 1,284 | 10.7% | 8.6% | \$ | 202,861,831 | \$ | 15,177,634 | 7.5% | 5.7% | | |
| NFCE Non-Dual 60+ | 5,843 | 753 | 12.9% | 9.7% | \$ | 93,575,992 | \$ | 8,224,876 | 8.8% | 6.8% | | |
| Total | 261,361 | 13,976 | 5.3% | 4.6% | \$ | 3,030,540,775 | \$ | 126,322,928 | 4.2% | 3.6% | | |




| PAE Analysis: | Potentially Avoidable Admissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| _ | |

| Zone: | Southwest | | | | | | | | | | | | | |
|---------------|----------------------|---------------|--------|-----------------|-----------------|---------------------|-------------|-----------------|-----------------|-------|------------------------|-------------------------|-----------|-----------|
| 5. Events and | l Dollars by Age Bar | nd and Gender | | | | | | | | | | | | |
| 8 | Southwest | | Ev | ents | | | Dol | lars | | | PAF as a | Gender So | Southwest | |
| Age Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | 8.0% | TAL 43 4 | % of Total Events by 0 | | atewide |
| All Ages | Male | 21,342 | 1,304 | 6.1% | 5.6% | \$ 279,537,253 \$ | 10,924,832 | 3.9% | 3.8% | 0.076 | | | | |
| All Ages | Female | 31,264 | 1,442 | 4.6% | 4.3% | \$ 289,064,988 \$ | 10,724,992 | 3.7% | 3.6% | 6.0% | | | | |
| Total | | 52,606 | 2,746 | 5.2% | 4.8% | \$ 568,602,241 \$ | 21,649,824 | 3.8% | 3.7% | 0.070 | | | | |
| | | | | | | | | | | 4.0% | | | | |
| Under Age 1 | | 10,247 | 9 | 0.1% | 0.1% | 85,321,192 \$ | 52,240 | 0.1% | 0.1% | | | | | |
| Years 1-20 | | 5,818 | 386 | 6.6% | 5.8% | 79,862,242 \$ | 2,386,261 | 3.0% | 2.7% | 2.0% | | | | |
| Years 21-44 | | 19,536 | 781 | 4.0% | | \$ 166,101,419 \$ | 5,374,726 | 3.2% | 3.4% | 2.070 | | | | |
| Years 45-64 | | 16,674 | 1,539 | 9.2% | 8.9% | \$ 233,642,477 \$ | 13,617,679 | 5.8% | 5.6% | 0.0% | | | | |
| Years 65+ | | 331 | 31 | 9.4% | 9.1% | | 218,917 | 6.0% | 5.6% | 0.070 | Male | Female | Total | |
| Total | | 52,606 | 2,746 | 5.2% | 4.8% | \$ 568,602,241 \$ | 21,649,824 | 3.8% | 3.7% | | | | | |
| | Statewide | | Ev | ents | | | Dol | lars | | | DAF | 0/ (= 1.15 | A | Southwest |
| Age Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | 16.0% | PAE as | a % of Total Events by | Age | Statewide |
| All Ages | Male | 105,923 | 6,907 | 6.5% | 5.5% | \$ 1,504,597,633 \$ | 66,033,085 | 4.4% | 3.7% | | | | | |
| All Ages | Fema l e | 155,438 | 7,069 | 4.5% | 4.0% | \$ 1,525,943,142 \$ | 60,289,843 | 4.0% | 3.6% | 12.0% | | | | |
| Total | | 261,361 | 13,976 | 5.3% | 4.6% | \$ 3,030,540,775 \$ | 126,322,928 | 4.2% | 3.6% | 10.0% | | | | |
| | | | | | | | | | | 8.0% | | | | |
| Under Age 1 | | 51,195 | 64 | 0.1% | 0.1% | \$ 462,320,242 \$ | 402,193 | 0.1% | 0.1% | 6.0% | | | | |
| Years 1-20 | | 27,409 | 1,969 | 7.2% | 5.9% | \$ 400,429,329 \$ | 13,447,472 | 3.4% | 2.8% | 4.0% | | | | |
| Years 21-44 | | 100,634 | 3,846 | 3.8% | 3.4% | 922,842,548 \$ | 30,884,959 | 3.3% | 3.0% | 2.0% | | | | |
| Years 45-64 | | 79,123 | 7,798 | 9.9% | 8.8% | \$ 1,202,463,752 \$ | 79,048,994 | 6.6% | 5.8% | 0.0% | | | | |
| Years 65+ | | 3,000 | 299 | 10.0% | 8.3% | . , , | 2,539,310 | 6.0% | 4.9% | 0.070 | Under Age 1 Years 1-20 | Years 21-44 Years 45-64 | Years 65+ | Total |
| Total | | 261,361 | 13,976 | 5.3% | 4.6% | \$ 3,030,540,775 \$ | 126,322,928 | 4.2% | 3.6% | | - | | | |



| PAE Analysis: | Potentially Avoidable Admissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zono: | Southwest |

| 6. Event | Events and Dollars by Top 10 APR-DRG | | | | | | | | | | | |
|--------------|--------------------------------------|---|-------|-------------|------------|------------------------|------------------------|-----------|-------------|--------------------------|------------------------|--|
| | | Top 10 PAE by Zone | | | | | | Statewide | | | | |
| Zone Rank | APR DRG | | | PAE Dollars | | 2021 % of Total PAE | 2020 % of Total PAE | PAE | PAE Dollar | s 2021 % of Total PAE | 2020 % of Total PAE | |
| 1 | 0420 | DIABETES | 697 | \$ | 3,762,611 | 25.4% | 24.0% | 3,051 | \$ 18,534, | 683 21.8% | 22.2% | |
| 2 | 0194 | HEART FAILURE | 422 | \$ | 3,268,206 | 15.4% | 15.2% | 2,458 | \$ 21,808, | 033 17.6% | 16.8% | |
| 3 | 0140 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE | 300 | \$ | 1,985,324 | 10.9% | 13.4% | 1,430 | \$ 11,371, | 106 10.2% | 12.0% | |
| 4 | 0139 | OTHER PNEUMONIA | 271 | \$ | 1,802,232 | 9.9% | 12.9% | 956 | \$ 7,297, | 6.8% | 8.9% | |
| 5 | 0141 | ASTHMA | 237 | \$ | 1,506,692 | 8.6% | 7.7% | 1,857 | \$ 11,899, | 245 13.3% | 12.4% | |
| 6 | 0463 | KIDNEY & URINARY TRACT INFECTIONS | 176 | \$ | 1,039,510 | 6.4% | 7.1% | 895 | \$ 5,404, | 299 6.4% | 6.6% | |
| 7 | 0192 | CARDIAC CATHETERIZATION FOR OTHER NON-CORONARY CONDITIONS | 88 | \$ | 1,312,786 | 3.2% | 2.3% | 549 | \$ 9,573, | 112 3.9% | 3.0% | |
| 8 | 0305 | AMPUTATION OF LOWER LIMB EXCEPT TOES | 81 | \$ | 1,399,939 | 2.9% | 1.8% | 309 | \$ 6,517, | 539 2.2% | 1.9% | |
| 9 | 0314 | FOOT & TOE PROCEDURES | 78 | \$ | 935,454 | 2.8% | 2.6% | 320 | \$ 4,592, | 344 2.3% | 1.9% | |
| 10 | 0199 | HYPERTENSION | 78 | \$ | 487,765 | 2.8% | 2.5% | 635 | \$ 4,348, | 349 4.5% | 4.6% | |
| | | All Else | 318 | \$ | 4,149,305 | 11.6% | 10.3% | 1,516 | \$ 24,975, | 279 10.8% | 9.7% | |
| | | Total | 2,746 | \$ | 21,649,824 | 100.0% | 100.0% | 13,976 | \$ 126,322, | 928 100.0% | 100.0% | |






| PAE Analysis: | Potentially Avoidable Admissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zone: | Southwest |

| Zone: | Southwest | | | | | | | | | | |
|--------------|---|-------|-------|-------|---------------|------------------------|------------------------|-------|---------------|------------------------|-----------------------|
| 7. Admission | ns and Dollars by PDI (Pediatric) | | | | | | | | | | |
| | | | | | | | | | Stat | ewide | |
| PDI# | PDI Description | | | PAE | PAE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | PAE Dollars | 2021 % of Total PAE | 2020 % of Tota PAE |
| 14 | Asthma Admission Rate | | | 140 | \$ 947,413 | 45.2% | 41.2% | 947 | \$ 6,019,172 | 57.5% | 54.19 |
| 15 | Diabetes Short-Term Complications Admission | Rate | | 58 | \$ 345,275 | 18.7% | 27.2% | 254 | \$ 2,489,567 | 15.4% | 20.69 |
| 16 | Gastroenteritis Admission Rate | | | 71 | \$ 429,055 | 22.9% | | 271 | \$ 1,811,085 | 16.5% | 14.79 |
| 18 | Urinary Tract Infection Admission Rate | | | 41 | | 13.2% | | | | | |
| | Total | | | 310 | \$ 2,005,743 | 100.0% | 100.0% | 1,646 | \$ 11,541,473 | 100.0% | 100.0% |
| | | | | PAF | Distribution | % | | | | | |
| | 0.0% | 10.0% | 20.0% | | | | 60.0% | 70.0% | 80.0% | 90.0% | 100.0% |
| | 0.0% | 10.0% | 20.0% | 30.0% | 40.07 | 50.0% | 60.0% | 70.0% | 80.0% | 90.0% | 100.0% |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | Asthma Admission Rate | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| Diabetes | Short-Term Complications Admission Rate | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | Gastroenteritis Admission Rate | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | Urinary Tract Infection Admission Rate | | | | | | | | | | |
| i | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | - 0 | | 221 | | | | | |
| | | | | Sou | uthwest State | vide | | | | | |



| PAE Analysis: | Potentially Avoidable Admissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zone: | Southwest |

| 8. Admission | ns and Dollars by PQI (Adult) | | | | | | | | | | |
|--------------|---|-------|----|------------|------------------------|------------------------|--------|----|-------------|------------------------|------------------------|
| | | | | | | | | | State | ewide | |
| PQI# | PQI Description | PAE | P | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | F | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE |
| 1 | Diabetes Short-Term Complications Admissions Rate | 512 | \$ | 2,894,283 | 21.0% | 19.0% | 2,215 | \$ | 14,920,412 | 18.0% | 18.2% |
| 3 | Diabetes Long-Term Complications Admission Rate | 270 | \$ | 2,972,346 | 11.1% | 9.6% | 1,257 | \$ | 15,655,157 | 10.2% | 8.7% |
| 5 | COPD or Asthma in Older Adults Admission Rate | 351 | \$ | 2,404,665 | 14.4% | 16.8% | 1,906 | \$ | 15,495,231 | 15.5% | 17.5% |
| 7 | Hypertension Admission Rate | 83 | \$ | 556,646 | 3.4% | 3.2% | 705 | \$ | 5,320,062 | 5.7% | 5.7% |
| 8 | Heart Failure Admission Rate | 515 | \$ | 4,868,761 | 21.1% | 19.7% | 3,010 | \$ | 32,799,765 | 24.4% | 22.3% |
| 11 | Bacterial Pneumonia Admission Rate | 285 | \$ | 2,077,244 | 11.7% | 15.1% | 1,002 | \$ | 8,459,752 | 8.1% | 10.3% |
| 12 | Urinary Tract Infection Admission Rate | 140 | \$ | 811,003 | 5.7% | 6.8% | 733 | \$ | 4,452,981 | 5.9% | 6.2% |
| 14 | Uncontrolled Diabetes Admission Rate | 117 | \$ | 552,613 | 4.8% | 4.6% | 579 | \$ | 3,404,398 | 4.7% | 4.3% |
| 15 | Asthma in Younger Adults Admission Rate | 52 | \$ | 313,940 | 2.1% | 2.4% | 477 | \$ | 3,350,454 | 3.9% | 3.8% |
| 16 | Rate of Lower-Extremity Amputation Diabetes | 111 | \$ | 2,192,580 | 4.6% | 2.9% | 446 | \$ | 10,923,242 | 3.6% | 3.1% |
| | Total | 2,436 | \$ | 19,644,080 | 100.0% | 100.0% | 12,330 | \$ | 114,781,455 | 100.0% | 100.0% |








| 1. Total Events | | | | | | | | | | | |
|--|------------------------------|-----------|--|--|--|--|--|--|--|--|--|
| | Lehigh/Capital | Statewide | | | | | | | | | |
| PAE | 2,330 | 13,976 | | | | | | | | | |
| Total | 54,982 | 261,361 | | | | | | | | | |
| 2021 PAE % | 4.2% | 5.3% | | | | | | | | | |
| 2020 PAE % | 3.8% | 4.6% | | | | | | | | | |
| PAE as a % of Total Events 8.0% 6.0% 4.0% 2.0% | | | | | | | | | | | |
| 0.0% | PAE % 2 | 020 PAE % | | | | | | | | | |
| ■ Lel | ■ Lehigh/Capital ■ Statewide | | | | | | | | | | |

| | | Ŀ | high/Capital | | Statewide |
|------------|------|-----|--------------|-----|---------------|
| PAE | | \$ | 19,890,226 | \$ | 126,322,928 |
| Total | | \$ | 582,387,837 | \$ | 3,030,540,775 |
| 2021 PAE % | ó | | 3.4% | | 4.2% |
| 2020 PAE % | ó | | 3.2% | | 3.6% |
| 6.0% — | | | | | |
| | | | | | |
| 4.0% — | | | | | |
| | | | | | |
| 4.0% — | | | | | |
| 4.0% — | 2021 | PAE | E % 2 | 020 | PAE % |





| Lehigh/Capital | | Eve | ents | | | Dol | lars | | |
|------------------------------|--------|-------|-----------------|-----------------|-------------------|------------------|-----------------|-----------------|--|
| Rate Cell | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | |
| Under Age 1 | 12,823 | 11 | 0.1% | 0.1% | \$ 102,733,240 | \$ 61,753 | 0.1% | 0.0% | |
| TANF-MAGI Ages 1-20 | 3,849 | 232 | 6.0% | 4.6% | \$ 44,203,266 | \$ 1,280,103 | 2.9% | 2.3% | |
| TANF-MAGI Ages 21+ | 10,948 | 186 | 1.7% | 1.5% | \$ 67,200,853 | \$ 1,374,406 | 2.0% | 2.4% | |
| Disabled-BCC Ages 1+ | 8,563 | 714 | 8.3% | 8.9% | \$ 134,474,924 | \$ 6,937,846 | 5.2% | 5.4% | |
| Newly Eligible Ages 19 to 44 | 9,666 | 464 | 4.8% | 4.7% | \$ 93,047,388 | \$ 3,424,352 | 3.7% | 3.5% | |
| Newly Eligible Ages 45 to 64 | 7,312 | 562 | 7.7% | 7.3% | \$ 112,016,959 | \$ 5,205,723 | 4.6% | 4.8% | |
| NFCE Non-Dual 21-59 | 1,192 | 97 | 8.1% | 4.6% | \$ 19,289,209 | \$ 1,020,074 | 5.3% | 2.9% | |
| NFCE Non-Dual 60+ | 629 | 64 | 10.2% | 4.1% | \$ 9,421,999 | \$ 585,968 | 6.2% | 2.3% | |
| Total | 54,982 | 2,330 | 4.2% | 3.8% | \$ 582,387,837 | \$ 19,890,226 | 3.4% | 3.2% | |

| Statewide | | Eve | ents | | | Doll | lars | |
|------------------------------|---------|--------|-----------------|-----------------|---------------------|-------------------|-----------------|-----------------|
| Rate Cell | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total |
| Under Age 1 | 51,195 | 64 | 0.1% | 0.1% | \$ 462,320,242 | \$ 402,193 | 0.1% | 0.1% |
| TANF-MAGI Ages 1-20 | 17,537 | 1,372 | 7.8% | 6.1% | \$ 217,660,644 | \$ 9,615,601 | 4.4% | 3.4% |
| TANF-MAGI Ages 21+ | 45,607 | 1,062 | 2.3% | 2.0% | \$ 298,787,157 | \$ 8,193,776 | 2.7% | 2.6% |
| Disabled-BCC Ages 1+ | 46,366 | 4,232 | 9.1% | 8.7% | \$ 714,663,649 | \$ 40,502,809 | 5.7% | 5.3% |
| Newly Eligible Ages 19 to 44 | 46,427 | 2,216 | 4.8% | 4.5% | \$ 494,453,165 | \$ 16,257,437 | 3.3% | 3.0% |
| Newly Eligible Ages 45 to 64 | 36,382 | 2,993 | 8.2% | 7.2% | \$ 546,218,093 | \$ 27,948,602 | 5.1% | 4.6% |
| NFCE Non-Dual 21-59 | 12,004 | 1,284 | 10.7% | 8.6% | \$ 202,861,831 | \$ 15,177,634 | 7.5% | 5.7% |
| NFCE Non-Dual 60+ | 5,843 | 753 | 12.9% | 9.7% | \$ 93,575,992 | \$ 8,224,876 | 8.8% | 6.8% |
| Total | 261,361 | 13,976 | 5.3% | 4.6% | \$ 3,030,540,775 | \$ 126,322,928 | 4.2% | 3.6% |




| PAE Analysis: | Potentially Avoidable Admissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| _ | |

| Zone: | Lehigh/Capital | | | | | | | | | | | | | | |
|----------------------|----------------------------|---------------|--------|-----------------|-----------------|---------------------|-------------|-----------------|-----------------|---------|-----------------------|----------------------------|------------|-----------------|--|
| 5. Events and | d Dollars by Age Bar | nd and Gender | | | | | | | | | | | | | |
| Lel | high/Capita <mark>l</mark> | | Ev | ents | | | Dol | lars | | | DAE as | a % of Total Events by G | ender Lehi | ■ Lehigh/Capita | |
| Age Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | 8.0% - | I AL as | a 70 OF TOTAL EVEITS BY O | ■Stat | tewide | |
| All Ages | Male | 20,784 | 1,159 | 5.6% | 4.9% \$ | 280,556,213 \$ | 10,394,630 | 3.7% | 3.4% | 0.0% - | | | | | |
| All Ages | Female | 34,198 | 1,171 | 3.4% | 3.1% \$ | 301,831,624 \$ | 9,495,596 | 3.1% | 3.1% | 6.0% - | | | | | |
| Total | | 54,982 | 2,330 | 4.2% | 3.8% | 5 582,387,837 \$ | 19,890,226 | 3.4% | 3.2% | 0.070 | | | | | |
| | | | | | <u> </u> | | | | | 4.0% - | | | | | |
| Under Age 1 | | 12,823 | 11 | 0.1% | 0.1% \$ | 102,733,240 \$ | 61,753 | 0.1% | 0.0% | 1.070 | | | | | |
| Years 1-20 | | 6,094 | 342 | 5.6% | 4.5% \$ | 85,335,608 \$ | 2,012,406 | 2.4% | 1.8% | 2.0% - | | | | | |
| Years 21-44 | | 21,727 | 708 | 3.3% | 3.3% \$ | 179,119,734 \$ | 5,777,935 | 3.2% | 3.4% | 2.070 | | | | | |
| Years 45-64 | | 13,729 | 1,210 | 8.8% | 8.1% \$ | 206,850,705 \$ | 11,587,233 | 5.6% | 5.4% | 0.0% - | | | | | |
| Years 65+ | | 609 | 59 | 9.7% | 7.7% \$ | 8,348,550 \$ | 450,900 | 5.4% | 4.4% | 0.0% | Male | Female | Total | | |
| Total | | 54,982 | 2,330 | 4.2% | 3.8% | 5 582,387,837 \$ | 19,890,226 | 3.4% | 3.2% | | | | | | |
| , | Statewide | | Ev | ents | | | Dol | lars | | | DAE - | a a 0/ of Tatal Treate law | Λαα ■Lehi | igh/Capita | |
| Age Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | 16.0% - | PAE a | s a % of Total Events by A | nge - | Statewide | |
| All Ages | Male | 105,923 | 6,907 | 6.5% | 5.5% \$ | 1,504,597,633 \$ | 66,033,085 | 4.4% | 3.7% | 1 | | | | | |
| All Ages | Fema l e | 155,438 | 7,069 | 4.5% | 4.0% \$ | 1,525,943,142 \$ | 60,289,843 | 4.0% | 3.6% | 12.0% - | | | | | |
| Total | | 261,361 | 13,976 | 5.3% | 4.6% | \$ 3,030,540,775 \$ | 126,322,928 | 4.2% | 3.6% | 10.0% | | | | | |
| | | | | | | | | | | 8.0% | | | | | |
| Under Age 1 | | 51,195 | 64 | 0.1% | 0.1% \$ | 462,320,242 \$ | 402,193 | 0.1% | 0.1% | 6.0% | | | | | |
| Years 1-20 | | 27,409 | 1,969 | 7.2% | 5.9% \$ | 400,429,329 \$ | 13,447,472 | 3.4% | 2.8% | 4.0% | | | | | |
| Years 21-44 | | 100,634 | 3,846 | 3.8% | 3.4% \$ | 922,842,548 \$ | 30,884,959 | 3.3% | 3.0% | 2.0% | | | | | |
| Years 45 - 64 | | 79,123 | 7,798 | 9.9% | 8.8% \$ | 1,202,463,752 \$ | 79,048,994 | 6.6% | 5.8% | 0.0% | | | | | |
| Years 65+ | | 3,000 | 299 | 10.0% | 8.3% \$ | 42,484,903 \$ | 2,539,310 | 6.0% | 4.9% | 0.0% | Under Age 1 Years 1-2 | 20 Years 21-44 Years 45-64 | Years 65+ | Total | |
| Total | | 261,361 | 13,976 | 5.3% | 4.6% | 3,030,540,775 \$ | 126,322,928 | 4.2% | 3.6% | | • | | | | |



| PAE Analysis: | Potentially Avoidable Admissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zone: | Lehigh/Capital |


| 6. Even | Events and Dollars by Top 10 APR-DRG | | | | | | | | | | | |
|--------------|--------------------------------------|---|-------|----|------------|------------------------|------------------------|--------|----------|------------------------------|------------------------|--|
| | | Top 10 PAE by Zone | | | Lehigh | /Capital | | | | Statewide | | |
| Zone Rank | APR DRG | Description | PAE | P | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | PAE Do | llars 2021 % of Total PAE | 2020 % of Total PAE | |
| 1 | 0420 | DIABETES | 582 | \$ | 3,529,884 | 25.0% | 24.6% | 3,051 | \$ 18,5 | 34,683 21.89 | 6 22.2% | |
| 2 | 0194 | HEART FAILURE | 390 | \$ | 3,279,953 | 16.7% | 15.3% | 2,458 | \$ 21,8 | 08,033 17.6% | 6 16.8% | |
| 3 | 0141 | ASTHMA | 302 | \$ | 1,727,693 | 13.0% | 13.3% | 1,857 | \$ 11,8 | 99,245 13.3% | 6 12.4% | |
| 4 | 0140 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE | 184 | \$ | 1,297,788 | 7.9% | 9.1% | 1,430 | \$ 11,3 | 71,106 10.29 | 6 12.0% | |
| 5 | 0463 | KIDNEY & URINARY TRACT INFECTIONS | 147 | \$ | 801,521 | 6.3% | 7.4% | 895 | \$ 5,4 | 04,299 6.49 | 6.6% | |
| 6 | 0199 | HYPERTENSION | 125 | \$ | 725,852 | 5.4% | 4.1% | 635 | \$ 4,3 | 48,849 4.5% | 4.6% | |
| 7 | 0139 | OTHER PNEUMONIA | 120 | \$ | 975,762 | 5.2% | 7.1% | 956 | \$ 7,2 | 97,638 6.89 | 8.9% | |
| 8 | 0192 | CARDIAC CATHETERIZATION FOR OTHER NON-CORONARY CONDITIONS | 88 | \$ | 1,202,888 | 3.8% | 3.3% | 549 | \$ 9,5 | 73,412 3.9% | 6 3.0% | |
| 9 | 0314 | FOOT & TOE PROCEDURES | 57 | \$ | 823,647 | 2.4% | 1.6% | 320 | \$ 4,5 | 92,844 2.39 | 6 1.9% | |
| 10 | 0305 | AMPUTATION OF LOWER LIMB EXCEPT TOES | 52 | \$ | 950,013 | 2.2% | 2.3% | 309 | \$ 6,5 | 17,539 2.2% | 6 1.9% | |
| | | All Else | 283 | \$ | 4,575,224 | 12.1% | 12.1% | 1,516 | \$ 24,9 | 75,279 10.8% | 6 9.7% | |
| | | Total | 2,330 | \$ | 19,890,226 | 100.0% | 100.0% | 13,976 | \$ 126,3 | 22,928 100.0% | 100.0% | |





| PAE Analysis: | Potentially Avoidable Admissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zone: | Lehigh/Capital |


| 7. Admissio | Admissions and Dollars by PDI (Pediatric) | | | | | | | | | | | |
|-------------|--|-----|-----------------|-----------|------------------------|------------------------|-------|-------------|------------|------------------------|------------------------|--|
| | | | Lehigh | Capital | | Statewide | | | | | | |
| PDI# | PDI Description | | PAE PAE Dollars | | 2021 % of Total PAE | 2020 % of Total PAE | PAE | PAE Dollars | | 2021 % of Total PAE | 2020 % of Total PAE | |
| 14 | Asthma Admission Rate | 138 | \$ | 794,672 | 51.1% | 48.7% | 947 | \$ | 6,019,172 | 57.5% | 54.1% | |
| 15 | Diabetes Short-Term Complications Admission Rate | 58 | \$ | 332,315 | 21.5% | 18.2% | 254 | \$ | 2,489,567 | 15.4% | 20.6% | |
| 16 | Gastroenteritis Admission Rate | 42 | \$ | 283,268 | 15.6% | 19.8% | 271 | \$ | 1,811,085 | 16.5% | 14.7% | |
| 18 | Urinary Tract Infection Admission Rate | 32 | \$ | 183,092 | 11.9% | 13.4% | 174 | \$ | 1,221,649 | 10.6% | 10.6% | |
| | Total | 270 | \$ | 1,593,346 | 100.0% | 100.0% | 1,646 | \$ | 11,541,473 | 100.0% | 100.0% | |
| | PAE Distribution % | | | | | | | | | | | |





| PAE Analysis: | Potentially Avoidable Admissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zono: | Lohigh/Capital |

| 8. Admissio | Admissions and Dollars by PQI (Adult) | | | | | | | | | | | |
|-------------|---|-------|----|------------|------------------------|------------------------|--------|----|-------------|------------------------|------------------------|--|
| | | | | Lehigh | /Capital | | | | State | ewide | | |
| PQI# | PQI Description | PAE | Р | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | F | PAE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | |
| 1 | Diabetes Short-Term Complications Admissions Rate | 426 | \$ | 2,840,973 | 20.7% | 20.3% | 2,215 | \$ | 14,920,412 | 18.0% | 18.2% | |
| 3 | Diabetes Long-Term Complications Admission Rate | 250 | \$ | 3,141,483 | 12.1% | 9.9% | 1,257 | \$ | 15,655,157 | 10.2% | 8.7% | |
| 5 | COPD or Asthma in Older Adults Admission Rate | 247 | \$ | 1,728,513 | 12.0% | 15.8% | 1,906 | \$ | 15,495,231 | 15.5% | 17.5% | |
| 7 | Hypertension Admission Rate | 144 | \$ | 1,051,354 | 7.0% | 5.4% | 705 | \$ | 5,320,062 | 5.7% | 5.7% | |
| 8 | Heart Failure Admission Rate | 474 | \$ | 4,726,401 | 23.0% | 21.0% | 3,010 | \$ | 32,799,765 | 24.4% | 22.3% | |
| 11 | Bacterial Pneumonia Admission Rate | 125 | \$ | 1,223,920 | 6.1% | 7.9% | 1,002 | \$ | 8,459,752 | 8.1% | 10.3% | |
| 12 | Urinary Tract Infection Admission Rate | 119 | \$ | 689,655 | 5.8% | 6.8% | 733 | \$ | 4,452,981 | 5.9% | 6.2% | |
| 14 | Uncontrolled Diabetes Admission Rate | 96 | \$ | 605,710 | 4.7% | 5.1% | 579 | \$ | 3,404,398 | 4.7% | 4.3% | |
| 15 | Asthma in Younger Adults Admission Rate | 106 | \$ | 687,463 | 5.1% | 4.0% | 477 | \$ | 3,350,454 | 3.9% | 3.8% | |
| 16 | Rate of Lower-Extremity Amputation Diabetes | 73 | \$ | 1,601,408 | 3.5% | 3.7% | 446 | \$ | 10,923,242 | 3.6% | 3.1% | |
| | Total | 2,060 | \$ | 18,296,880 | 100.0% | 100.0% | 12,330 | \$ | 114,781,455 | 100.0% | 100.0% | |









| 1. Total Events | | | | | | | | | | | | |
|---------------------------------|------------------|-----------|--|--|--|--|--|--|--|--|--|--|
| | Northeast | Statewide | | | | | | | | | | |
| PAE | 1,571 | 13,976 | | | | | | | | | | |
| Total | 34,873 | 261,361 | | | | | | | | | | |
| 2021 PAE % | 4.5% | 5.3% | | | | | | | | | | |
| 2020 PAE % | 3.9% | 4.6% | | | | | | | | | | |
| 8.0% — 6.0% — 4.0% — 2.0% — 202 | | 020 PAE % | | | | | | | | | | |
| • | Northeast Statev | vide | | | | | | | | | | |

| | | Northeast | | Statewide | | | |
|----------------------|------|-------------------|----------------|---------------|--|--|--|
| PAE | | \$ 11,983,731 | \$ 126,322,928 | | | | |
| Total | | \$ 351,354,825 | \$ | 3,030,540,775 | | | |
| 2021 PAE % | , | 3.4% | | 4.2% | | | |
| 2020 PAE % | 5 | 3.2% | | 3.6% | | | |
| | | | | | | | |
| 4.0% — 2.0% — 0.0% — | 2021 | E % 20 | | PAE % | | | |





| Northeast | | Eve | nts | | | Dol | lars | |
|------------------------------|--------|-------|-----------------|-----------------|-------------------|------------------|-----------------|-----------------|
| Rate Cell | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total |
| Under Age 1 | 7,679 | 9 | 0.1% | 0.1% | \$ 60,000,639 | \$ 41,100 | 0.1% | 0.1% |
| TANF-MAGI Ages 1-20 | 2,438 | 108 | 4.4% | 3.2% | \$ 24,959,087 | \$ 528,559 | 2.1% | 1.5% |
| TANF-MAGI Ages 21+ | 6,510 | 136 | 2.1% | 1.9% | \$ 38,018,194 | \$ 883,365 | 2.3% | 2.5% |
| Disabled-BCC Ages 1+ | 6,154 | 549 | 8.9% | 8.7% | \$ 85,932,669 | \$ 4,453,910 | 5.2% | 5.0% |
| Newly Eligible Ages 19 to 44 | 5,949 | 260 | 4.4% | 4.7% | \$ 56,003,544 | \$ 1,612,867 | 2.9% | 3.4% |
| Newly Eligible Ages 45 to 64 | 5,156 | 405 | 7.9% | 6.4% | \$ 71,932,667 | \$ 3,487,529 | 4.8% | 4.2% |
| NFCE Non-Dual 21-59 | 643 | 77 | 12.0% | 3.4% | \$ 9,902,521 | \$ 767,819 | 7.8% | 2.2% |
| NFCE Non-Dual 60+ | 344 | 27 | 7.8% | 4.7% | \$ 4,605,504 | \$ 208,582 | 4.5% | 2.8% |
| Total | 34,873 | 1,571 | 4.5% | 3.9% | \$ 351,354,825 | \$ 11,983,731 | 3.4% | 3.2% |

| Statewide | | Eve | ents | | | Dollars | | | | | | | | | |
|------------------------------|---------|--------|-----------------|-----------------|-------|---------------|-----|-------------|-----------------|-----------------|--|--|--|--|--|
| Rate Cell | Total | PAE | 2021 % of Total | 2020 % of Total | Total | | PAE | | 2021 % of Total | 2020 % of Total | | | | | |
| Under Age 1 | 51,195 | 64 | 0.1% | 0.1% | \$ | 462,320,242 | \$ | 402,193 | 0.1% | 0.1% | | | | | |
| TANF-MAGI Ages 1-20 | 17,537 | 1,372 | 7.8% | 6.1% | \$ | 217,660,644 | \$ | 9,615,601 | 4.4% | 3.4% | | | | | |
| TANF-MAGI Ages 21+ | 45,607 | 1,062 | 2.3% | 2.0% | \$ | 298,787,157 | \$ | 8,193,776 | 2.7% | 2.6% | | | | | |
| Disabled-BCC Ages 1+ | 46,366 | 4,232 | 9.1% | 8.7% | \$ | 714,663,649 | \$ | 40,502,809 | 5.7% | 5.3% | | | | | |
| Newly Eligible Ages 19 to 44 | 46,427 | 2,216 | 4.8% | 4.5% | \$ | 494,453,165 | \$ | 16,257,437 | 3.3% | 3.0% | | | | | |
| Newly Eligible Ages 45 to 64 | 36,382 | 2,993 | 8.2% | 7.2% | \$ | 546,218,093 | \$ | 27,948,602 | 5.1% | 4.6% | | | | | |
| NFCE Non-Dual 21-59 | 12,004 | 1,284 | 10.7% | 8.6% | \$ | 202,861,831 | \$ | 15,177,634 | 7.5% | 5.7% | | | | | |
| NFCE Non-Dual 60+ | 5,843 | 753 | 12.9% | 9.7% | \$ | 93,575,992 | \$ | 8,224,876 | 8.8% | 6.8% | | | | | |
| Total | 261,361 | 13,976 | 5.3% | 4.6% | \$ | 3,030,540,775 | \$ | 126,322,928 | 4.2% | 3.6% | | | | | |




| PAE Analysis: | Potentially Avoidable Admissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| 7 | No the second |

| Zone: | Northeast | | | | | | | | | | | | |
|---------------|--------------------|--------------|--------|-----------------|-----------------|------------------|------------|-----------------|-----------------|-------|----------------------|-----------------------------|-----------------|
| 5. Events and | Dollars by Age Ban | d and Gender | | | | | | | | | | | |
| | Northeast | | Eve | ents | | | | Dollars | | | DAE as | s a % of Total Events by G | ender Northeast |
| Age Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | 8.0% | I AL as | s a 70 of Total Events by G | ■ Statewide |
| All Ages | Male | 13,341 | 798 | 6.0% | 4.5% | \$ 163,499,425 | \$ 6,245 | 544 3.8% | 3.1% | 0.076 | | | |
| All Ages | Female | 21,532 | 773 | 3.6% | 3.5% | \$ 187,855,400 | \$ 5,738 | 187 3.1% | 3.3% | 6.0% | | | |
| Total | | 34,873 | 1,571 | 4.5% | 3.9% | \$ 351,354,825 | \$ 11,983 | 731 3.4% | 3.2% | 0.070 | | | |
| | | | | | | | | | | 4.0% | | | |
| Under Age 1 | | 7,679 | 9 | 0.1% | 0.1% | \$ 60,000,639 | \$ 41 | 100 0.1% | 0.1% | | | | |
| Years 1-20 | | 3,716 | 168 | 4.5% | 3.9% | \$ 44,412,558 | \$ 836 | 376 1.9% | 1.5% | 2.0% | | | |
| Years 21-44 | | 13,236 | 465 | 3.5% | 3.3% | \$ 105,797,586 | \$ 3,088 | 935 2.9% | 3.0% | 2.070 | | | |
| Years 45-64 | | 10,037 | 911 | 9.1% | 7.9% | \$ 138,846,630 | \$ 7,908 | 522 5.7% | 5.2% | 0.0% | | | |
| Years 65+ | | 205 | 18 | 8.8% | 9.2% | \$ 2,297,412 | \$ 108 | 798 4.7% | 4.3% | 0.0 % | Male | Female | Total |
| Total | | 34,873 | 1,571 | 4.5% | 3.9% | \$ 351,354,825 | \$ 11,983 | 731 3.4% | 3.2% | | | | |
| | Statewide | | Ev. | ents | | | | Dollars | | | | | |
| | | | | | | | | | | | Age Northeast | | |
| Age Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | 16.0% | | | ■ Statewide |
| All Ages | Male | 105,923 | 6,907 | 6.5% | 5.5% | \$ 1,504,597,633 | \$ 66,033 | 085 4.4% | 3.7% | 14.0% | | | |
| All Ages | Fema l e | 155,438 | 7,069 | 4.5% | 4.0% | \$ 1,525,943,142 | \$ 60,289 | 343 4.0% | 3.6% | 12.0% | | | |
| Total | | 261,361 | 13,976 | 5.3% | 4.6% | \$ 3,030,540,775 | \$ 126,322 | 928 4.2% | 3.6% | 10.0% | | | |
| | | | | | | | | | | 8.0% | | | |
| Under Age 1 | | 51,195 | 64 | 0.1% | 0.1% | \$ 462,320,242 | \$ 402 | 193 0.1% | 0.1% | 6.0% | | | |
| Years 1-20 | | 27,409 | 1,969 | 7.2% | 5.9% | \$ 400,429,329 | \$ 13,447 | 472 3.4% | 2.8% | 4.0% | | | |
| Years 21-44 | | 100,634 | 3,846 | 3.8% | 3.4% | \$ 922,842,548 | \$ 30,884 | 959 3.3% | 3.0% | 2.0% | | | |
| Years 45-64 | | 79,123 | 7,798 | 9.9% | 8.8% | \$ 1,202,463,752 | \$ 79,048 | 994 6.6% | 5.8% | 0.0% | | | |
| Years 65+ | | 3,000 | 299 | 10.0% | 8.3% | \$ 42,484,903 | \$ 2,539 | 310 6.0% | 4.9% | 0.0% | Under Age 1 Years 1- | -20 Years 21-44 Years 45-64 | Years 65+ Total |
| Total | | 261,361 | 13,976 | 5.3% | 4.6% | \$ 3,030,540,775 | \$ 126,322 | 928 4.2% | 3.6% | | | | |



| PAE Analysis: | Potentially Avoidable Admissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zono: | Northoget |


| 6. Even | Events and Dollars by Top 10 APR-DRG | | | | | | | | | | | |
|--------------|--------------------------------------|---|-------|----|------------|------------------------|------------------------|-----------|----------------|------------------------|------------------------|--|
| | | Top 10 PAE by Zone | | | | | | Statewide | | | | |
| Zone Rank | APR DRG | Description | PAE | Р | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | PAE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | |
| 1 | 0420 | DIABETES | 393 | \$ | 2,105,392 | 25.0% | 26.1% | 3,051 | 18,534,683 | 21.8% | 22.2% | |
| 2 | 0194 | HEART FAILURE | 285 | \$ | 2,153,977 | 18.1% | 16.3% | 2,458 | \$ 21,808,033 | 17.6% | 16.8% | |
| 3 | 0140 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE | 150 | \$ | 1,071,737 | 9.5% | 10.8% | 1,430 | 11,371,106 | 10.2% | 12.0% | |
| 4 | 0141 | ASTHMA | 132 | \$ | 725,924 | 8.4% | 6.8% | 1,857 | 11,899,245 | 13.3% | 12.4% | |
| 5 | 0463 | KIDNEY & URINARY TRACT INFECTIONS | 121 | \$ | 634,247 | 7.7% | 7.5% | 895 | 5,404,299 | 6.4% | 6.6% | |
| 6 | 0139 | OTHER PNEUMONIA | 113 | \$ | 806,957 | 7.2% | 9.9% | 956 | 7,297,638 | 6.8% | 8.9% | |
| 7 | 0199 | HYPERTENSION | 77 | \$ | 450,334 | 4.9% | 4.8% | 635 | 4,348,849 | 4.5% | 4.6% | |
| 8 | 0192 | CARDIAC CATHETERIZATION FOR OTHER NON-CORONARY CONDITIONS | 44 | \$ | 639,347 | 2.8% | 2.2% | 549 | 9,573,412 | 3.9% | 3.0% | |
| 9 | 0314 | FOOT & TOE PROCEDURES | 43 | \$ | 603,537 | 2.7% | 3.1% | 320 | 4,592,844 | 2.3% | 1.9% | |
| 10 | 0249 | OTHER GASTROENTERITIS, NAUSEA & VOMITING | 36 | \$ | 186,984 | 2.3% | 1.8% | 270 | 1,794,822 | 1.9% | 1.5% | |
| | | All Else | 177 | \$ | 2,605,296 | 11.3% | 10.7% | 1,555 | 29,697,996 | 11.1% | 10.0% | |
| | | Total | 1,571 | \$ | 11,983,731 | 100.0% | 100.0% | 13,976 | \$ 126,322,928 | 100.0% | 100.0% | |





| PAE Analysis: | Potentially Avoidable Admissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zone: | Northeast |


| Zone: | Northeast | | | | | | | | | | | | | | |
|--------------|-------------------------------------|--|-------|---------|-------|-------|--------------|------------------------|-----------------------|---------------------|-------|------------|------------------------|------------------------|--|
| 7. Admission | ns and Dollars by PDI (Pediatric) | | | | | | | | | | | | | | |
| | | | | | | | | | | Statewide Statewide | | | | | |
| PDI# | PDI Description | | | | PAE | | PAE Dollars | 2021 % of Total PAE | 2020 % of Tota PAE | PAE | F | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | |
| 14 | Asthma Admission Rate | 5 | 50 \$ | 229,702 | 38.8% | 29.6% | 6 947 | \$ | 6,019,172 | 57.5% | 54.1% | | | | |
| 15 | Diabetes Short-Term Complications | 2 | 20 \$ | 100,636 | 15.5% | 22.5% | 6 254 | \$ | 2,489,567 | 15.4% | 20.6% | | | | |
| 16 | Gastroenteritis Admission Rate | | | | 3 | 36 \$ | 186,984 | 27.9% | 31.0% | 6 271 | \$ | 1,811,085 | 16.5% | 14.7% | |
| 18 | Urinary Tract Infection Admission R | Urinary Tract Infection Admission Rate | | | | | 121,909 | 17.8% | 16.9% | 6 174 | \$ | 1,221,649 | 10.6% | 10.6% | |
| | Total | | | | 12 | 29 \$ | 639,231 | 100.0% | 100.0% | 1,646 | \$ | 11,541,473 | 100.0% | 100.0% | |
| | | | | | P | ΆE | Distribution | % | | | | | | | |
| | | 0.0% | 10.0% | 20.0 | % 30 | .0% | 40.0% | 50.0% | 60.0% | 70.0% | | 80.0% | 90.0% | 100.0% | |
| | | | | | | | | | | | | | | | |
| | Asthma Admission Ra | ate | | | | | | | | | | | | | |





| PAE Analysis: | Potentially Avoidable Admissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zone: | Northeast |

| 8. Admissio | ns and Dollars by PQI (Adult) | | | | | | | | | | | | |
|-------------|---|-------|----|------------|------------------------|------------------------|--------|-----------|-------------|------------------------|------------------------|--|--|
| | | | | | | | | Statewide | | | | | |
| PQI# | PQI Description | PAE | Р | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | F | PAE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | | |
| 1 | Diabetes Short-Term Complications Admissions Rate | 309 | \$ | 1,699,297 | 21.4% | 23.3% | 2,215 | \$ | 14,920,412 | 18.0% | 18.2% | | |
| 3 | Diabetes Long-Term Complications Admission Rate | 156 | \$ | 1,865,952 | 10.8% | 9.2% | 1,257 | \$ | 15,655,157 | 10.2% | 8.7% | | |
| 5 | COPD or Asthma in Older Adults Admission Rate | 183 | \$ | 1,322,573 | 12.7% | 13.3% | 1,906 | \$ | 15,495,231 | 15.5% | 17.5% | | |
| 7 | Hypertension Admission Rate | 82 | \$ | 494,798 | 5.7% | 5.5% | 705 | \$ | 5,320,062 | 5.7% | 5.7% | | |
| 8 | Heart Failure Admission Rate | 328 | \$ | 2,801,738 | 22.7% | 19.8% | 3,010 | \$ | 32,799,765 | 24.4% | 22.3% | | |
| 11 | Bacterial Pneumonia Admission Rate | 119 | \$ | 893,627 | 8.3% | 11.4% | 1,002 | \$ | 8,459,752 | 8.1% | 10.3% | | |
| 12 | Urinary Tract Infection Admission Rate | 99 | \$ | 516,635 | 6.9% | 7.0% | 733 | \$ | 4,452,981 | 5.9% | 6.2% | | |
| 14 | Uncontrolled Diabetes Admission Rate | 61 | \$ | 315,400 | 4.2% | 3.3% | 579 | \$ | 3,404,398 | 4.7% | 4.3% | | |
| 15 | Asthma in Younger Adults Admission Rate | 51 | \$ | 314,691 | 3.5% | 3.7% | 477 | \$ | 3,350,454 | 3.9% | 3.8% | | |
| 16 | Rate of Lower-Extremity Amputation Diabetes | 54 | \$ | 1,119,790 | 3.7% | 3.5% | 446 | \$ | 10,923,242 | 3.6% | 3.1% | | |
| | Total | 1,442 | \$ | 11,344,500 | 100.0% | 100.0% | 12,330 | \$ | 114,781,455 | 100.0% | 100.0% | | |






| PAE Analysis: | Potentially Avoidable Admissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zone: | Northwest |


| ii iotai Eventa | | |
|-----------------|-------------------|-----------|
| | Northwest | Statewide |
| PAE | 593 | 13,976 |
| Total | 15,886 | 261,361 |
| 2021 PAE % | 3.7% | 5.3% |
| 2020 PAE % | 3.6% | 4.6% |
| | | 020 PAE % |
| | Northwest ■Statev | vide |

| | Norti | ıwest | | Statewide | | | | |
|---|--------|----------|----|---------------|--|--|--|--|
| PAE | \$ 5 | ,323,158 | \$ | 126,322,928 | | | | |
| Total | \$ 165 | ,467,452 | \$ | 3,030,540,775 | | | | |
| 2021 PAE % | | 3.2% | | 4.2% | | | | |
| 2020 PAE % | | 2.7% | | 3.6% | | | | |
| 4.0% 2.0% 0.0% 2021 PAE % 2020 PAE % Northwest Statewide | | | | | | | | |

Northwest



Dollars



| Rate Cell | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total |
|------------------------------|--------|-----|-----------------|-----------------|-------------------|-----------------|-----------------|-----------------|
| Under Age 1 | 3,695 | 3 | 0.1% | 0.2% | \$ 25,718,198 | \$ 15,688 | 0.1% | 0.1% |
| TANF-MAGI Ages 1-20 | 1,216 | 52 | 4.3% | 3.1% | \$ 12,990,152 | \$ 258,779 | 2.0% | 1.7% |
| TANF-MAGI Ages 21+ | 2,801 | 34 | 1.2% | 1.7% | \$ 15,646,336 | \$ 350,173 | 2.2% | 1.8% |
| Disabled-BCC Ages 1+ | 3,024 | 231 | 7.6% | 8.0% | \$ 44,807,620 | \$ 2,392,595 | 5.3% | 4.6% |
| Newly Eligible Ages 19 to 44 | 2,349 | 80 | 3.4% | 3.8% | \$ 23,386,546 | \$ 482,005 | 2.1% | 2.2% |
| Newly Eligible Ages 45 to 64 | 2,078 | 120 | 5.8% | 6.3% | \$ 31,878,188 | \$ 1,038,224 | 3.3% | 3.7% |
| NFCE Non-Dual 21-59 | 468 | 43 | 9.2% | 4.0% | \$ 7,485,035 | \$ 553,064 | 7.4% | 2.7% |
| NFCE Non-Dual 60+ | 255 | 30 | 11.8% | 5.1% | \$ 3,555,377 | \$ 232,629 | 6.5% | 2.3% |
| Total | 15,886 | 593 | 3.7% | 3.6% | \$ 165,467,452 | \$ 5,323,158 | 3.2% | 2.7% |
| | | | | | | | | |
| Statewide | | Eve | ents | | | Doll | ars | |
| Rate Cell | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total |
| Under Age 1 | 51,195 | 64 | 0.1% | 0.1% | \$ 462,320,242 | \$ 402,193 | 0.1% | 0.1% |

Events






| PAE Analysis: | Potentially Avoidable Admissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zanai | Northwest |

| Zone: | Northwest | | | | | | | | | | | | | | | |
|---------------|----------------------|--------------|--------|-----------------|-----------------|------------------|----------------|-----------------|-----------------|-------|--------------------------------------|----------------------------|-----------------|--|--|--|
| 5. Events and | l Dollars by Age Ban | d and Gender | | | | | | | | | | | | | | |
| ŀ | Northwest | | Eve | nts | | | Dol | lars | | | PAE as a % of Total Events by Gender | | | | | |
| Age Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | 8.0% | I AL as a | a 70 of Total Events by Ot | Statewide | | | |
| All Ages | Male | 6,051 | 277 | 4.6% | 4.4% | \$ 76,039,567 | \$ 2,787,683 | 3.7% | 2.6% | 0.076 | | | | | | |
| All Ages | Female | 9,835 | 316 | 3.2% | 3.1% | \$ 89,427,885 | \$ 2,535,474 | 2.8% | 2.7% | 6.0% | | | | | | |
| Total | | 15,886 | 593 | 3.7% | 3.6% | \$ 165,467,452 | \$ 5,323,158 | 3.2% | 2.7% | 0.070 | | | | | | |
| | | | | | | | | | | 4.0% | | | | | | |
| Under Age 1 | | 3,695 | 3 | 0.1% | 0.2% | | | 0.1% | 0.1% | | | _ | | | | |
| Years 1-20 | | 1,826 | 74 | 4.1% | 3.7% | | | 2.2% | 1.7% | 2.0% | | | | | | |
| Years 21-44 | | 5,667 | 160 | 2.8% | 3.0% | | | 2.9% | 2.5% | | | | | | | |
| Years 45-64 | | 4,600 | 351 | 7.6% | 7.4% | | | 4.9% | 4.4% | 0.0% | | | | | | |
| Years 65+ | | 98 | 5 | 5.1% | 7.8% | | | 4.0% | 2.3% | | Male | Female | Total | | | |
| Total | | 15,886 | 593 | 3.7% | 3.6% | \$ 165,467,452 | \$ 5,323,158 | 3.2% | 2.7% | | | | | | | |
| | Statewide | | Eve | nts | | | Dol | lars | | | D. F. | 0/ (= 1 = 1 = 1 = 1 | Northwest | | | |
| Age Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | 16.0% | PAE as | s a % of Total Events by A | Age Statewide | | | |
| All Ages | Male | 105,923 | 6,907 | 6.5% | 5.5% | \$ 1,504,597,633 | \$ 66,033,085 | 4.4% | 3.7% | 14.0% | | | | | | |
| All Ages | Fema l e | 155,438 | 7,069 | 4.5% | 4.0% | \$ 1,525,943,142 | \$ 60,289,843 | 4.0% | 3.6% | 12.0% | | | | | | |
| Total | | 261,361 | 13,976 | 5.3% | 4.6% | \$ 3,030,540,775 | \$ 126,322,928 | 4.2% | | | | | | | | |
| | | | | | | | | | | 8.0% | | _ | | | | |
| Under Age 1 | | 51,195 | 64 | 0.1% | 0.1% | \$ 462,320,242 | \$ 402,193 | 0.1% | 0.1% | 6.0% | _ | | | | | |
| Years 1-20 | | 27,409 | 1,969 | 7.2% | 5.9% | \$ 400,429,329 | \$ 13,447,472 | 3.4% | 2.8% | 4.0% | | | | | | |
| Years 21-44 | | 100,634 | 3,846 | 3.8% | 3.4% | \$ 922,842,548 | \$ 30,884,959 | 3.3% | 3.0% | 2.0% | | | | | | |
| Years 45-64 | | 79,123 | 7,798 | 9.9% | | \$ 1,202,463,752 | | 6.6% | 5.8% | 0.0% | | | | | | |
| Years 65+ | | 3,000 | 299 | 10.0% | 8.3% | | | 6.0% | 4.9% | Under | Age 1 Years 1-20 | 0 Years 21-44 Years 45-64 | Years 65+ Total | | | |
| Total | | 261,361 | 13,976 | 5.3% | 4.6% | \$ 3,030,540,775 | \$ 126,322,928 | 4.2% | 3.6% | | | | | | | |



| PAE Analysis: | Potentially Avoidable Admissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zono: | Northwest |


| 6. Even | s and Dol | lars by Top 10 APR-DRG | | | | | | | | | |
|--------------|------------|---|-----|----|------------|------------------------|------------------------|--------|----------------|------------------------|------------------------|
| | | Top 10 PAE by Zone | | | North | ıwest | | | Stat | ewide | |
| Zone Rank | APR DRG | Description | PAE | P. | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | PAE Dollars | 2021 % of Total PAE | 2020 % of Total PAE |
| 1 | 0420 | DIABETES | 114 | \$ | 577,465 | 19.2% | 24.1% | 3,051 | \$ 18,534,683 | 21.8% | 22.2% |
| 2 | 0194 | HEART FAILURE | 95 | \$ | 871,095 | 16.0% | 13.7% | 2,458 | \$ 21,808,033 | 17.6% | 16.8% |
| 3 | 0140 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE | 67 | \$ | 435,269 | 11.3% | 11.2% | 1,430 | \$ 11,371,106 | 10.2% | 12.0% |
| 4 | 0139 | OTHER PNEUMONIA | 57 | \$ | 427,315 | 9.6% | 13.7% | 956 | \$ 7,297,638 | 6.8% | 8.9% |
| 5 | 0141 | ASTHMA | 39 | \$ | 191,318 | 6.6% | 6.7% | 1,857 | \$ 11,899,245 | 13.3% | 12.4% |
| 6 | 0463 | KIDNEY & URINARY TRACT INFECTIONS | 38 | \$ | 185,580 | 6.4% | 8.0% | 895 | \$ 5,404,299 | 6.4% | 6.6% |
| 7 | 0192 | CARDIAC CATHETERIZATION FOR OTHER NON-CORONARY CONDITIONS | 30 | \$ | 431,434 | 5.1% | 1.9% | 549 | \$ 9,573,412 | 3.9% | 3.0% |
| 8 | 0314 | FOOT & TOE PROCEDURES | 25 | \$ | 307,294 | 4.2% | 3.8% | 320 | \$ 4,592,844 | 2.3% | 1.9% |
| 9 | 0305 | AMPUTATION OF LOWER LIMB EXCEPT TOES | 24 | \$ | 558,254 | 4.0% | 2.1% | 309 | \$ 6,517,539 | 2.2% | 1.9% |
| 10 | 0199 | HYPERTENSION | 21 | \$ | 122,806 | 3.5% | 4.4% | 635 | \$ 4,348,849 | 4.5% | 4.6% |
| | | All Else | 83 | \$ | 1,215,329 | 14.0% | 10.5% | 1,516 | \$ 24,975,279 | 10.8% | 9.7% |
| | · · · · · | Total | 593 | \$ | 5,323,158 | 100.0% | 100.0% | 13,976 | \$ 126,322,928 | 100.0% | 100.0% |





| PAE Analysis: | Potentially Avoidable Admissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zone: | Northwest |


| Zone: | Northwest | | | | | | | | | | | |
|--------------|--|--------|-------|-------|--------------|------------------------|------------------------|-------|----|------------|------------------------|------------------------|
| 7. Admission | ns and Dollars by PDI (Pediatric) | | | | | | | | | | | |
| | | | | | North | west | | | | State | wide | |
| PDI# | PDI Description | | PAE | | PAE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | F | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE |
| 14 | Asthma Admission Rate | | 2 | 22 \$ | 103,330 | 37.3% | 27.9% | 947 | \$ | 6,019,172 | 57.5% | 54.1% |
| 15 | Diabetes Short-Term Complications Admission Rate | | 1 | 11 \$ | 48,407 | 18.6% | 20.9% | 254 | \$ | 2,489,567 | 15.4% | 20.6% |
| 16 | Gastroenteritis Admission Rate | | 1 | 16 \$ | 84,421 | 27.1% | 23.3% | 271 | \$ | 1,811,085 | 16.5% | 14.7% |
| 18 | Urinary Tract Infection Admission Rate | | 1 | 10 \$ | 161,784 | 16.9% | 27.9% | 174 | \$ | 1,221,649 | 10.6% | 10.6% |
| | Total | | 5 | 59 \$ | 397,943 | 100.0% | 100.0% | 1,646 | \$ | 11,541,473 | 100.0% | 100.0% |
| | | | P | ΑE | Distribution | % | | | | | | |
| | 0.0% 10.09 | % 20.0 | % 30. | .0% | 40.0% | 50.0% | 60.0% | 70.0% | | 80.0% | 90.0% | 100.0% |
| | | | | | | | | | | | | |
| | Asthma Admission Rate | | | | | | | | | | | |





| PAE Analysis: | Potentially Avoidable Admissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zone: | Northwest |

| 8. Admissio | ns and Dollars by PQI (Adult) | | | | | | | | | | |
|-------------|---|-----|----|------------|------------------------|------------------------|--------|----|-------------|------------------------|------------------------|
| | | | | Norti | ıwest | | | | State | ewide | |
| PQI# | PQI Description | PAE | P | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | P | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE |
| 1 | Diabetes Short-Term Complications Admissions Rate | 76 | \$ | 408,083 | 14.2% | 19.9% | 2,215 | \$ | 14,920,412 | 18.0% | 18.2% |
| 3 | Diabetes Long-Term Complications Admission Rate | 71 | \$ | 785,129 | 13.3% | 11.2% | 1,257 | \$ | 15,655,157 | 10.2% | 8.7% |
| 5 | COPD or Asthma in Older Adults Admission Rate | 79 | \$ | 502,323 | 14.8% | 14.5% | 1,906 | \$ | 15,495,231 | 15.5% | 17.5% |
| 7 | Hypertension Admission Rate | 25 | \$ | 182,014 | 4.7% | 4.8% | 705 | \$ | 5,320,062 | 5.7% | 5.7% |
| 8 | Heart Failure Admission Rate | 127 | \$ | 1,468,916 | 23.8% | 17.0% | 3,010 | \$ | 32,799,765 | 24.4% | 22.3% |
| 11 | Bacterial Pneumonia Admission Rate | 61 | \$ | 508,685 | 11.4% | 14.9% | 1,002 | \$ | 8,459,752 | 8.1% | 10.3% |
| 12 | Urinary Tract Infection Admission Rate | 30 | \$ | 163,110 | 5.6% | 6.4% | 733 | \$ | 4,452,981 | 5.9% | 6.2% |
| 14 | Uncontrolled Diabetes Admission Rate | 27 | \$ | 162,865 | 5.1% | 5.2% | 579 | \$ | 3,404,398 | 4.7% | 4.3% |
| 15 | Asthma in Younger Adults Admission Rate | 6 | \$ | 26,475 | 1.1% | 2.7% | 477 | \$ | 3,350,454 | 3.9% | 3.8% |
| 16 | Rate of Lower-Extremity Amputation Diabetes | 32 | \$ | 717,616 | 6.0% | 3.5% | 446 | \$ | 10,923,242 | 3.6% | 3.1% |
| | Total | 534 | \$ | 4,925,215 | 100.0% | 100.0% | 12,330 | \$ | 114,781,455 | 100.0% | 100.0% |





Potentially Avoidable Visits

Contents

| Table Number | Table Title |
|--------------|---|
| 1 | Total Events |
| 2 | Total Dollars |
| 3 | Emergency Department Cost Weights |
| 4 | Events and Dollars by Top 10 Diagnosis Code |

The tables identified above are included for each zone. Zone results are displayed in the following order: Southeast, Southwest, Lehigh/Capital, Northeast, and Northwest. This is the fifth year of the analysis; therefore, both CY 2021 and CY 2020 results are available and displayed as applicable.

Detailed Description of Tables

Table 1 — displays the total number of potentially avoidable ED visits as a percentage of total ED visits. This value is displayed at both the zone and statewide level.

Table 2 — displays the total expenditures related to potentially avoidable ED visits as a percentage of total ED expenditures. This value is displayed at both the zone and statewide level.

Table 3 — displays the ED cost weight for those ED visits identified as potentially avoidable visits at the zone and statewide level. Also displays the ED cost weight for all ED visits at the zone and statewide level.

Table 4 — displays the 10 most frequent primary diagnosis for potentially avoidable visits within the zone. These values are displayed at both the zone and statewide level.


Additional Notes Regarding Data

- Visits and dollars for CY 2021 service dates are based on PH HealthChoices MCO encounter data and CHC-MCO encounter data submitted through January 6, 2023.
- 2. ED is defined as visits containing a 99281–99285 procedure code or a 450 revenue code.
- 3. Outpatient facility and professional encounters are combined to form an ED visit for the purposes of this analysis.
- 4. LANE visits are identified using a list of low acuity diagnosis codes identified through health services research and physician input.
- 5. Each LANE diagnosis code was reviewed by practicing ED physicians, DHS, and Mercer clinical staff and assigned a targeted utilization percentage that represents the portion of visits that a highly efficient managed care program could potentially prevent; visits with a procedure code of 99284 or 99285 are not adjusted.
- 6. A low-cost visit cutoff of \$61.28, for PH HealthChoices MCO encounter data, was applied to LANE utilization to reflect appropriate and cost-effective treatment in an ED setting. The low-cost visit cutoff amount was \$61.52 for CHC-MCO encounter data.
- 7. Replacement costs and targeted efficiency levels are not considered in this analysis.
- 8. Encounters with revenue code 0762, indicating an observation stay, were excluded from PAV analysis.


| PAE Analysis: | Potentially Avoidable Visits |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zone: | Southeast |

| Zone. | Southeast | |
|-----------------|----------------------------|-----------|
| 1. Total Events | | |
| | Southeast | Statewide |
| PAE | 83,484 | 203,537 |
| Total | 494,184 | 1,425,703 |
| 2021 PAE % | 16.9% | 14.3% |
| 2020 PAE % | 18.7% | 15.7% |
| | 1 PAE % 2 Southeast Statev | 020 PAE % |

| | | So | utheast | | Statewide |
|--------------------|-----|---------|------------|-----|-------------|
| PAE | | \$: | 28,813,112 | \$ | 48,239,923 |
| Total | | \$ 19 | 98,556,666 | \$ | 498,464,200 |
| 2021 PAE 9 | % | | 14.5% | | 9.7% |
| 2020 PAE | % | | 14.1% | | 9.3% |
| 15.0% – 10.0% – | | | | | |
| 5.0% - | | | | | |
| 0.00/ | | | | | |
| 0.0% - | | 4 DAE (| / 2 | 020 | PAE % |
| 0.0% - | 202 | 1 PAE | /0 2 | 020 | PAE 76 |



| | | Top 10 PAE by Zone | | | South | east | | | | Stat | ewide | |
|-----------|-----------------------|---|-------------|--------|------------|------------------------|------------------------|---------|----|-------------|------------------------|------------------------|
| Zone Rank | ICD-10 Designation | Description | PAE | P/ | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | F | PAE Dollars | 2021 % of Total PAE | 2020 % of Total PAE |
| 1 | J06.9 | ACUTE UPPER RESPIRATORY INFECTION, UNSPECIFIE | 5,940 | \$ | 2,537,338 | 7.1% | 6.7% | 15,192 | \$ | 4,344,967 | 7.5% | 7.2% |
| 2 | M79.6 | PAIN IN LIMB, HAND, FOOT, FINGERS AND TOES | 2,612 | \$ | 797,126 | 3.1% | 3.0% | 5,239 | \$ | 1,200,471 | 2.6% | 2.3% |
| 3 | J02.9 | ACUTE PHARYNGITIS, UNSPECIFIED | 1,947 | \$ | 624,705 | 2.3% | 2.6% | 5,363 | \$ | 1,206,464 | 2.6% | 3.0% |
| 4 | R50 | FEVER OF OTHER AND UNKNOWN ORIGIN | 1,775 | \$ | 617,306 | 2.1% | 1.7% | 4,517 | \$ | 1,139,594 | 2.2% | 2.1% |
| 5 | K08.8 | OTHER SPECIFIED DISORDERS OF TEETH AND SUPPO | 1,771 | \$ | 561,847 | 2.1% | 2.3% | 5,461 | \$ | 1,067,182 | 2.7% | 2.7% |
| 6 | R11 | NAUSEA AND VOMITING | 1,671 | \$ | 557,528 | 2.0% | 1.8% | 4,672 | \$ | 1,043,646 | 2.3% | 2.1% |
| 7 | R21 | RASH AND OTHER NONSPECIFIC SKIN ERUPTION | 1,590 | \$ | 477,594 | 1.9% | 1.7% | 4,038 | \$ | 795,957 | 2.0% | 1.8% |
| 8 | R51 | HEADACHE | 1,480 | \$ | 465,864 | 1.8% | 1.9% | 2,854 | \$ | 699,111 | 1.4% | 1.4% |
| 9 | S93.40 | SPRAIN OF UNSPECIFIED LIGAMENT OF ANKLE | 1,333 | \$ | 456,470 | 1.6% | 1.7% | 4,373 | \$ | 978,999 | 2.1% | 2.0% |
| 10 | M25.56 | PAIN IN KNEE | 1,282 | \$ | 409,735 | 1.5% | 1.5% | 2,790 | \$ | 658,580 | 1.4% | 1.3% |
| | | All Else | 62,085 | \$ | 21,307,600 | 74.4% | 75.2% | 149,038 | \$ | 35,104,951 | 73.2% | 74.2% |
| | | Total | 83,484 | \$ | 28,813,112 | 100.0% | 100.0% | 203,537 | \$ | 48,239,923 | 100.0% | 100.0% |
| | | Top 10 |) PAE Based | l on 2 | Zone as a | % of Total PA | ΛE | | | | | |
| | | 0.0% | 2.0% | | | 4.0% | 6.0% | 8.0 |)% | | 10.0% | 12.0% |
| | A CLITE LIDE | PER RESPIRATORY INFECTION, UNSPECIFIED | | | | | | | | | | |







| PAE Analysis: | Potentially Avoidable Visits |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zone: | Southwest |

| Zone. | Southwest | |
|--|---------------------------|-----------|
| 1. Total Events | | |
| | Southwest | Statewide |
| PAE | 38,376 | 203,537 |
| Total | 305,444 | 1,425,703 |
| 2021 PAE % | 12.6% | 14.3% |
| 2020 PAE % | 12.0% | 15.7% |
| 25.0% 20.0% 15.0% 10.0% 5.0% 0.0% | 1 PAE % 2 outhwest States | 020 PAE % |

| | | Sc | | | Statewide |
|------------------------------|-----|-------|-------------|------|-------------|
| PAE | | \$ | 6,283,039 | \$ | 48,239,923 |
| Total | | \$ - | 100,729,996 | \$ | 498,464,200 |
| 2021 PAE | % | | 6.2% | | 9.7% |
| 2020 PAE | % | | 4.8% | | 9.3% |
| 20.0% - 15.0% - | | | | | |
| 15.0% - 10.0% - | | | | | |
| 15.0% - 10.0% - 5.0% - | | | | | |
| 15.0% - 10.0% - | 202 | 1 PAE | % 2 | :020 | PAE % |




| | | Top 10 PAE by Zone | | | | | | Statewide | | | | | | |
|-----------|-----------------------|---|--------|----|-----------|------------------------|------------------------|-----------|----|-------------|------------------------|------------------------|--|--|
| Zone Rank | ICD-10 Designation | Description | PAE | PA | E Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | F | PAE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | | |
| 1 | J06.9 | ACUTE UPPER RESPIRATORY INFECTION, UNSPECIFIE | 2,113 | \$ | 409,806 | 5.5% | 4.8% | 15,192 | \$ | 4,344,967 | 7.5% | 7.2% | | |
| 2 | K08.8 | OTHER SPECIFIED DISORDERS OF TEETH AND SUPPO | 1,536 | \$ | 219,510 | 4.0% | 4.3% | 5,461 | \$ | 1,067,182 | 2.7% | 2.7% | | |
| 3 | J02.9 | ACUTE PHARYNGITIS, UNSPECIFIED | 1,091 | \$ | 187,287 | 2.8% | 2.7% | 5,363 | \$ | 1,206,464 | 2.6% | 3.0% | | |
| 4 | H66.9 | OTITIS MEDIA, UNSPECIFIED | 1,042 | \$ | 139,037 | 2.7% | 2.7% | 3,913 | \$ | 677,194 | 1.9% | 2.3% | | |
| 5 | S61.2 | OPEN WOUND OF OTHER FINGER WITHOUT DAMAGE | 884 | \$ | 190,230 | 2.3% | 0.0% | 3,740 | \$ | 898,436 | 1.8% | 0.0% | | |
| 6 | S93.40 | SPRAIN OF UNSPECIFIED LIGAMENT OF ANKLE | 868 | \$ | 150,890 | 2.3% | 2.4% | 4,373 | \$ | 978,999 | 2.1% | 2.0% | | |
| 7 | M79.6 | PAIN IN LIMB, HAND, FOOT, FINGERS AND TOES | 837 | \$ | 129,486 | 2.2% | 2.0% | 5,239 | \$ | 1,200,471 | 2.6% | 2.3% | | |
| 8 | R11 | NAUSEA AND VOMITING | 834 | \$ | 133,954 | 2.2% | 1.8% | 4,672 | \$ | 1,043,646 | 2.3% | 2.1% | | |
| 9 | R50 | FEVER OF OTHER AND UNKNOWN ORIGIN | 784 | \$ | 150,094 | 2.0% | 1.7% | 4,517 | \$ | 1,139,594 | 2.2% | 2.1% | | |
| 10 | R21 | RASH AND OTHER NONSPECIFIC SKIN ERUPTION | 764 | \$ | 100,315 | 2.0% | 1.7% | 4,038 | \$ | 795,957 | 2.0% | 1.8% | | |
| | | All Else | 27,624 | \$ | 4,472,430 | 72.0% | 75.9% | 147,030 | \$ | 34,887,012 | 72.2% | 74.5% | | |
| | • | Total | 38,376 | \$ | 6,283,039 | 100.0% | 100.0% | 203,537 | \$ | 48,239,923 | 100.0% | 100.0% | | |







| PAE Analysis: | Potentially Avoidable Visits |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zone: | Lehigh/Capital |

| Zone. | Leriigi // Capital | | | | | | | |
|--|--------------------|-----------|--|--|--|--|--|--|
| 1. Total Events | | | | | | | | |
| | Lehigh/Capital | Statewide | | | | | | |
| PAE | 37,255 | 203,537 | | | | | | |
| Total | 308,867 | 1,425,703 | | | | | | |
| 2021 PAE % | 12.1% | 14.3% | | | | | | |
| 2020 PAE % | 14.9% | 15.7% | | | | | | |
| 25.0% 20.0% 15.0% 10.0% 5.0% 0.0% | as a % of Total E | 020 PAE % | | | | | | |





| | | Top 10 PAE by Zone | | | Lehigh/ | Capital | | Statewide State St | | | | | |
|-----------|-----------------------|---|--------|----|-----------|------------------------|------------------------|--|----|-------------|------------------------|------------------------|--|
| Zone Rank | ICD-10 Designation | Description | | РА | E Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | F | PAE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | |
| 1 | J06.9 | ACUTE UPPER RESPIRATORY INFECTION, UNSPECIFIE | 3,602 | \$ | 775,831 | 9.7% | 10.1% | 15,192 | \$ | 4,344,967 | 7.5% | 7.2% | |
| 2 | R11 | NAUSEA AND VOMITING | 1,322 | \$ | 238,563 | 3.5% | 3.3% | 4,672 | \$ | 1,043,646 | 2.3% | 2.1% | |
| 3 | J02.9 | ACUTE PHARYNGITIS, UNSPECIFIED | 1,030 | \$ | 200,568 | 2.8% | 3.8% | 5,363 | \$ | 1,206,464 | 2.6% | 3.0% | |
| 4 | R50 | FEVER OF OTHER AND UNKNOWN ORIGIN | 960 | \$ | 191,541 | 2.6% | 3.0% | 4,517 | \$ | 1,139,594 | 2.2% | 2.1% | |
| 5 | K08.8 | OTHER SPECIFIED DISORDERS OF TEETH AND SUPPO | 930 | \$ | 152,023 | 2.5% | 2.3% | 5,461 | \$ | 1,067,182 | 2.7% | 2.7% | |
| 6 | S93.40 | SPRAIN OF UNSPECIFIED LIGAMENT OF ANKLE | 910 | \$ | 185,698 | 2.4% | 1.9% | 4,373 | \$ | 978,999 | 2.1% | 2.0% | |
| 7 | R21 | RASH AND OTHER NONSPECIFIC SKIN ERUPTION | 878 | \$ | 130,021 | 2.4% | 2.2% | 4,038 | \$ | 795,957 | 2.0% | 1.8% | |
| 8 | M79.6 | PAIN IN LIMB, HAND, FOOT, FINGERS AND TOES | 849 | \$ | 153,432 | 2.3% | 1.9% | 5,239 | \$ | 1,200,471 | 2.6% | 2.3% | |
| 9 | S61.2 | OPEN WOUND OF OTHER FINGER WITHOUT DAMAGE | 681 | \$ | 156,748 | 1.8% | 0.0% | 3,740 | \$ | 898,436 | 1.8% | 0.0% | |
| 10 | S01.8 | OPEN WOUND OF OTHER PARTS OF HEAD | 669 | \$ | 156,005 | 1.8% | 1.4% | 3,272 | \$ | 893,484 | 1.6% | 1.5% | |
| | | All Else | 25,425 | \$ | 4,724,850 | 68.2% | 70.0% | 147,671 | \$ | 34,670,722 | 72.6% | 75.3% | |
| | • | Total | 37,255 | \$ | 7,065,280 | 100.0% | 100.0% | 203,537 | \$ | 48,239,923 | 100.0% | 100.0% | |







| PAE Analysis: | Potentially Avoidable Visits |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zone: | Northeast |

| Zone: | Northeast | | | | | | | |
|-----------------|-----------------------------|-----------|--|--|--|--|--|--|
| 1. Total Events | | | | | | | | |
| | Northeast | Statewide | | | | | | |
| PAE | 27,131 | 203,537 | | | | | | |
| Total | 204,626 | 1,425,703 | | | | | | |
| 2021 PAE % | 13.3% | 14.3% | | | | | | |
| 2020 PAE % | 15.1% | 15.7% | | | | | | |
| | 1 PAE % 2. Northeast Statew | 020 PAE % | | | | | | |

| | | N | ortheast | Statewide | | | | | ortheast State | | | |
|------------------------------|-----|-------|------------|-----------|-------------|--|--|--|----------------|--|--|--|
| PAE | | \$ | 3,762,318 | \$ | 48,239,923 | | | | | | | |
| Total | | \$ | 57,662,933 | \$ | 498,464,200 | | | | | | | |
| 2021 PAE 9 | % | | 6.5% | 5 | 9.7% | | | | | | | |
| 2020 PAE 9 | % | | 6.8% | 5 | 9.3% | | | | | | | |
| 20.0% — 15.0% — | | | | | | | | | | | | |
| 15.0% – 10.0% – | | | | 811111 | × | | | | | | | |
| 15.0% — 10.0% — 5.0% — | | | | | | | | | | | | |
| 15.0% – 10.0% – | 202 | 1 PAE | % | 2020 | PAE % | | | | | | | |




| | | Top 10 PAE by Zone | | | | | | Statewide State St | | | | | | |
|-----------|-----------------------|---|-------------|-----|-----------|------------|------------------------|--|-----|------------|-------------|------------------------|------------------------|--|
| Zone Rank | ICD-10 Designation | | Description | PAE | PA | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | F | PAE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | |
| 1 | J06.9 | ACUTE UPPER RESPIRATORY INFECTION, UNSPECIFIE | 2,521 | \$ | 466,104 | 9.3% | 7.4% | 15,192 | \$ | 4,344,967 | 7.5% | 7.2% | | |
| 2 | J02.9 | ACUTE PHARYNGITIS, UNSPECIFIED | 753 | \$ | 117,186 | 2.8% | 3.5% | 5,363 | \$ | 1,206,464 | 2.6% | 3.0% | | |
| 3 | R50 | FEVER OF OTHER AND UNKNOWN ORIGIN | 723 | \$ | 139,673 | 2.7% | 2.5% | 4,517 | \$ | 1,139,594 | 2.2% | 2.1% | | |
| 4 | K08.8 | OTHER SPECIFIED DISORDERS OF TEETH AND SUPPO | 668 | \$ | 71,575 | 2.5% | 2.3% | 5,461 | \$ | 1,067,182 | 2.7% | 2.7% | | |
| 5 | S93.40 | SPRAIN OF UNSPECIFIED LIGAMENT OF ANKLE | 668 | \$ | 94,398 | 2.5% | 2.2% | 4,373 | \$ | 978,999 | 2.1% | 2.0% | | |
| 6 | S61.2 | OPEN WOUND OF OTHER FINGER WITHOUT DAMAGE | 621 | \$ | 90,385 | 2.3% | 0.0% | 3,740 | \$ | 898,436 | 1.8% | 0.0% | | |
| 7 | H66.9 | OTITIS MEDIA, UNSPECIFIED | 610 | \$ | 68,981 | 2.2% | 2.7% | 3,913 | \$ | 677,194 | 1.9% | 2.3% | | |
| 8 | S01.8 | OPEN WOUND OF OTHER PARTS OF HEAD | 583 | \$ | 90,738 | 2.1% | 1.7% | 3,272 | \$ | 893,484 | 1.6% | 1.5% | | |
| 9 | M79.6 | PAIN IN LIMB, HAND, FOOT, FINGERS AND TOES | 564 | \$ | 69,984 | 2.1% | 1.8% | 5,239 | \$ | 1,200,471 | 2.6% | 2.3% | | |
| 10 | R11 | NAUSEA AND VOMITING | 530 | \$ | 72,638 | 2.0% | 1.6% | 4,672 | \$ | 1,043,646 | 2.3% | 2.1% | | |
| | | All Else | 18,891 | \$ | 2,480,657 | 69.6% | 74.3% | 147,795 | \$ | 34,789,484 | 72.6% | 74.8% | | |
| | • | Total | 27,131 | \$ | 3,762,318 | 100.0% | 100.0% | 203,537 | \$ | 48,239,923 | 100.0% | 100.0% | | |






| PAE Analysis: | Potentially Avoidable Visits |
|----------------|-------------------------------------|
| Program Type: | Managed Care |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| Zone: | Northwest |

| Zone. | Northwest | |
|-----------------|------------|-----------|
| 1. Total Events | | |
| | Northwest | Statewide |
| PAE | 17,291 | 203,537 |
| Total | 112,582 | 1,425,703 |
| 2021 PAE % | 15.4% | 14.3% |
| 2020 PAE % | 16.2% | 15.7% |
| | 1 PAE % 2: | 020 PAE % |





| | | Top 10 PAE by Zone | | | North | west | | Statewide State St | | | | | |
|-----------|-----------------------|---|--------|-----|-----------|------------------------|------------------------|--|----|------------|------------------------|------------------------|--|
| Zone Rank | ICD-10 Designation | Description | PAE | PAE | Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | Р | AE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | |
| 1 | J06.9 | ACUTE UPPER RESPIRATORY INFECTION, UNSPECIFIE | 1,015 | \$ | 155,888 | 5.9% | 6.5% | 15,192 | \$ | 4,344,967 | 7.5% | 7.2% | |
| 2 | H66.9 | OTITIS MEDIA, UNSPECIFIED | 645 | \$ | 78,250 | 3.7% | 3.8% | 3,913 | \$ | 677,194 | 1.9% | 2.3% | |
| 3 | S93.40 | SPRAIN OF UNSPECIFIED LIGAMENT OF ANKLE | 595 | \$ | 91,544 | 3.4% | 3.2% | 4,373 | \$ | 978,999 | 2.1% | 2.0% | |
| 4 | K08.8 | OTHER SPECIFIED DISORDERS OF TEETH AND SUPPO | 557 | \$ | 62,227 | 3.2% | 3.0% | 5,461 | \$ | 1,067,182 | 2.7% | 2.7% | |
| 5 | J02.9 | ACUTE PHARYNGITIS, UNSPECIFIED | 542 | \$ | 76,718 | 3.1% | 3.1% | 5,363 | \$ | 1,206,464 | 2.6% | 3.0% | |
| 6 | S61.2 | OPEN WOUND OF OTHER FINGER WITHOUT DAMAGE | 405 | \$ | 54,640 | 2.3% | 0.0% | 3,740 | \$ | 898,436 | 1.8% | 0.0% | |
| 7 | M79.6 | PAIN IN LIMB, HAND, FOOT, FINGERS AND TOES | 378 | \$ | 50,443 | 2.2% | 1.7% | 5,239 | \$ | 1,200,471 | 2.6% | 2.3% | |
| 8 | R21 | RASH AND OTHER NONSPECIFIC SKIN ERUPTION | 322 | \$ | 37,483 | 1.9% | 1.5% | 4,038 | \$ | 795,957 | 2.0% | 1.8% | |
| 9 | N39.0 | URINARY TRACT INFECTION, SITE NOT SPECIFIED | 315 | \$ | 43,217 | 1.8% | 2.0% | 1,963 | \$ | 405,519 | 1.0% | 1.2% | |
| 10 | R11 | NAUSEA AND VOMITING | 314 | \$ | 40,963 | 1.8% | 1.6% | 4,672 | \$ | 1,043,646 | 2.3% | 2.1% | |
| | | All Else | 12,203 | \$ | 1,624,801 | 70.6% | 73.6% | 149,583 | \$ | 35,621,088 | 73.5% | 75.4% | |
| | | Total | 17,291 | \$ | 2,316,174 | 100.0% | 100.0% | 203,537 | \$ | 48,239,923 | 100.0% | 100.0% | |





Appendix D Glossary

| Terminology | Definition |
|------------------------------|--|
| AHRQ | Agency for Healthcare Research and Quality. A federal agency focused on improving the safety and quality of America's health care system. |
| APR-DRGs | All Patient Refined-Diagnosis Related Groups. A version of diagnosis related groups that further subdivide the diagnosis related groups into four severity-of-illness and four risk-of-mortality subclasses within each diagnosis related group. |
| Beneficiary | A person eligible to receive services in the MA Program of the Commonwealth of Pennsylvania. |
| CHC | Community HealthChoices. A mandatory managed care program that uses MCOs to coordinate and pay for PH care and long-term services and supports for beneficiaries who are dually eligible for Medicare and Medicaid and those who require a nursing facility level of care. |
| Department or DHS | The Department of Human Services of the Commonwealth of Pennsylvania. |
| Diagnostic Related Groups | A classification system that uses patient discharge information to classify patients into clinically meaningful groups. |
| ED | Emergency Department. The department of a hospital responsible for the provision of emergency services. |
| Encounter Data | A record submitted by the MCO to the Department of a covered health care service provided to a MCO member. |
| Gender | Gender identified within the Department's eligibility system. |
| Hospital | A public or private institution licensed as a hospital under the laws of the Commonwealth that participates in the MA Program. |

| Terminology | Definition |
|-------------------------|--|
| LANE | Low-Acuity Non-Emergent emergency visits. ED visits that could have occurred in a lower acuity setting or been avoided through the provision of consistent, evidence-based, primary care, proactive care management, and health education. |
| MA | Medical Assistance. The acronym by which the Commonwealth's Medicaid Program, authorized under Article IV of the Public Welfare Code (62 P. S. §§ 401–488), is known. |
| MCO | Managed Care Organization. A licensed MCO with whom the Department has an agreement to provide or arrange for services to a Medicaid beneficiary. |
| MCO Outcomes Program | A program designed to provide a Medicaid MCO with information to reduce PAEs and further increase efficiency in Medicaid managed care programs. |
| Medicaid Program | The joint federal and state program through which health care services are provided to eligible beneficiaries in conformation with Title XIX of the Social Security Act (42 U.S.C.A. §§ 1396–1396q) and regulations issued under it. |
| PAA | Potentially Avoidable Admission. An admission of an individual to a hospital or long-term care facility, which may have reasonably been prevented with adequate access to ambulatory care or health care coordination. |
| PAC | Potentially Avoidable Complication. A harmful event or negative outcome with respect to an individual, including an infection or surgical complication, that: Occurs after the person's admission to a hospital or long-term care facility. May have resulted from the care, lack of care, or treatment provided during the hospital or long-term care facility stay, rather than from a natural progression of an underlying disease. |

| Terminology | Definition |
|------------------|---|
| PAE | Potentially Avoidable Event. Any of the following: • A potentially avoidable admission (PAA). • A potentially avoidable complication (PAC). • A potentially avoidable emergency visit (PAV). • A potentially avoidable readmission (PAR). • A combination of the events listed under this definition. |
| PAR | Potentially Avoidable Readmission. A return hospitalization of an individual within a period specified by the Department that may have resulted from a deficiency in the care or treatment provided to the individual during a previous hospital stay or from a deficiency in post hospital discharge follow up. The term does not include a hospital readmission necessitated by the occurrence of unrelated events after the discharge. The term includes the readmission of an individual to a hospital for: The same condition or procedure for which the individual was previously admitted. An infection or other complication resulting from care previously provided. A condition or procedure indicating a surgical intervention performed during a previous admission was unsuccessful in achieving the anticipated outcome. |
| PAV | Potentially Avoidable Emergency Visit. Treatment of an individual in a hospital emergency room or freestanding emergency medical care facility for a condition that may not require emergency medical attention because the condition could be or could have been treated or prevented by a physician or other health care provider in a nonemergency setting. |
| PDI | Pediatric Quality Indicator. A set of measures that can be used with hospital inpatient discharge data to provide a perspective on the quality of pediatric health care. |
| PH HealthChoices | The mandatory managed care program that uses MA MCOs to coordinate and pay for physical health services. |

| Terminology | Definition |
|-------------|---|
| PIP | Performance Improvement Project |
| PQI | Prevention Quality Indicator. A set of measures that can be used with hospital inpatient discharge data to identify quality of care for ambulatory care sensitive conditions. These are conditions for which good outpatient care can potentially prevent the need for hospitalization or for which early intervention can prevent complications for more severe disease. |
| PROMISe | Provider Reimbursement and Operations Management Information System. The Department's Medicaid Management Information System which is the Centers for Medicare & Medicaid Services (CMS) certified information system. |
| SDOH | Social Determinants of Health. Health-related social needs such access to food, access to health services, education and employment, environmental conditions, income, housing, and relationships. |


Appendix E


MCO Report Template


Data labeled as "MCO 1" does not represent actual individual MCO results, and is for demonstration purposes only, of the information that will be provided to each MCO.



| MCO: | MCO 1 | | |
|------------------|--------------|---------------|-----------|
| 1. Total Events | | | |
| | MCO 1 | Zone 1 | Statewide |
| 2021 PAE | 40 | 200 | 400 |
| 2021 Total | 4,000 | 20,000 | 40,000 |
| 2021 PAE % | 1.0% | 1.0% | 1.0% |
| 2020 PAE % | 1.0% | 1.0% | 1.0% |
| 3.0% — | PAE as a % o | f Total Event | S |
| 3.0% — 2.0% — | PAE as a % o | f Total Event | S |
| | PAE as a % o | f Total Event | S |
| 2.0% — | PAE as a % o | f Total Event | S |
| 2.0% — 1.0% — | PAE as a % o | f Total Event | |







| MCO 1 | | Events | S | | Dollars | | | | | |
|------------------------------|-------|--------|--------------------|-----------------|---------|---------|----|-------|-----------------|-----------------|
| Rate Cell | Total | PAE | 2021 % of Total | 2020 % of Total | | Total | | PAE | 2021 % of Total | 2020 % of Total |
| Under Age 1 | 500 | 5 | 1.0% | 1.0% | \$ | 12,500 | \$ | 125 | 1.0% | 1.0% |
| TANF-MAGI Ages 1-20 | 500 | 5 | 1.0% | 1.0% | \$ | 12,500 | \$ | 125 | 1.0% | 1.0% |
| TANF-MAGI Ages 21+ | 500 | 5 | 1.0% | 1.0% | \$ | 12,500 | \$ | 125 | 1.0% | 1.0% |
| Disabled-BCC Ages 1+ | 500 | 5 | 1.0% | 1.0% | \$ | 12,500 | \$ | 125 | 1.0% | 1.0% |
| Newly Eligible Ages 19 to 44 | 500 | 5 | 1.0% | 1.0% | \$ | 12,500 | \$ | 125 | 1.0% | 1.0% |
| Newly Eligible Ages 45 to 64 | 500 | 5 | 1.0% | 1.0% | \$ | 12,500 | \$ | 125 | 1.0% | 1.0% |
| NFCE Non-Dual 21-59 | 500 | 5 | 1.0% | 1.0% | \$ | 12,500 | \$ | 125 | 1.0% | 1.0% |
| NFCE Non-Dual 60+ | 500 | 5 | 1.0% | 1.0% | \$ | 12,500 | \$ | 125 | 1.0% | 1.0% |
| Total | 4,000 | 40 | 1.0% | 1.0% | \$ | 100,000 | \$ | 1,000 | 1.0% | 1.0% |
| | | | | | | | | | | |

| Zone 1 | | Events | | | | Dolla | are | |
|------------------------------|--------|--------|-----------|-----------------|-------------------|-----------------|------|-----------------|
| Rate Cell | Total | PAE | 2021 % of | 2020 % of Total | Total | PAE | | 2020 % of Total |
| Under Age 1 | 2,500 | 25 | 1.0% | 1.0% | \$ 40,000,000 | \$ 400,000 | 1.0% | 1.0% |
| TANF-MAGI Ages 1-20 | 2,500 | 25 | 1.0% | 1.0% | \$ 40,000,000 | \$ 400,000 | 1.0% | 1.0% |
| TANF-MAGI Ages 21+ | 2,500 | 25 | 1.0% | 1.0% | \$ 40,000,000 | \$ 400,000 | 1.0% | 1.0% |
| Disabled-BCC Ages 1+ | 2,500 | 25 | 1.0% | 1.0% | \$ 40,000,000 | \$ 400,000 | 1.0% | 1.0% |
| Newly Eligible Ages 19 to 44 | 2,500 | 25 | 1.0% | 1.0% | \$ 40,000,000 | \$ 400,000 | 1.0% | 1.0% |
| Newly Eligible Ages 45 to 64 | 2,500 | 25 | 1.0% | 1.0% | \$ 40,000,000 | \$ 400,000 | 1.0% | 1.0% |
| NFCE Non-Dual 21-59 | 2,500 | 25 | 1.0% | 1.0% | \$ 40,000,000 | \$ 400,000 | 1.0% | 1.0% |
| NFCE Non-Dual 60+ | 2,500 | 25 | 1.0% | 1.0% | \$ 40,000,000 | \$ 400,000 | 1.0% | 1.0% |
| Total | 20,000 | 200 | 1.0% | 1.0% | \$ 320,000,000 | \$ 3,200,000 | 1.0% | 1.0% |

| Statewide | Statewide Events | | | | | Dollars | | | | | | | | | |
|------------------------------|------------------|-----|--------------------|-----------------|----|-------------|----|-----------|-----------------|-----------------|--|--|--|--|--|
| Rate Cell | Total | PAE | 2021 % of Total | 2020 % of Total | | Total | | PAE | 2021 % of Total | 2020 % of Total | | | | | |
| Under Age 1 | 5,000 | 50 | 1.0% | 1.0% | \$ | 80,000,000 | \$ | 800,000 | 1.0% | 1.0% | | | | | |
| TANF-MAGI Ages 1-20 | 5,000 | 50 | 1.0% | 1.0% | \$ | 80,000,000 | \$ | 800,000 | 1.0% | 1.0% | | | | | |
| TANF-MAGI Ages 21+ | 5,000 | 50 | 1.0% | 1.0% | \$ | 80,000,000 | \$ | 800,000 | 1.0% | 1.0% | | | | | |
| Disabled-BCC Ages 1+ | 5,000 | 50 | 1.0% | 1.0% | \$ | 80,000,000 | \$ | 800,000 | 1.0% | 1.0% | | | | | |
| Newly Eligible Ages 19 to 44 | 5,000 | 50 | 1.0% | 1.0% | \$ | 80,000,000 | \$ | 800,000 | 1.0% | 1.0% | | | | | |
| Newly Eligible Ages 45 to 64 | 5,000 | 50 | 1.0% | 1.0% | \$ | 80,000,000 | \$ | 800,000 | 1.0% | 1.0% | | | | | |
| NFCE Non-Dual 21-59 | 5,000 | 50 | 1.0% | 1.0% | \$ | 80,000,000 | \$ | 800,000 | 1.0% | 1.0% | | | | | |
| NFCE Non-Dual 60+ | 5,000 | 50 | 1.0% | 1.0% | \$ | 80,000,000 | \$ | 800,000 | 1.0% | 1.0% | | | | | |
| Total | 40,000 | 400 | 1.0% | 1.0% | \$ | 640,000,000 | \$ | 6,400,000 | 1.0% | 1.0% | | | | | |




| PAE Analysis: | Potentially Avoidable Readmissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care – Program |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| MCO: | MCO 1 |

| MCO: | MCO 1 | | | | | | | | | | |
|---------------------------|--------------------|----------------|-----|-----------------|-----------------|--|------------------------|----------------------|----------------------|-------|--|
| 5. Events an | d Dollars by Age B | and and Gender | | | | | | | | | |
| | MCO 1 | | E | vents | | | Doll | ars | | | |
| Age Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | | PAE as a % of Total Events by Gender |
| All Ages | Male | 2,000 | 20 | 1.0% | 1.0% | | 500 | 1.0% | 1.0% | 5.0% | |
| All Ages | Female | 2,000 | 20 | 1.0% | 1.0% \$ | | 500 | 1.0% | 1.0% | | |
| Total | | 4,000 | 40 | 1.0% | 1.0% \$ | \$ 100,000 \$ | 1,000 | 1.0% | 1.0% | | |
| | | | | | | | | | | 4.0% | |
| Under Age 1 | | 800 | 8 | 1.0% | 1.0% | \$ 20,000 \$ | 200 | 1.0% | 1.0% | | |
| Years 1-20 | | 800 | 8 | 1.0% | 1.0% | | 200 | 1.0% | 1.0% | 3.0% | |
| Years 21-44 | | 800 | 8 | 1.0% | 1.0% | \$ 20,000 \$ | 200 | 1.0% | 1.0% | | |
| Years 45-64 | | 800 | 8 | 1.0% | 1.0% | \$ 20,000 \$ | 200 | 1.0% | 1.0% | | |
| Years 65+ | | 800 | 8 | 1.0% | 1.0% | \$ 20,000 \$ | 200 | 1.0% | 1.0% | 2.0% | |
| Total | | 4,000 | 40 | 1.0% | 1.0% \$ | \$ 100,000 \$ | 1,000 | 1.0% | 1.0% | | |
| | | | | | | | | | | 1.0% | |
| | Zone 1 | | Εν | vents | | | Doll | ars | | 1.070 | |
| Age Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | 0.0% | |
| All Ages | Male | 10,000 | 100 | 1.0% | 1.0% | \$ 160,000,000 \$ | 1,600,000 | 1.0% | 1.0% | | Male Female Total |
| All Ages | Female | 10,000 | 100 | 1.0% | 1.0% \$ | \$ 160,000,000 \$ | 1,600,000 | 1.0% | 1.0% | | ■MCO 1 ■Zone 1 ■Statewide |
| Total | | 20,000 | 200 | 1.0% | 1.0% | \$ 320,000,000 \$ | 3,200,000 | 1.0% | 1.0% | | |
| | | | | | | | | | | | |
| Under Age 1 | | 4,000 | 40 | 1.0% | 1.0% | \$ 64,000,000 \$ | 640,000 | 1.0% | 1.0% | | |
| Years 1-20 | | 4,000 | 40 | 1.0% | 1.0% | \$ 64,000,000 \$ | 640,000 | 1.0% | 1.0% | | BAE 0/ (T. I.E I. A |
| Years 21-44 | | 4,000 | 40 | 1.0% | 1.0% | \$ 64,000,000 \$ | 640,000 | 1.0% | 1.0% | | PAE as a % of Total Events by Age |
| Years 45-64 | | 4,000 | 40 | 1.0% | 1.0% | \$ 64,000,000 \$ | 640,000 | 1.0% | 1.0% | 5.0% | |
| Years 65+ | | 4,000 | 40 | 1.0% | 1.0% | \$ 64,000,000 \$ | 640,000 | 1.0% | 1.0% | | |
| Total | | 20,000 | 200 | 1.0% | 1.0% \$ | \$ 320,000,000 \$ | 3,200,000 | 1.0% | 1.0% | 4.0% | |
| | | | | | | | | | | 4.0% | |
| S | Statewide | | Ev | vents | | | Doll | ars | | | |
| Age Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | 3.0% | |
| All Ages | Male | 20,000 | 200 | 1.0% | 1.0% \$ | \$ 320,000,000 \$ | 3,200,000 | 1.0% | 1.0% | 0.007 | |
| All Ages | Female | 20,000 | 200 | 1.0% | 1.0% | | 3,200,000 | 1.0% | 1.0% | 2.0% | |
| Total | | 40,000 | 400 | 1.0% | 1.0% \$ | | 6,400,000 | 1.0% | 1.0% | | |
| | | | | | | | | | | 1.0% | |
| | | 8,000 | 80 | 1.0% | 1.0% \$ | \$ 128,000,000 \$ | 1,280,000 | 1.0% | 1.0% | ,, | |
| Under Age 1 | | ., | | 1.0% | 1.0% | | 1,280,000 | 1.0% | 1.0% | | |
| Under Age 1 Years 1-20 | | 8,000 | 80 | 1.0761 | | | | | | | |
| Years 1-20 | | | | | | | 1,280,000 | 1.0% | 1.0% | 0.0% | 11 1 4 4 W 400 W 0444 W 4504 W 75 |
| Years 1-20 Years 21-44 | | 8,000 | 80 | 1.0% | 1.0% | \$ 128,000,000 \$ | 1,280,000 1,280,000 | 1.0% 1.0% | 1.0% 1.0% | 0.0% | Under Age 1 Years 1-20 Years 21-44 Years 45-64 Years 65+ Total |
| | | | | | | \$ 128,000,000 \$ \$ 128,000,000 \$ | 1,280,000 | 1.0% 1.0% 1.0% | 1.0% 1.0% 1.0% | 0.0% | Under Age 1 Years 1-20 Years 21-44 Years 45-64 Years 65+ Total ■ MCO 1 ■ Zone 1 ■ Statewide |



PAE Analysis: Potentially Avoidable Readmissions
Program Type: Managed Care – Program
Service Dates: January 1, 2021 - December 31, 2021
MCO: MCO 1


| 6. Even | ts and Doll | ars by Top 10 APR-DRG | | | | | | | | | | | | |
|--------------|-------------|---|-----|-------------|------------------------|------------------------|--------|-------------|------------------------|------------------------|--------|-------------|------------------------|------------------------|
| | | Top 10 PAE by Zone | | MCC | 1 | | | Zone | 1 | | | Statew | vide | |
| Zone Rank | APR DRG | Description | PAE | PAE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | PAE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | PAE Dollars | 2021 % of Total PAE | 2020 % of Total PAE |
| 1 | 0420 | DIABETES | 2 | \$ 5,000 | 5.0% | 5.0% | 10 \$ | 160,000 | 5.0% | 5.0% | 20 \$ | 320,000 | 5.0% | 5.0% |
| 2 | 0662 | SICKLE CELL ANEMIA CRISIS | 2 | \$ 5,000 | 5.0% | 5.0% | 10 \$ | 160,000 | 5.0% | 5.0% | 20 \$ | 320,000 | 5.0% | 5.0% |
| 3 | 0282 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY | 2 | \$ 5,000 | 5.0% | 5.0% | 10 \$ | 160,000 | 5.0% | 5.0% | 20 \$ | 320,000 | 5.0% | 5.0% |
| 4 | 0720 | SEPTICEMIA & DISSEMINATED INFECTIONS | 2 | \$ 5,000 | 5.0% | 5.0% | 10 \$ | 160,000 | 5.0% | 5.0% | 20 \$ | 320,000 | 5.0% | 5.0% |
| 5 | 0194 | HEART FAILURE | 2 | \$ 5,000 | 5.0% | 5.0% | 10 \$ | 160,000 | 5.0% | 5.0% | 20 \$ | 320,000 | 5.0% | 5.0% |
| 6 | 0383 | CELLULITIS & OTHER SKIN INFECTIONS | 2 | \$ 5,000 | 5.0% | 5.0% | 10 \$ | 160,000 | 5.0% | 5.0% | 20 \$ | 320,000 | 5.0% | 5.0% |
| 7 | 0775 | ALCOHOL ABUSE & DEPENDENCE | 2 | \$ 5,000 | 5.0% | 5.0% | 10 \$ | 160,000 | 5.0% | 5.0% | 20 \$ | 320,000 | 5.0% | 5.0% |
| 8 | 0280 | ALCOHOLIC LIVER DISEASE | 2 | \$ 5,000 | 5.0% | 5.0% | 10 \$ | 160,000 | 5.0% | 5.0% | 20 \$ | 320,000 | 5.0% | 5.0% |
| 9 | 0254 | OTHER DIGESTIVE SYSTEM DIAGNOSES | 2 | \$ 5,000 | 5.0% | 5.0% | 10 \$ | 160,000 | 5.0% | 5.0% | 20 \$ | 320,000 | 5.0% | 5.0% |
| 10 | 0140 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE | 2 | \$ 5,000 | 5.0% | 5.0% | 10 \$ | 160,000 | 5.0% | 5.0% | 20 \$ | 320,000 | 5.0% | 5.0% |
| | · · | All Else | 20 | \$ 50,000 | 50.0% | 50.0% | 100 \$ | 1,600,000 | 50.0% | 50.0% | 200 \$ | 3,200,000 | 50.0% | 50.0% |
| | | Total | 40 | \$ 100,000 | 100.0% | 100.0% | 200 \$ | 3,200,000 | 100.0% | 100.0% | 400 \$ | 6,400,000 | 100.0% | 100.0% |









| Del vice Dates. | January 1, 2021 - December 31, 2021 | | | | | | | |
|------------------|-------------------------------------|-------------|--------------|--|--|--|--|--|
| MCO: | MCO 1 | | | | | | | |
| 1. Total Events | | | | | | | | |
| | MCO 1 | Zone 1 | Statewide | | | | | |
| 2021 PAE | 100 | 200 | 400 | | | | | |
| 2021 Total | 10,000 | 20,000 | 40,000 | | | | | |
| 2021 PAE % | 1.0% | 1.0% | 1.0% | | | | | |
| 2020 PAE % | 1.0% | 1.0% | 1.0% | | | | | |
| 6.0% — 4.0% — | | | | | | | | |
| 2.0% — | | | | | | | | |
| 0.0% — | | | | | | | | |
| | 2021 PAE % | 2020 P | AE % | | | | | |
| | ■MCO 1 ■ Zone | 1 Statewide |) | | | | | |
| | | | | | | | | |







| MCO 1 | | Events | \$ | | | Dolla | ars | |
|------------------------------|--------|--------|--------------------|-----------------|---------------|-------------|-----------------|-----------------|
| Rate Cell | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total |
| Under Age 1 | 1,250 | 13 | 1.0% | 1.0% | \$ 12,500 | \$ 125 | 1.0% | 1.0% |
| TANF-MAGI Ages 1-20 | 1,250 | 13 | 1.0% | 1.0% | \$ 12,500 | \$ 125 | 1.0% | 1.0% |
| TANF-MAGI Ages 21+ | 1,250 | 13 | 1.0% | 1.0% | \$ 12,500 | \$ 125 | 1.0% | 1.0% |
| Disabled-BCC Ages 1+ | 1,250 | 13 | 1.0% | 1.0% | \$ 12,500 | \$ 125 | 1.0% | 1.0% |
| Newly Eligible Ages 19 to 44 | 1,250 | 13 | 1.0% | 1.0% | \$ 12,500 | \$ 125 | 1.0% | 1.0% |
| Newly Eligible Ages 45 to 64 | 1,250 | 13 | 1.0% | 1.0% | \$ 12,500 | \$ 125 | 1.0% | 1.0% |
| NFCE Non-Dual 21-59 | 1,250 | 13 | 1.0% | 1.0% | \$ 12,500 | \$ 125 | 1.0% | 1.0% |
| NFCE Non-Dual 60+ | 1,250 | 13 | 1.0% | 1.0% | \$ 12,500 | \$ 125 | 1.0% | 1.0% |
| Total | 10,000 | 100 | 1.0% | 1.0% | \$ 100,000 | \$ 1,000 | 1.0% | 1.0% |
| | | | | | | | | |

| Zone 1 | | Events | | | | Dolla | are | |
|------------------------------|--------|--------|--------------------|-----------------|-------------------|-----------------|------|-----------------|
| Rate Cell | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | | 2020 % of Total |
| Under Age 1 | 2,500 | 25 | 1.0% | 1.0% | \$ 40,000,000 | \$ 400,000 | 1.0% | 1.0% |
| TANF-MAGI Ages 1-20 | 2,500 | 25 | 1.0% | 1.0% | \$ 40,000,000 | \$ 400,000 | 1.0% | 1.0% |
| TANF-MAGI Ages 21+ | 2,500 | 25 | 1.0% | 1.0% | \$ 40,000,000 | \$ 400,000 | 1.0% | 1.0% |
| Disabled-BCC Ages 1+ | 2,500 | 25 | 1.0% | 1.0% | \$ 40,000,000 | \$ 400,000 | 1.0% | 1.0% |
| Newly Eligible Ages 19 to 44 | 2,500 | 25 | 1.0% | 1.0% | \$ 40,000,000 | \$ 400,000 | 1.0% | 1.0% |
| Newly Eligible Ages 45 to 64 | 2,500 | 25 | 1.0% | 1.0% | \$ 40,000,000 | \$ 400,000 | 1.0% | 1.0% |
| NFCE Non-Dual 21-59 | 2,500 | 25 | 1.0% | 1.0% | \$ 40,000,000 | \$ 400,000 | 1.0% | 1.0% |
| NFCE Non-Dual 60+ | 2,500 | 25 | 1.0% | 1.0% | \$ 40,000,000 | \$ 400,000 | 1.0% | 1.0% |
| Total | 20,000 | 200 | 1.0% | 1.0% | \$ 320,000,000 | \$ 3,200,000 | 1.0% | 1.0% |

| Statewide | | Events | 3 | | | | Doll | ars | |
|------------------------------|--------|--------|--------------------|-----------------|-------|-------------|-----------------|-----------------|-----------------|
| Rate Cell | Total | PAE | 2021 % of Total | 2020 % of Total | Total | | PAE | 2021 % of Total | 2020 % of Total |
| Under Age 1 | 5,000 | 50 | 1.0% | 1.0% | \$ | 80,000,000 | \$ 800,000 | 1.0% | 1.0% |
| TANF-MAGI Ages 1-20 | 5,000 | 50 | 1.0% | 1.0% | \$ | 80,000,000 | \$ 800,000 | 1.0% | 1.0% |
| TANF-MAGI Ages 21+ | 5,000 | 50 | 1.0% | 1.0% | \$ | 80,000,000 | \$ 800,000 | 1.0% | 1.0% |
| Disabled-BCC Ages 1+ | 5,000 | 50 | 1.0% | 1.0% | \$ | 80,000,000 | \$ 800,000 | 1.0% | 1.0% |
| Newly Eligible Ages 19 to 44 | 5,000 | 50 | 1.0% | 1.0% | \$ | 80,000,000 | \$ 800,000 | 1.0% | 1.0% |
| Newly Eligible Ages 45 to 64 | 5,000 | 50 | 1.0% | 1.0% | \$ | 80,000,000 | \$ 800,000 | 1.0% | 1.0% |
| NFCE Non-Dual 21-59 | 5,000 | 50 | 1.0% | 1.0% | \$ | 80,000,000 | \$ 800,000 | 1.0% | 1.0% |
| NFCE Non-Dual 60+ | 5,000 | 50 | 1.0% | 1.0% | \$ | 80,000,000 | \$ 800,000 | 1.0% | 1.0% |
| Total | 40,000 | 400 | 1.0% | 1.0% | \$ | 640,000,000 | \$ 6,400,000 | 1.0% | 1.0% |



PAE Analysis: Potentially Avoidable Admissions

Program Type: Managed Care – Program

Service Dates: January 1, 2021 - December 31, 2021

MCO: MCO 1

| INICO. | IVICO I | | | | | | | | | | | | | | |
|---------------|--------------------|----------------|----------------|-----------------|-----------------|-------------------------|-----------|-----------------|------------------|--------|---------------------------------------|------------|-----------------------|---------------------------------------|-------|
| 5. Events and | d Dollars by Age B | and and Gender | | | | | | | | | | | | | |
| | MCO 1 | | E [,] | vents | | | Doll | ars | | | · · · · · · · · · · · · · · · · · · · | | | · · · · · · · · · · · · · · · · · · · | |
| Age Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | | F | AE as a % | % of Total Events by | Gender | |
| All Ages | Male | 5,000 | 50 | 1.0% | 1.0% | \$ 50,000 \$ | 500 | 1.0% | 1.0% | 8.0% | | | | | |
| All Ages | Female | 5,000 | 50 | 1.0% | 1.0% | \$ 50,000 \$ | 500 | 1.0% | 1.0% | | | | | | |
| Total | | 10,000 | 100 | 1.0% | 1.0% | \$ 100,000 \$ | 1,000 | 1.0% | 1.0% | 7.0% | | | | | |
| | | | | | | | | | | 6.0% | | | | | |
| Jnder Age 1 | | 2,000 | 20 | 1.0% | 1.0% | \$ 20,000 \$ | 200 | 1.0% | 1.0% | | | | | | |
| Years 1-20 | | 2,000 | 20 | 1.0% | 1.0% | \$ 20,000 \$ | 200 | 1.0% | 1.0% | 5.0% | | | | | |
| Years 21-44 | | 2,000 | 20 | 1.0% | 1.0% | | 200 | 1.0% | 1.0% | 4.0% | | | | | |
| Years 45-64 | | 2,000 | 20 | 1.0% | 1.0% | \$ 20,000 \$ | 200 | 1.0% | 1.0% | 4.070 | | | | | |
| Years 65+ | | 2,000 | 20 | 1.0% | 1.0% | \$ 20,000 \$ | 200 | 1.0% | 1.0% | 3.0% | | | | | |
| Total | | 10,000 | 100 | 1.0% | 1.0% | | | 1.0% | 1.0% | 0.00/ | | | | | |
| | | | | | | | | | | 2.0% | | | | | |
| | Zone 1 | | E | vents | | | Doll | ars | | 1.0% | | _ | | | _ |
| Ann Bound | Constan | Total | DAE | 2024 W -5 T-4-I | 2020 % of Total | Total | DAE | 2024 W -5 T-4-I | 2020 W - 5 T-4-I | | | | | | |
| Age Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | 0.0% | | | | | |
| All Ages | Male | 10,000 | 100 | 1.0% | 1.0% | \$ 160,000,000 \$ | 1,600,000 | 1.0% | 1.0% | | Mal | е | Female | To | otal |
| All Ages | Female | 10,000 | 100 | 1.0% | 1.0% | | | 1.0% | 1.0% | | | MCO | 1 ■Zone 1 ■ Statew | ide | |
| Total | | 20,000 | 200 | 1.0% | 1.0% | | | 1.0% | 1.0% | | | | | | |
| | | | | | | | | | | | | | | | |
| Under Age 1 | | 4,000 | 40 | 1.0% | 1.0% | \$ 64,000,000 \$ | 640,000 | 1.0% | 1.0% | | | | | | |
| Years 1-20 | | 4,000 | 40 | 1.0% | 1.0% | \$ 64,000,000 \$ | 640,000 | 1.0% | 1.0% | | | DAE oo | a % of Total Events | ου Λ σ ο | |
| Years 21-44 | | 4,000 | 40 | 1.0% | 1.0% | | | 1.0% | 1.0% | | | PAE as a | a % of Total Events | by Age | |
| Years 45-64 | | 4,000 | 40 | 1.0% | 1.0% | | | 1.0% | 1.0% | 14.0% | | | | | |
| Years 65+ | | 4,000 | 40 | 1.0% | 1.0% | | | 1.0% | 1.0% | 40.00/ | | | | | |
| Total | | 20,000 | 200 | 1.0% | 1.0% | \$ 320,000,000 \$ | 3,200,000 | 1.0% | 1.0% | 12.0% | | | | | |
| | | | | | | | | | | 10.0% | | | | | |
| S | tatewide | | E | vents | | | Doll | ars | | 10.0% | | | | | |
| Age Band | Gender | Total | PAE | 2021 % of Total | 2020 % of Total | Total | PAE | 2021 % of Total | 2020 % of Total | 8.0% | | | | | |
| All Ages | Male | 20,000 | 200 | 1.0% | 1.0% | \$ 320,000,000 \$ | 3,200,000 | 1.0% | 1.0% | 6.0% | | | | | |
| All Ages | riviale Female | 20,000 | 200 | 1.0% | 1.0% | | | 1.0% | 1.0% | 0.070 | | | | | |
| Total | remale | 40,000 | 400 400 | 1.0% | 1.0% | | | 1.0% | 1.0% | 4.0% | | | | | |
| Total | | 40,000 | 400 | 1.0% | 1.0% | φ 040,000,000 \$ | 0,400,000 | 1.0% | 1.0% | | | | | | |
| Under Age 1 | | 8,000 | 80 | 1.0% | 1.0% | \$ 128,000,000 \$ | 1,280,000 | 1.0% | 1.0% | 2.0% | | | | | |
| Years 1-20 | | | | | 1.0% | | | | | | | | | | |
| | | 8,000 | 80 | 1.0% | | | | 1.0% | 1.0% | 0.0% | | | | | |
| Years 21-44 | | 8,000 | 80 | 1.0% | 1.0% | | | 1.0% | 1.0% | | Under Age 1 | Years 1-20 | Years 21-44 Years 45- | 64 Years 65+ | Total |
| Years 45-64 | | 8,000 | 80 | 1.0% | 1.0% | | | 1.0% | 1.0% | | | ■MCO |) 1 ■Zone 1 ■ Statev | ide | |
| Years 65+ | | 8,000 | 80 | 1.0% | 1.0% | | | 1.0% | 1.0% | | | = 10100 | , - Zone i - Statev | nuo . | |
| Total | | 40,000 | 400 | 1.0% | 1.0% | \$ 640,000,000 \$ | 6,400,000 | 1.0% | 1.0% | | | | | | |




Appendix E

Template for Demonstration Only

PAE Analysis: Potentially Avoidable Admissions
Program Type: Managed Care – Program
Service Dates: January 1, 2021 - December 31, 2021
MCO: MCO 1


| 6. Event | ints and Dollars by Top 10 APR-DRG | | | | | | | | | | | | | |
|--------------|------------------------------------|---|-----|-------------|------------------------|------------------------|--------|-------------|------------------------|------------------------|-----|--------------|------------------------|------------------------|
| | | Top 10 PAE by Zone | | MCC | 1 | | | Zone | 1 | | | Statew | ride | |
| Zone Rank | APR DRG | Description | PAE | PAE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | PAE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | PAE Dollars | 2021 % of Total PAE | 2020 % of Total PAE |
| 1 | 0420 | DIABETES | 5 | \$ 50 | 5.0% | 5.0% | 10 \$ | 160,000 | 5.0% | 5.0% | 20 | \$ 320,000 | 5.0% | 5.0% |
| 2 | 0140 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE | 5 | \$ 50 | 5.0% | 5.0% | 10 \$ | 160,000 | 5.0% | 5.0% | 20 | \$ 320,000 | 5.0% | 5.0% |
| 3 | 0139 | OTHER PNEUMONIA | 5 | \$ 50 | 5.0% | 5.0% | 10 \$ | 160,000 | 5.0% | 5.0% | 20 | \$ 320,000 | 5.0% | 5.0% |
| 4 | 0194 | HEART FAILURE | 5 | \$ 50 | 5.0% | 5.0% | 10 \$ | 160,000 | 5.0% | 5.0% | 20 | \$ 320,000 | 5.0% | 5.0% |
| 5 | 0141 | ASTHMA | 5 | \$ 50 | 5.0% | 5.0% | 10 \$ | 160,000 | 5.0% | 5.0% | 20 | \$ 320,000 | 5.0% | 5.0% |
| 6 | 0463 | KIDNEY & URINARY TRACT INFECTIONS | 5 | \$ 50 | 5.0% | 5.0% | 10 \$ | 160,000 | 5.0% | 5.0% | 20 | \$ 320,000 | 5.0% | 5.0% |
| 7 | 0199 | HYPERTENSION | 5 | \$ 50 | 5.0% | 5.0% | 10 \$ | 160,000 | 5.0% | 5.0% | 20 | \$ 320,000 | 5.0% | 5.0% |
| 8 | 0192 | CARDIAC CATHETERIZATION FOR OTHER NON-CORONARY CONDITIONS | 5 | \$ 50 | 5.0% | 5.0% | 10 \$ | 160,000 | 5.0% | 5.0% | 20 | \$ 320,000 | 5.0% | 5.0% |
| 9 | 0249 | OTHER GASTROENTERITIS, NAUSEA & VOMITING | 5 | \$ 50 | 5.0% | 5.0% | 10 \$ | 160,000 | 5.0% | 5.0% | 20 | \$ 320,000 | 5.0% | 5.0% |
| 10 | 0305 | AMPUTATION OF LOWER LIMB EXCEPT TOES | 5 | \$ 50 | 5.0% | 5.0% | 10 \$ | 160,000 | 5.0% | 5.0% | 20 | \$ 320,000 | 5.0% | 5.0% |
| | | All Else | 50 | \$ 500 | 50.0% | 50.0% | 100 \$ | 1,600,000 | 50.0% | 50.0% | 200 | \$ 3,200,000 | 50.0% | 50.0% |
| | | Total | 100 | \$ 1,000 | 100.0% | 100.0% | 200 \$ | 3,200,000 | 100.0% | 100.0% | 400 | \$ 6,400,000 | 100.0% | 100.0% |





| PAE Analysis: | Potentially Avoidable Admissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care – Program |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| MCO: | MCO 1 |


| | | | MCO 1 | | | | Zone | 1 | | Statewide | | | | | |
|------|--|-----|-------------|------------------------|------------------------|-----|---------------------------------|--------|------------------------|-----------|--------------|------------------------|------------------------|--|--|
| PDI# | PDI Description | PAE | PAE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | PAE Dollars 2021 % of Total PAE | | 2020 % of Total PAE | PAE | PAE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | | |
| 14 | Asthma Admission Rate | 8 | \$ 8,000 | 20.0% | 20.0% | 16 | \$ 224,000 | 20.0% | 20.0% | 44 | \$ 448,000 | 20.0% | 20.0% | | |
| 15 | Diabetes Short-term Complications Admission Rate | 8 | \$ 8,000 | 20.0% | 20.0% | 16 | \$ 224,000 | 20.0% | 20.0% | 44 | \$ 448,000 | 20.0% | 20.0% | | |
| 16 | Gastroenteritis Admission Rate | 8 | \$ 8,000 | 20.0% | 20.0% | 16 | \$ 224,000 | 20.0% | 20.0% | 44 | \$ 448,000 | 20.0% | 20.0% | | |
| 17 | Perforated Appendix Admission Rate | 8 | \$ 8,000 | 20.0% | 20.0% | 16 | \$ 224,000 | 20.0% | 20.0% | 44 | \$ 448,000 | 20.0% | 20.0% | | |
| 18 | Urinary Tract Infection Admission Rate | 8 | \$ 8,000 | 20.0% | 20.0% | 16 | \$ 224,000 | 20.0% | 20.0% | 44 | \$ 448,000 | 20.0% | 20.0% | | |
| | Total | 40 | \$ 40,000 | 100.0% | 100.0% | 80 | \$ 1,120,000 | 100.0% | 100.0% | 220 | \$ 2,240,000 | 100.0% | 100.0% | | |







| PAE Analysis: | Potentially Avoidable Admissions |
|----------------|-------------------------------------|
| Program Type: | Managed Care – Program |
| Service Dates: | January 1, 2021 - December 31, 2021 |
| MCO: | MCO 1 |

| 8. Admissio | Admissions and Dollars by PQI (Adult) | | | | | | | | | | | | | | |
|-------------|---|-----|-------------|------------------------|------------------------|-----|-----|-----------|------------------------|------------------------|-----------|--------------|------------------------|------------------------|--|
| | | | MCO | 1 | | | | Zone | 1 | | Statewide | | | | |
| PQI# | PQI Description | PAE | PAE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | PAE | Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | PAE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | |
| 1 | Diabetes Short-term Complications Admissions Rate | 5 | \$ 5,000 | 8.3% | 8.3% | 10 | \$ | 173,333 | 8.3% | 8.3% | 15 | \$ 346,667 | 8.3% | 8.3% | |
| 2 | Perforated Appendix Admission Rate | 5 | \$ 5,000 | 8.3% | 8.3% | 10 | \$ | 173,333 | 8.3% | 8.3% | 15 | \$ 346,667 | 8.3% | 8.3% | |
| 3 | Diabetes Long-term Complications Admission Rate | 5 | \$ 5,000 | 8.3% | 8.3% | 10 | \$ | 173,333 | 8.3% | 8.3% | 15 | \$ 346,667 | 8.3% | 8.3% | |
| 5 | COPD or Asthma in Older Adults Admission Rate | 5 | \$ 5,000 | 8.3% | 8.3% | 10 | \$ | 173,333 | 8.3% | 8.3% | 15 | \$ 346,667 | 8.3% | 8.3% | |
| 7 | Hypertension Admission Rate | 5 | \$ 5,000 | 8.3% | 8.3% | 10 | \$ | 173,333 | 8.3% | 8.3% | 15 | \$ 346,667 | 8.3% | 8.3% | |
| 8 | Heart Failure Admission Rate | 5 | \$ 5,000 | 8.3% | 8.3% | 10 | \$ | 173,333 | 8.3% | 8.3% | 15 | \$ 346,667 | 8.3% | 8.3% | |
| 10 | Dehydration Admission Rate | 5 | \$ 5,000 | 8.3% | 8.3% | 10 | \$ | 173,333 | 8.3% | 8.3% | 15 | \$ 346,667 | 8.3% | 8.3% | |
| 11 | Bacterial Pneumonia Admission Rate | 5 | \$ 5,000 | 8.3% | 8.3% | 10 | \$ | 173,333 | 8.3% | 8.3% | 15 | \$ 346,667 | 8.3% | 8.3% | |
| 12 | Urinary Tract Infection Admission Rate | 5 | \$ 5,000 | 8.3% | 8.3% | 10 | \$ | 173,333 | 8.3% | 8.3% | 15 | \$ 346,667 | 8.3% | 8.3% | |
| 14 | Uncontrolled Diabetes Admission Rate | 5 | \$ 5,000 | 8.3% | 8.3% | 10 | \$ | 173,333 | 8.3% | 8.3% | 15 | \$ 346,667 | 8.3% | 8.3% | |
| 15 | Asthma in Younger Adults Admission Rate | 5 | \$ 5,000 | 8.3% | 8.3% | 10 | \$ | 173,333 | 8.3% | 8.3% | 15 | \$ 346,667 | 8.3% | 8.3% | |
| 16 | Rate of Lower-Extremity Amputation Diabetes | 5 | \$ 5,000 | 8.3% | 8.3% | 10 | \$ | 173,333 | 8.3% | 8.3% | 15 | \$ 346,667 | 8.3% | 8.3% | |
| | Total | 60 | \$ 60,000 | 100.0% | 100.0% | 120 | \$ | 2,080,000 | 100.0% | 100.0% | 180 | \$ 4,160,000 | 100.0% | 100.0% | |











| | | Top 10 PAE by Zone | | M | co | | | Zor | ne 1 | | | State | ewide | |
|-----------|-----------------------|--|-------|---------------|------------------------|------------------------|--------|-------------|------------------------|------------------------|--------|----------------|-----------------------|-------------------------|
| Zone Rank | ICD-10 Designation | Description | PAE | PAE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | PAE Dollars | 2021 % of Total PAE | 2020 % of Total PAE | PAE | PAE Dollars | 2021 % of Tota PAE | I 2020 % of Tota PAE |
| 1 | J06.9 | Acute upper respiratory infection, unspecified | 500 | 4,800,000 | 8.3% | 8.3% | 1,000 | 16,000,000 | 8.3% | 8.3% | 2,000 | \$ 32,000,000 | 8.3% | 8.3% |
| 2 | H66.9 | Otitis media, unspecified | 500 | 4,800,000 | 8.3% | 8.3% | 1,000 | 16,000,000 | 8.3% | 8.3% | 2,000 | \$ 32,000,000 | 8.3% | 8.3% |
| 3 | J02.9 | Acute pharyngitis, unspecified | 500 | 4,800,000 | 8.3% | 8.3% | 1,000 | 16,000,000 | 8.3% | 8.3% | 2,000 | \$ 32,000,000 | 8.3% | 8.3% |
| 4 | S93.40 | Sprain of unspecified ligament of ankle | 500 | 4,800,000 | 8.3% | 8.3% | 1,000 | 16,000,000 | 8.3% | 8.3% | 2,000 | \$ 32,000,000 | 8.3% | 8.3% |
| 5 | K08.8 | Other specified disorders of teeth and supporting structures | 500 | 4,800,000 | 8.3% | 8.3% | 1,000 | 16,000,000 | 8.3% | 8.3% | 2,000 | \$ 32,000,000 | 8.3% | 8.3% |
| 6 | R11 | Nausea and vomiting | 500 | 4,800,000 | 8.3% | 8.3% | 1,000 | 16,000,000 | 8.3% | 8.3% | 2,000 | \$ 32,000,000 | 8.3% | 8.3% |
| 7 | R50 | Fever of other and unknown origin | 500 | 4,800,000 | 8.3% | 8.3% | 1,000 | 16,000,000 | 8.3% | 8.3% | 2,000 | \$ 32,000,000 | 8.3% | 8.3% |
| 8 | R21 | Rash and other nonspecific skin eruption | 500 | 4,800,000 | 8.3% | 8.3% | 1,000 | 16,000,000 | 8.3% | 8.3% | 2,000 | \$ 32,000,000 | 8.3% | 8.3% |
| 9 | M79.6 | Pain in limb, hand, foot, fingers and toes | 500 | 4,800,000 | 8.3% | 8.3% | 1,000 | 16,000,000 | 8.3% | 8.3% | 2,000 | \$ 32,000,000 | 8.3% | 8.3% |
| 10 | J02.0 | Streptococcal pharyngitis | 500 | 4,800,000 | 8.3% | 8.3% | 1,000 | 16,000,000 | 8.3% | 8.3% | 2,000 | \$ 32,000,000 | 8.3% | 8.3% |
| | | All Else | 1,000 | 48,000,000 | 16.7% | 16.7% | 2,000 | 32,000,000 | 16.7% | 16.7% | 4,000 | \$ 64,000,000 | 16.7% | 6 16.7% |
| | | Total | 6,000 | \$ 96,000,000 | 100.0% | 100.0% | 12,000 | 192,000,000 | 100.0% | 100.0% | 24,000 | \$ 384,000,000 | 100.0% | 100.0% |





Low-Acuity Non-Emergent ICD-10 Diagnosis Code List

| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| A05.9 | A05.9 | Bacterial foodborne intoxication, unspecified |
| A09. | A09 | Infectious gastroenteritis and colitis, unspecified |
| A54 | A54.00 | Gonococcal infection |
| A54 | A54.02 | Gonococcal infection |
| A54 | A54.09 | Gonococcal infection |
| A54 | A54.1 | Gonococcal infection |
| A56.11 | A56.11 | Chlamydial female pelvic inflammatory disease |
| A59.01 | A59.01 | Trichomonal vulvovaginitis |
| A60 | A60.00 | Anogenital herpesviral [herpes simplex] infections |
| A60 | A60.04 | Anogenital herpesviral [herpes simplex] infections |
| A60 | A60.9 | Anogenital herpesviral [herpes simplex] infections |
| A64. | A64 | Unspecified sexually transmitted disease |
| B00 | B00.2 | Herpesviral [herpes simplex] infections |
| B00 | B00.9 | Herpesviral [herpes simplex] infections |
| B01.9 | B01.9 | Varicella without complication |
| B02.9 | B02.9 | Zoster without complications |
| B07 | B07.0 | Viral warts |
| B07 | B07.9 | Viral warts |
| B08.1 | B08.1 | Molluscum contagiosum |
| B08.4 | B08.4 | Enteroviral vesicular stomatitis with exanthem |
| B08.5 | B08.5 | Enteroviral vesicular pharyngitis |
| B09. | B09 | Unspecified viral infection characterized by skin and mucous membrane lesions |
| B27 | B27.80 | Infectious mononucleosis |
| B27 | B27.81 | Infectious mononucleosis |
| B27 | B27.89 | Infectious mononucleosis |
| B27 | B27.90 | Infectious mononucleosis |
| B27 | B27.91 | Infectious mononucleosis |
| B27 | B27.99 | Infectious mononucleosis |
| B33 | B33.24 | Other viral diseases, not elsewhere classified |
| B33 | B33.8 | Other viral diseases, not elsewhere classified |
| B35 | B35.0 | Dermatophytosis |
| B35 | B35.4 | Dermatophytosis |
| B35 | B35.5 | Dermatophytosis |
| B37 | B37.0 | Candidiasis |
| B37 | B37.2 | Candidiasis |
| B37 | B37.3 | Candidiasis |
| B37 | B37.41 | Candidiasis |
| B37 | B37.42 | Candidiasis |
| B37 | B37.49 | Candidiasis |
| B37 | B37.81 | Candidiasis |
| B37 | B37.84 | Candidiasis |
| B37 | B37.89 | Candidiasis |
| B37 | B37.9 | Candidiasis |
| B86. | B86 | Scabies |
| B88. | B88.0 | Other infestations |
| B88. | B88.9 | Other infestations |
| B97.10 | B97.10 | Unspecified enterovirus as the cause of diseases classified elsewhere |
| B97.11 | B97.11 | Coxsackievirus as the cause of diseases classified elsewhere |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|----------------|----------------------|--|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| B97.4 | B97.4 | Respiratory syncytial virus as the cause of diseases classified elsewhere |
| B97.89 | B97.89 | Other viral agents as the cause of diseases classified elsewhere |
| E08.638 | E08.638 | Diabetes mellitus due to underlying condition with other oral complications |
| E09.638 | E09.638 | Drug or chemical induced diabetes mellitus with other oral complications |
| E10.10 | E10.10 | Type 1 diabetes mellitus with ketoacidosis without coma |
| E10.3 | E10.311 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.319 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.321 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3211 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3212 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3213 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3219 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.329 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3291 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3292 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3293 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3299 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.331 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3311 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3312 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3313 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3319 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.339 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3391 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3392 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3393 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3399 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.341 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3411 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3412 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3413 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3419 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.349 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3491 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3492 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 E10.3 | E10.3493 E10.3499 | Type 1 diabetes mellitus with ophthalmic complications Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3499 | ••• |
| E10.3 | E10.351 | Type 1 diabetes mellitus with ophthalmic complications Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3511 | Type 1 diabetes mellitus with ophthalmic complications Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 E10.3 | E10.3512 | Type 1 diabetes mellitus with ophthalmic complications Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3513 | Type 1 diabetes mellitus with ophthalmic complications Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3519 | Type 1 diabetes mellitus with ophthalmic complications Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.359 | Type 1 diabetes mellitus with ophthalmic complications Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3591 | Type 1 diabetes mellitus with ophthalmic complications Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3592 | Type 1 diabetes mellitus with ophthalmic complications Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.3593 | Type 1 diabetes mellitus with ophthalmic complications Type 1 diabetes mellitus with ophthalmic complications |
| E10.3 | E10.36 | Type 1 diabetes mellitus with ophthalmic complications Type 1 diabetes mellitus with ophthalmic complications |
| L 10.5 | JE 10.50 | Type T diabotes menitus with opininal mic complications |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| E10.3 | E10.39 | Type 1 diabetes mellitus with ophthalmic complications |
| E10.5 | E10.51 | Type 1 diabetes mellitus with circulatory complications |
| E10.5 | E10.52 | Type 1 diabetes mellitus with circulatory complications |
| E10.5 | E10.59 | Type 1 diabetes mellitus with circulatory complications |
| E10.6 | E10.618 | Type 1 diabetes mellitus with other specified complications |
| E10.6 | E10.620 | Type 1 diabetes mellitus with other specified complications |
| E10.6 | E10.621 | Type 1 diabetes mellitus with other specified complications |
| E10.6 | E10.622 | Type 1 diabetes mellitus with other specified complications |
| E10.6 | E10.628 | Type 1 diabetes mellitus with other specified complications |
| E10.6 | E10.630 | Type 1 diabetes mellitus with other specified complications |
| E10.6 | E10.638 | Type 1 diabetes mellitus with other specified complications |
| E10.6 | E10.649 | Type 1 diabetes mellitus with other specified complications |
| E10.6 | E10.65 | Type 1 diabetes mellitus with other specified complications |
| E10.6 | E10.69 | Type 1 diabetes mellitus with other specified complications |
| E10.8 | E10.8 | Type 1 diabetes mellitus with unspecified complications |
| E10.9 | E10.9 | Type 1 diabetes mellitus without complications |
| E11.0 | E11.00 | Type 2 diabetes mellitus with hyperosmolarity |
| E11.0 | E11.01 | Type 2 diabetes mellitus with hyperosmolarity |
| E11.3 | E11.311 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.319 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.321 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3211 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3212 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3213 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3219 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.329 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3291 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3292 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3293 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3299 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.331 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3311 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3312 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3313 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3319 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.339 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3391 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3392 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3393 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3399 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.341 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3411 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3412 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3413 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3419 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.349 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3491 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3492 | Type 2 diabetes mellitus with ophthalmic complications |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|-----------------------------|--------------------------------|--|
| ICD-10 Group Designation | ICD-10 Invidividual Code | Group Description |
| E11.3 | E11.3493 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3499 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.351 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3511 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3512 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3513 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3519 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.359 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3591 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3592 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3593 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.3599 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.36 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.3 | E11.39 | Type 2 diabetes mellitus with ophthalmic complications |
| E11.5 | E11.51 | Type 2 diabetes mellitus with circulatory complications |
| E11.5 | E11.52 | Type 2 diabetes mellitus with circulatory complications |
| E11.5 | E11.59 | Type 2 diabetes mellitus with circulatory complications |
| E11.6 | E11.618 | Type 2 diabetes mellitus with other specified complications |
| E11.6 | E11.620 | Type 2 diabetes mellitus with other specified complications |
| E11.6 | E11.621 | Type 2 diabetes mellitus with other specified complications |
| E11.6 | E11.622 | Type 2 diabetes mellitus with other specified complications |
| E11.6 | E11.628 | Type 2 diabetes mellitus with other specified complications |
| E11.6 | E11.630 | Type 2 diabetes mellitus with other specified complications |
| E11.6 | E11.638 | Type 2 diabetes mellitus with other specified complications |
| E11.6 | E11.649 | Type 2 diabetes mellitus with other specified complications |
| E11.6 | E11.65 | Type 2 diabetes mellitus with other specified complications |
| E11.6 | E11.69 | Type 2 diabetes mellitus with other specified complications |
| E11.8 | E11.8 | Type 2 diabetes mellitus with unspecified complications |
| E11.9 | E11.9 | Type 2 diabetes mellitus without complications |
| E13.0 | E13.00 | Other specified diabetes mellitus with hyperosmolarity |
| E13.0 | E13.01 | Other specified diabetes mellitus with hyperosmolarity |
| E13.10 | E13.10 | Other specified diabetes mellitus with ketoacidosis without coma |
| E13.3 | E13.311 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.319 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.321 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3211 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3212 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3213 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3219 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.329 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3291 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3292 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3293 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3299 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.331 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3311 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3312 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3313 | Other specified diabetes mellitus with ophthalmic complications |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|--|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| E13.3 | E13.3319 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.339 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3391 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3392 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3393 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3399 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.341 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3411 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3412 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3413 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3419 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.349 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3491 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3492 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3493 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3499 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.351 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3511 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3512 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3513 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3519 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.359 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3591 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3592 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3593 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.3599 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.36 | Other specified diabetes mellitus with ophthalmic complications |
| E13.3 | E13.39 | Other specified diabetes mellitus with ophthalmic complications |
| E13.5 | E13.51 | Other specified diabetes mellitus with circulatory complications |
| E13.5 | E13.52 | Other specified diabetes mellitus with circulatory complications |
| E13.5 | E13.59 | Other specified diabetes mellitus with circulatory complications |
| E13.6 | E13.618 | Other specified diabetes mellitus with other specified complications |
| E13.6 | E13.620 | Other specified diabetes mellitus with other specified complications |
| E13.6 | E13.621 | Other specified diabetes mellitus with other specified complications |
| E13.6 | E13.622 | Other specified diabetes mellitus with other specified complications |
| E13.6 | E13.628 | Other specified diabetes mellitus with other specified complications |
| E13.6 | E13.630 | Other specified diabetes mellitus with other specified complications |
| E13.6 | E13.638 | Other specified diabetes mellitus with other specified complications |
| E13.6 | E13.649 | Other specified diabetes mellitus with other specified complications |
| E13.6 | E13.65 | Other specified diabetes mellitus with other specified complications |
| E13.6 | E13.69 | Other specified diabetes mellitus with other specified complications |
| E13.8 | E13.8 | Other specified diabetes mellitus with unspecified complications |
| E13.9 | E13.9 | Other specified diabetes mellitus without complications |
| E16.2 | E16.2 | Hypoglycemia, unspecified |
| E86.0 | E86.0 | Dehydration |
| E87.6 | E87.6 | Hypokalemia |
| F11 | F11.20 | Opioid related disorders |
| F11 | F11.220 | Opioid related disorders |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| F11 | F11.221 | Opioid related disorders |
| F11 | F11.222 | Opioid related disorders |
| F11 | F11.229 | Opioid related disorders |
| F11 | F11.23 | Opioid related disorders |
| F11 | F11.24 | Opioid related disorders |
| F11 | F11.250 | Opioid related disorders |
| F11 | F11.251 | Opioid related disorders |
| F11 | F11.259 | Opioid related disorders |
| F11 | F11.281 | Opioid related disorders |
| F11 | F11.282 | Opioid related disorders |
| F11 | F11.288 | Opioid related disorders |
| F11 | F11.29 | Opioid related disorders |
| F32.9 | F32.9 | Major depressive disorder, single episode, unspecified |
| F41 | F41.0 | Other anxiety disorders |
| F41 | F41.9 | Other anxiety disorders |
| F43 | F43.20 | Reaction to severe stress, and adjustment disorders |
| F43 | F43.9 | Reaction to severe stress, and adjustment disorders |
| F45.41 | F45.41 | Pain disorder exclusively related to psychological factors |
| F45.42 | F45.42 | Pain disorder with related psychological factors |
| F50.0 | F50.00 | Anorexia nervosa |
| F50.0 | F50.01 | Anorexia nervosa |
| F50.0 | F50.02 | Anorexia nervosa |
| F50.2 | F50.2 | Bulimia nervosa |
| F50.8 | F50.8 | Other eating disorders |
| F50.8 | F50.81 | Other eating disorders |
| F50.8 | F50.82 | Other eating disorders |
| F50.8 | F50.89 | Other eating disorders |
| F50.9 | F50.9 | Eating disorder, unspecified |
| F51.0 | F51.01 | Insomnia not due to a substance or known physiological condition |
| F51.0 | F51.02 | Insomnia not due to a substance or known physiological condition |
| F51.0 | F51.03 | Insomnia not due to a substance or known physiological condition |
| F51.0 | F51.09 | Insomnia not due to a substance or known physiological condition |
| F51.0 | F51.19 | Insomnia not due to a substance or known physiological condition |
| F51.3 | F51.3 | Sleepwalking [somnambulism] |
| F51.4 | F51.4 | Sleep terrors [night terrors] |
| F51.5 | F51.5 | Nightmare disorder |
| F51.8 | F51.8 | Other sleep disorders not due to a substance or known physiological condition |
| F51.9 | F51.9 | Sleep disorder not due to a substance or known physiological condition, unspecified |
| F95.2 | F95.2 | Tourette's disorder |
| F95.8 | F95.8 | Other tic disorders |
| F95.9 | F95.9 | Tic disorder, unspecified |
| F98.29 | F98.29 | Other feeding disorders of infancy and early childhood |
| F98.3 | F98.3 | Pica of infancy and childhood |
| F98.5 | F98.5 | Adult onset fluency disorder |
| G43 | G43.009 | Migraine |
| G43 | G43.109 | Migraine |
| G43 | G43.119 | Migraine |
| G43 | G43.809 | Migraine Migraine |
| | 1 | |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|----------------------|--|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual Code | Group Description |
| G43 | G43.909 | Migraine |
| G43 | G43.919 | Migraine Migraine |
| G43 | G43.919 G43.A0 | |
| | G43.A0 G43.B0 | Migraine Missaire |
| G43 G43 | G43.B0 G43.C0 | Migraine |
| | | Migraine |
| G43 | G43.D0 | Migraine Versular has dealers and also refer to the second and th |
| G44.1 | G44.1 | Vascular headache, not elsewhere classified |
| G44.209 | G44.209 | Tension-type headache, unspecified, not intractable |
| G51.0 | G51.0 | Bell's palsy |
| G56.0 | G56.00 | Carpal tunnel syndrome |
| G56.0 | G56.01 | Carpal tunnel syndrome |
| G56.0 | G56.02 | Carpal tunnel syndrome |
| G56.2 | G56.20 | Lesion of ulnar nerve |
| G56.2 | G56.21 | Lesion of ulnar nerve |
| G56.2 | G56.22 | Lesion of ulnar nerve |
| G56.3 | G56.30 | Lesion of radial nerve |
| G56.3 | G56.31 | Lesion of radial nerve |
| G56.3 | G56.32 | Lesion of radial nerve |
| G56.4 | G56.40 | Causalgia of upper limb |
| G56.4 | G56.41 | Causalgia of upper limb |
| G56.4 | G56.42 | Causalgia of upper limb |
| G56.9 | G56.90 | Unspecified mononeuropathy of upper limb |
| G56.9 | G56.91 | Unspecified mononeuropathy of upper limb |
| G56.9 | G56.92 | Unspecified mononeuropathy of upper limb |
| G60.9 | G60.9 | Hereditary and idiopathic neuropathy, unspecified |
| G89.18 | G89.18 | Other acute postprocedural pain |
| G89.29 | G89.29 | Other chronic pain |
| G93.3 | G93.3 | Postviral fatigue syndrome |
| H00.01 | H00.011 | Hordeolum externum |
| H00.01 | H00.012 | Hordeolum externum |
| H00.01 | H00.013 | Hordeolum externum |
| H00.01 | H00.014 | Hordeolum externum |
| H00.01 | H00.015 | Hordeolum externum |
| H00.01 | H00.016 | Hordeolum externum |
| H00.01 | H00.019 | Hordeolum externum |
| H00.03 | H00.031 | Abscess of eyelid |
| H00.03 | H00.032 | Abscess of eyelid |
| H00.03 | H00.033 | Abscess of eyelid |
| H00.03 | H00.034 | Abscess of eyelid |
| H00.03 | H00.035 | Abscess of eyelid |
| H00.03 | H00.036 | Abscess of eyelid |
| H00.03 | H00.039 | Abscess of eyelid |
| H00.1 | H00.11 | Chalazion |
| H00.1 | H00.12 | Chalazion |
| H00.1 | H00.13 | Chalazion |
| H00.1 | H00.14 | Chalazion |
| H00.1 | H00.15 | Chalazion |
| H00.1 | H00.16 | Chalazion |



| ICD-10 Group DesignationICD-10 Invidividual CodeGroup DescriptionH00.1H00.19ChalazionH01H01.001Other inflammation of eyelidH01H01.002Other inflammation of eyelidH01H01.003Other inflammation of eyelidH01H01.004Other inflammation of eyelidH01H01.005Other inflammation of eyelidH01H01.006Other inflammation of eyelidH01H01.009Other inflammation of eyelidH01H01.009Other inflammation of eyelidH10.0H10.011Mucopurulent conjunctivitisH10.0H10.012Mucopurulent conjunctivitis | |
|--|--|
| H00.1 H00.19 Chalazion H01 H01.001 Other inflammation of eyelid H01 H01.002 Other inflammation of eyelid H01 H01.003 Other inflammation of eyelid H01 H01.004 Other inflammation of eyelid H01 H01.005 Other inflammation of eyelid H01 H01.005 Other inflammation of eyelid H01 H01.006 Other inflammation of eyelid H01 H01.006 Other inflammation of eyelid H01 H01.009 Other inflammation of eyelid H01 H01.009 Other inflammation of eyelid H10.0 H10.011 Mucopurulent conjunctivitis | |
| H00.1 H00.19 Chalazion H01 H01.001 Other inflammation of eyelid H01 H01.002 Other inflammation of eyelid H01 H01.003 Other inflammation of eyelid H01 H01.004 Other inflammation of eyelid H01 H01.005 Other inflammation of eyelid H01 H01.006 Other inflammation of eyelid H01 H01.006 Other inflammation of eyelid H01 H01.009 Other inflammation of eyelid H01 H01.009 Other inflammation of eyelid H10.0 H10.011 Mucopurulent conjunctivitis | |
| H01 H01.001 Other inflammation of eyelid H01 H01.002 Other inflammation of eyelid H01 H01.003 Other inflammation of eyelid H01 H01.004 Other inflammation of eyelid H01 H01.005 Other inflammation of eyelid H01 H01.006 Other inflammation of eyelid H01 H01.009 Other inflammation of eyelid H01 H01.009 Other inflammation of eyelid H10.0 H10.011 Mucopurulent conjunctivitis | |
| H01 H01.002 Other inflammation of eyelid H01 H01.003 Other inflammation of eyelid H01 H01.004 Other inflammation of eyelid H01 H01.005 Other inflammation of eyelid H01 H01.006 Other inflammation of eyelid H01 H01.009 Other inflammation of eyelid H10.0 H10.011 Mucopurulent conjunctivitis | |
| H01 H01.003 Other inflammation of eyelid H01 H01.004 Other inflammation of eyelid H01 H01.005 Other inflammation of eyelid H01 H01.006 Other inflammation of eyelid H01 H01.009 Other inflammation of eyelid H10.0 H10.011 Mucopurulent conjunctivitis | |
| H01 H01.004 Other inflammation of eyelid H01 H01.005 Other inflammation of eyelid H01 H01.006 Other inflammation of eyelid H01 H01.009 Other inflammation of eyelid H10.0 H10.011 Mucopurulent conjunctivitis | |
| H01 H01.005 Other inflammation of eyelid H01 H01.006 Other inflammation of eyelid H01 H01.009 Other inflammation of eyelid H10.0 H10.011 Mucopurulent conjunctivitis | |
| H01 H01.006 Other inflammation of eyelid H01 H01.009 Other inflammation of eyelid H10.0 H10.011 Mucopurulent conjunctivitis | |
| H01 H01.009 Other inflammation of eyelid H10.0 H10.011 Mucopurulent conjunctivitis | |
| H10.0 H10.011 Mucopurulent conjunctivitis | |
| | |
| IH10 0 IH10 012 I Muconurulent conjunctivitis | |
| | |
| H10.0 H10.013 Mucopurulent conjunctivitis | |
| H10.019 Mucopurulent conjunctivitis | |
| H10.0 H10.021 Mucopurulent conjunctivitis | |
| H10.02 Mucopurulent conjunctivitis | |
| H10.0 H10.023 Mucopurulent conjunctivitis | |
| H10.0 H10.029 Mucopurulent conjunctivitis | |
| H10.1 H10.10 Acute atopic conjunctivitis | |
| H10.1 H10.11 Acute atopic conjunctivitis | |
| H10.1 H10.12 Acute atopic conjunctivitis | |
| H10.13 Acute atopic conjunctivitis | |
| H10.221 Other acute conjunctivitis | |
| H10.223 Other acute conjunctivitis | |
| H10.2 H10.231 Other acute conjunctivitis | |
| H10.2 H10.232 Other acute conjunctivitis | |
| H10.2 H10.233 Other acute conjunctivitis | |
| H10.2 H10.239 Other acute conjunctivitis | |
| H10.3 H10.30 Unspecified acute conjunctivitis | |
| H10.3 H10.31 Unspecified acute conjunctivitis | |
| H10.3 H10.32 Unspecified acute conjunctivitis | |
| H10.3 H10.33 Unspecified acute conjunctivitis | |
| H10.4 H10.401 Chronic conjunctivitis | |
| H10.4 H10.402 Chronic conjunctivitis | |
| H10.4 H10.403 Chronic conjunctivitis | |
| H10.4 H10.409 Chronic conjunctivitis | |
| H10.4 H10.411 Chronic conjunctivitis | |
| H10.4 H10.412 Chronic conjunctivitis | |
| H10.4 H10.413 Chronic conjunctivitis | |
| H10.419 Chronic conjunctivitis | |
| H10.4 H10.45 Chronic conjunctivitis | |
| H10.501 Blepharoconjunctivitis | |
| H10.502 Blepharoconjunctivitis | |
| H10.50 H10.503 Blepharoconjunctivitis | |
| H10.509 Blepharoconjunctivitis | |
| H10.511 Blepharoconjunctivitis | |
| H10.51 Blepharoconjunctivitis | |
| H10.5 H10.513 Blepharoconjunctivitis | |
| H10.519 Blepharoconjunctivitis | |
| H10.521 Blepharoconjunctivitis | |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| H10.5 | H10.532 | Blepharoconjunctivitis |
| H10.5 | H10.533 | Blepharoconjunctivitis |
| H10.89 | H10.89 | Other conjunctivitis |
| H10.9 | H10.9 | Unspecified conjunctivitis |
| H11.0 | H11.001 | Pterygium of eye |
| H11.0 | H11.002 | Pterygium of eye |
| H11.0 | H11.003 | Pterygium of eye |
| H11.0 | H11.009 | Pterygium of eye |
| H11.0 | H11.011 | Pterygium of eye |
| H11.0 | H11.012 | Pterygium of eye |
| H11.0 | H11.013 | Pterygium of eye |
| H11.0 | H11.019 | Pterygium of eye |
| H11.0 | H11.041 | Pterygium of eye |
| H11.0 | H11.042 | Pterygium of eye |
| H11.0 | H11.043 | Pterygium of eye |
| H11.0 | H11.049 | Pterygium of eye |
| H11.10 | H11.10 | Unspecified conjunctival degenerations |
| H11.15 | H11.151 | Pinguecula |
| H11.15 | H11.152 | Pinguecula |
| H11.15 | H11.153 | Pinguecula |
| H11.15 | H11.159 | Pinguecula |
| H11.22 | H11.221 | Conjunctival granuloma |
| H11.22 | H11.222 | Conjunctival granuloma |
| H11.22 | H11.223 | Conjunctival granuloma |
| H11.22 | H11.229 | Conjunctival granuloma |
| H11.3 | H11.30 | Conjunctival hemorrhage |
| H11.3 | H11.31 | Conjunctival hemorrhage |
| H11.3 | H11.32 | Conjunctival hemorrhage |
| H11.3 | H11.33 | Conjunctival hemorrhage |
| H11.41 | H11.411 | Vascular abnormalities of conjunctiva |
| H11.41 | H11.412 | Vascular abnormalities of conjunctiva |
| H11.41 | H11.413 | Vascular abnormalities of conjunctiva |
| H11.41 | H11.419 | Vascular abnormalities of conjunctiva |
| H11.42 | H11.421 | Conjunctival edema |
| H11.42 | H11.422 | Conjunctival edema |
| H11.42 | H11.423 | Conjunctival edema |
| H11.42 | H11,429 | Conjunctival edema |
| H11.43 | H11.431 | Conjunctival hyperemia |
| H11.43 | H11.432 | Conjunctival hyperemia |
| H11.43 | H11.433 | Conjunctival hyperemia |
| H11.43 | H11.439 | Conjunctival hyperemia |
| H11.89 | H11.89 | Other specified disorders of conjunctiva |
| H11.9 | H11.9 | Unspecified disorder of conjunctiva |
| H57.1 | H57.10 | Ocular pain |
| H57.1 | H57.11 | Ocular pain |
| H57.1 | H57.12 | Ocular pain |
| H57.1 | H57.13 | Ocular pain |
| H57.8 | H57.8 | Other specified disorders of eye and adnexa |
| .07.10 | 1. 101 10 | Sales opening along the definite |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| H57.8 | H57.811 | Other specified disorders of eye and adnexa |
| H57.8 | H57.812 | Other specified disorders of eye and adnexa |
| H57.8 | H57.813 | Other specified disorders of eye and adnexa |
| H57.8 | H57.819 | Other specified disorders of eye and adnexa |
| H57.8 | H57.89 | Other specified disorders of eye and adnexa |
| H60 | H60.00 | Otitis externa |
| H60 | H60.01 | Otitis externa |
| H60 | H60.02 | Otitis externa |
| H60 | H60.03 | Otitis externa |
| H60 | H60.10 | Otitis externa |
| H60 | H60.11 | Otitis externa |
| H60 | H60.12 | Otitis externa |
| H60 | H60.13 | Otitis externa |
| H60 | H60.20 | Otitis externa |
| H60 | H60.21 | Otitis externa |
| H60 | H60.22 | Otitis externa |
| H60 | H60.23 | Otitis externa |
| H60 | H60.311 | Otitis externa |
| H60 | H60.312 | Otitis externa |
| H60 | H60.313 | Otitis externa |
| H60 | H60.319 | Otitis externa |
| H60 | H60.321 | Otitis externa |
| H60 | H60.322 | Otitis externa |
| H60 | H60.323 | Otitis externa |
| H60 | H60.329 | Otitis externa |
| H60 | H60.331 | Otitis externa |
| H60 | H60.332 | Otitis externa |
| H60 | H60.333 | Otitis externa |
| H60 | H60.339 | Otitis externa |
| H60 | H60.391 | Otitis externa |
| H60 | H60.392 | Otitis externa |
| H60 | H60.393 | Otitis externa |
| H60 | H60.399 | Otitis externa |
| H60 | H60.501 | Otitis externa |
| H60 | H60.502 | Otitis externa |
| H60 | H60.503 | Otitis externa |
| H60 | H60.509 | Otitis externa |
| H60 | H60.511 | Otitis externa |
| H60 | H60.512 | Otitis externa |
| H60 | H60.513 | Otitis externa |
| H60 | H60.519 | Otitis externa |
| H60 | H60.521 | Otitis externa |
| H60 | H60.522 | Otitis externa |
| H60 | H60.523 | Otitis externa |
| H60 | H60.529 | Otitis externa |
| H60 | H60.531 | Otitis externa |
| H60 | H60.532 | Otitis externa |
| H60 | H60.533 | Otitis externa |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| Designation | Code | |
| H60 | H60.539 | Otitis externa |
| H60 | H60.541 | Otitis externa |
| H60 | H60.542 | Otitis externa |
| H60 | H60.543 | Otitis externa |
| H60 | H60.549 | Otitis externa |
| H60 | H60.551 | Otitis externa |
| H60 | H60.552 | Otitis externa |
| H60 | H60.553 | Otitis externa |
| H60 | H60.559 | Otitis externa |
| H60 | H60.591 | Otitis externa |
| H60 | H60.592 | Otitis externa |
| H60 | H60.593 | Otitis externa |
| H60 | H60.599 | Otitis externa |
| H60 | H60.60 | Otitis externa |
| H60 | H60.61 | Otitis externa |
| H60 | H60.62 | Otitis externa |
| H60 | H60.63 | Otitis externa |
| H60 | H60.8X1 | Otitis externa |
| H60 | H60.8X2 | Otitis externa |
| H60 | H60.8X3 | Otitis externa |
| H60 | H60.8X9 | Otitis externa |
| H60 | H60.90 | Otitis externa |
| H60 | H60.91 | Otitis externa |
| H60 | H60.92 | Otitis externa |
| H60 | H60.93 | Otitis externa |
| H61.00 | H61.001 | Unspecified perichondritis of external ear |
| H61.00 | H61.002 | Unspecified perichondritis of external ear |
| H61.00 | H61.003 | Unspecified perichondritis of external ear |
| H61.00 | H61.009 | Unspecified perichondritis of external ear |
| H61.01 | H61.011 | Acute perichondritis of external ear |
| H61.01 | H61.012 | Acute perichondritis of external ear |
| H61.01 | H61.013 | Acute perichondritis of external ear |
| H61.01 | H61.019 | Acute perichondritis of external ear |
| H61.02 | H61.021 | Chronic perichondritis of external ear |
| H61.02 | H61.022 | Chronic perichondritis of external ear |
| H61.02 | H61.023 | Chronic perichondritis of external ear |
| H61.02 | H61.029 | Chronic perichondritis of external ear |
| H61.1 | H61.101 | Noninfective disorders of pinna |
| H61.1 | H61.102 | Noninfective disorders of pinna |
| H61.1 | H61.103 | Noninfective disorders of pinna |
| H61.1 | H61.109 | Noninfective disorders of pinna |
| H61.1 | H61.191 | Noninfective disorders of pinna |
| H61.1 | H61.192 | Noninfective disorders of pinna |
| H61.1 | H61.193 | Noninfective disorders of pinna |
| H61.1 | H61.199 | Noninfective disorders of pinna |
| H61.2 | H61.20 | Impacted cerumen |
| H61.2 | H61.21 | Impacted cerumen |
| H61.2 | H61.22 | Impacted cerumen |
| | | |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|--|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| H61.2 | H61.23 | Impacted cerumen |
| H61.8 | H61.891 | Other specified disorders of external ear |
| H61.8 | H61.892 | Other specified disorders of external ear |
| H61.8 | H61.893 | Other specified disorders of external ear |
| H61.8 | H61.899 | Other specified disorders of external ear |
| H61.9 | H61.90 | Disorder of external ear, unspecified |
| H61.9 | H61.91 | Disorder of external ear, unspecified |
| H61.9 | H61.92 | Disorder of external ear, unspecified |
| H61.9 | H61.93 | Disorder of external ear, unspecified |
| H62 | H62.40 | Disorders of external ear in diseases classified elsewhere |
| H62 | H62.41 | Disorders of external ear in diseases classified elsewhere |
| H62 | H62.42 | Disorders of external ear in diseases classified elsewhere |
| H62 | H62.43 | Disorders of external ear in diseases classified elsewhere |
| H62 | H62.8X1 | Disorders of external ear in diseases classified elsewhere |
| H62 | H62.8X2 | Disorders of external ear in diseases classified elsewhere |
| H62 | H62.8X3 | Disorders of external ear in diseases classified elsewhere |
| H62 | H62.8X9 | Disorders of external ear in diseases classified elsewhere |
| H65.0 | H65.00 | Acute serous otitis media |
| H65.0 | H65.01 | Acute serous otitis media |
| H65.0 | H65.02 | Acute serous otitis media |
| H65.0 | H65.03 | Acute serous otitis media |
| H65.0 | H65.04 | Acute serous otitis media |
| H65.0 | H65.05 | Acute serous otitis media |
| H65.0 | H65.06 | Acute serous otitis media |
| H65.0 | H65.07 | Acute serous otitis media |
| H65.1 | H65.111 | Other acute nonsuppurative otitis media |
| H65.1 | H65.112 | Other acute nonsuppurative otitis media |
| H65.1 | H65.113 | Other acute nonsuppurative otitis media |
| H65.1 | H65.114 | Other acute nonsuppurative otitis media |
| H65.1 | H65.115 | Other acute nonsuppurative otitis media |
| H65.1 | H65.116 | Other acute nonsuppurative otitis media |
| H65.1 | H65.117 | Other acute nonsuppurative otitis media |
| H65.1 | H65.119 | Other acute nonsuppurative otitis media |
| H65.1 | H65.191 | Other acute nonsuppurative otitis media |
| H65.1 | H65.192 | Other acute nonsuppurative otitis media |
| H65.1 | H65.193 | Other acute nonsuppurative otitis media |
| H65.1 | H65.194 | Other acute nonsuppurative otitis media |
| H65.1 | H65.195 | Other acute nonsuppurative otitis media |
| H65.1 | H65.196 | Other acute nonsuppurative otitis media |
| H65.1 | H65.197 | Other acute nonsuppurative otitis media |
| H65.1 | H65.199 | Other acute nonsuppurative otitis media |
| H65.2 | H65.20 | Chronic serous otitis media |
| H65.2 | H65.21 | Chronic serous otitis media |
| H65.2 | H65.22 | Chronic serous otitis media |
| H65.2 | H65.23 | Chronic serous otitis media |
| H65.4 | H65.411 | Other chronic nonsuppurative otitis media |
| H65.4 | H65.412 | Other chronic nonsuppurative otitis media |
| H65.4 | H65.413 | Other chronic nonsuppurative otitis media |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| H65.4 | H65.419 | Other chronic nonsuppurative otitis media |
| H65.4 | H65.491 | Other chronic nonsuppurative otitis media |
| H65.4 | H65.492 | Other chronic nonsuppurative otitis media |
| H65.4 | H65.493 | Other chronic nonsuppurative otitis media |
| H65.4 | H65.499 | Other chronic nonsuppurative otitis media |
| H65.9 | H65.90 | Unspecified nonsuppurative otitis media |
| H65.9 | H65.91 | Unspecified nonsuppurative otitis media |
| H65.9 | H65.92 | Unspecified nonsuppurative otitis media |
| H65.9 | H65.93 | Unspecified nonsuppurative otitis media |
| H66.0 | H66.001 | Acute suppurative otitis media |
| H66.0 | H66.002 | Acute suppurative otitis media |
| H66.0 | H66.003 | Acute suppurative otitis media |
| H66.0 | H66.004 | Acute suppurative otitis media |
| H66.0 | H66.005 | Acute suppurative otitis media |
| H66.0 | H66.006 | Acute suppurative otitis media |
| H66.0 | H66.007 | Acute suppurative otitis media |
| H66.0 | H66.009 | Acute suppurative otitis media |
| H66.0 | H66.011 | Acute suppurative otitis media |
| H66.0 | H66.012 | Acute suppurative otitis media |
| H66.0 | H66.013 | Acute suppurative otitis media |
| H66.0 | H66.014 | Acute suppurative otitis media |
| H66.0 | H66.015 | Acute suppurative otitis media |
| H66.0 | H66.016 | Acute suppurative otitis media |
| H66.0 | H66.017 | Acute suppurative otitis media |
| H66.0 | H66.019 | Acute suppurative otitis media |
| H66.1 | H66.10 | Chronic tubotympanic suppurative otitis media |
| H66.1 | H66.11 | Chronic tubotympanic suppurative otitis media |
| H66.1 | H66.12 | Chronic tubotympanic suppurative otitis media |
| H66.1 | H66.13 | Chronic tubotympanic suppurative otitis media |
| H66.2 | H66.20 | Chronic atticoantral suppurative otitis media |
| H66.2 | H66.21 | Chronic atticoantral suppurative otitis media |
| H66.2 | H66.22 | Chronic atticoantral suppurative otitis media |
| H66.2 | H66.23 | Chronic atticoantral suppurative otitis media |
| H66.3 | H66.3X1 | Other chronic suppurative otitis media |
| H66.3 | H66.3X2 | Other chronic suppurative otitis media |
| H66.3 | H66.3X3 | Other chronic suppurative otitis media |
| H66.3 | H66.3X9 | Other chronic suppurative otitis media |
| H66.4 | H66.40 | Suppurative otitis media, unspecified |
| H66.4 | H66.41 | Suppurative otitis media, unspecified |
| H66.4 | H66.42 | Suppurative otitis media, unspecified |
| H66.4 | H66.43 | Suppurative otitis media, unspecified |
| H66.9 | H66.90 | Otitis media, unspecified |
| H66.9 | H66.91 | Otitis media, unspecified |
| H66.9 | H66.92 | Otitis media, unspecified |
| H66.9 | H66.93 | Otitis media, unspecified |
| H68 | H68.101 | Eustachian salpingitis and obstruction |
| H68 | H68.102 | Eustachian salpingitis and obstruction |
| H68 | H68.103 | Eustachian salpingitis and obstruction |
| .00 | 1 | |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | Fortishing additional distriction |
| H68 | H68.109 | Eustachian salpingitis and obstruction |
| H69 | H69.80 | Other and unspecified disorders of Eustachian tube |
| H69 | H69.81 | Other and unspecified disorders of Eustachian tube |
| H69 | H69.82 | Other and unspecified disorders of Eustachian tube |
| H69 | H69.83 | Other and unspecified disorders of Eustachian tube |
| H72 | H72.90 | Perforation of tympanic membrane |
| H72 | H72.91 | Perforation of tympanic membrane |
| H72 | H72.92 | Perforation of tympanic membrane |
| H72 | H72.93 | Perforation of tympanic membrane |
| H83 | H83.3X1 | Other diseases of inner ear |
| H83 | H83.3X2 | Other diseases of inner ear |
| H83 | H83.3X3 | Other diseases of inner ear |
| H83 | H83.3X9 | Other diseases of inner ear |
| H91 | H91.20 | Other and unspecified hearing loss |
| H91 | H91.21 | Other and unspecified hearing loss |
| H91 | H91.22 | Other and unspecified hearing loss |
| H91 | H91.23 | Other and unspecified hearing loss |
| H92.0 | H92.01 | Otalgia |
| H92.0 | H92.02 | Otalgia |
| H92.0 | H92.03 | Otalgia |
| H92.0 | H92.09 | Otalgia |
| H92.1 | H92.10 | Otorrhea |
| H92.1 | H92.11 | Otorrhea |
| H92.1 | H92.12 | Otorrhea |
| H92.1 | H92.13 | Otorrhea |
| H92.2 | H92.20 | Otorrhagia |
| H92.2 | H92.21 | Otorrhagia |
| H92.2 | H92.22 | Otorrhagia |
| H92.2 | H92.23 | Otorrhagia |
| H93.1 | H93.11 | Tinnitus |
| H93.1 | H93.12 | Tinnitus |
| H93.1 | H93.13 | Tinnitus |
| H93.1 | H93.19 | Tinnitus |
| H93.2 | H93.291 | Other abnormal auditory perceptions |
| H93.2 | H93.292 | Other abnormal auditory perceptions |
| H93.2 | H93.293 | Other abnormal auditory perceptions |
| H93.2 | H93.299 | Other abnormal auditory perceptions |
| H93.3 | H93.3X1 | Disorders of acoustic nerve |
| H93.3 | H93.3X2 | Disorders of acoustic nerve |
| H93.3 | H93.3X3 | Disorders of acoustic nerve |
| H93.3 | H93.3X9 | Disorders of acoustic nerve |
| H93.8 | H93.8X1 | Other specified disorders of ear |
| H93.8 | H93.8X2 | Other specified disorders of ear |
| H93.8 | H93.8X3 | Other specified disorders of ear |
| H93.8 | H93.8X9 | Other specified disorders of ear |
| H93.9 | H93.90 | Unspecified disorder of ear |
| H93.9 | H93.91 | Unspecified disorder of ear |
| H93.9 | H93.92 | Unspecified disorder of ear |
| 100.0 | 1190.92 | Onspecifica disorder or cal |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|----------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| H93.9 | H93.93 | Unspecified disorder of ear |
| H94 | H94.80 | Other disorders of ear in diseases classified elsewhere |
| H94 | H94.81 | Other disorders of ear in diseases classified elsewhere |
| H94 | H94.82 | Other disorders of ear in diseases classified elsewhere |
| H94 | H94.83 | Other disorders of ear in diseases classified elsewhere |
| 109.81 | 109.81 | Rheumatic heart failure |
| I10. | 110 | Essential (primary) hypertension |
| I11.0 | I11.0 | Hypertensive heart disease with heart failure |
| I11.9 | I11.9 | Hypertensive heart disease without heart failure |
| I12.9 | l12.9 | Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease |
| I13.0 | I13.0 | Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease |
| I13.10 | I13.10 | Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease |
| I13.2 | I13.2 | Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or end stage renal disease |
| I 48 | I48.0 | Atrial fibrillation and flutter |
| I48 | I48.2 | Atrial fibrillation and flutter |
| I48 | I48.20 | Atrial fibrillation and flutter |
| I 48 | I48.21 | Atrial fibrillation and flutter |
| I 48 | I 48.91 | Atrial fibrillation and flutter |
| I49.8 | I 49.8 | Other specified cardiac arrhythmias |
| I50 | I50.1 | Heart failure |
| I50 | I50.20 | Heart failure |
| I50 | I50.22 | Heart failure |
| I50 | I50.23 | Heart failure |
| I50 | I50.30 | Heart failure |
| I50 | I50.32 | Heart failure |
| I50 | I50.33 | Heart failure |
| I 50 | I50.40 | Heart failure |
| I 50 | I50.42 | Heart failure |
| I50 | I50.43 | Heart failure |
| I50 | I 50.9 | Heart failure |
| J00. | J00 | Acute nasopharyngitis [common cold] |
| J01 | J01.00 | Acute sinusitis |
| J01 | J01.01 | Acute sinusitis |
| J01 | J01.10 | Acute sinusitis |
| J01 | J01.11 | Acute sinusitis |
| J01 | J01.20 | Acute sinusitis |
| J01 | J01.21 | Acute sinusitis |
| J01 | J01.30 | Acute sinusitis |
| J01 | J01.31 | Acute sinusitis |
| J01 | J01.40 | Acute sinusitis |
| J01 | J01.41 | Acute sinusitis |
| J01 | J01.80 | Acute sinusitis |
| J01 | J01.81 | Acute sinusitis |
| J01 | J01.90 | Acute sinusitis |
| J01 | J01.91 | Acute sinusitis |
| J02.0 | J02.0 | Streptococcal pharyngitis |
| J02.8 | J02.8 | Acute pharyngitis due to other specified organisms |
| J02.9 | J02.9 | Acute pharyngitis, unspecified |
| 102.8 | 002.9 | Acute pharyngins, unspecified |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| | Invidividual | Group Description |
| Designation | Code | |
| J03.0 | J03.00 | Streptococcal tonsillitis |
| J03.0 | J03.01 | Streptococcal tonsillitis |
| J03.8 | J03.80 | Acute tonsillitis due to other specified organisms |
| J03.8 | J03.81 | Acute tonsillitis due to other specified organisms |
| J03.9 | J03.90 | Acute tonsillitis, unspecified |
| J03.9 | J03.91 | Acute tonsillitis, unspecified |
| J04.0 | J04.0 | Acute laryngitis |
| J04.10 | J04.10 | Acute tracheitis without obstruction |
| J04.2 | J04.2 | Acute laryngotracheitis |
| J05.0 | J05.0 | Acute obstructive laryngitis [croup] |
| J06.0 | J06.0 | Acute laryngopharyngitis |
| J06.9 | J06.9 | Acute upper respiratory infection, unspecified |
| J14. | J14 | Pneumonia due to Hemophilus influenzae |
| J15 | J15.3 | Bacterial pneumonia, not elsewhere classified |
| J15 | J15.4 | Bacterial pneumonia, not elsewhere classified |
| J15 | J15.7 | Bacterial pneumonia, not elsewhere classified |
| J15 | J15.9 | Bacterial pneumonia, not elsewhere classified |
| J16 | J16.0 | Pneumonia due to other infectious organisms, not elsewhere classified |
| J16 | J16.8 | Pneumonia due to other infectious organisms, not elsewhere classified |
| J18 | J18.0 | Pneumonia, unspecified organism |
| J18 | J18.1 | Pneumonia, unspecified organism |
| J18 | J18.8 | Pneumonia, unspecified organism |
| J18 | J18.9 | Pneumonia, unspecified organism |
| J20 | J20.3 | Acute bronchitis |
| J20 | J20.5 | Acute bronchitis |
| J20 | J20.8 | Acute bronchitis |
| J20 | J20.9 | Acute bronchitis |
| J21 | J21.0 | Acute bronchiolitis |
| J21 | J21.8 | Acute bronchiolitis |
| J21 | J21.9 | Acute bronchiolitis |
| J30 | J30.0 | Vasomotor and allergic rhinitis |
| J30 | J30.1 | Vasomotor and allergic rhinitis |
| J30 | J30.2 | Vasomotor and allergic rhinitis |
| J30 | J30.5 | Vasomotor and allergic rhinitis |
| J30 | J30.81 | Vasomotor and allergic rhinitis |
| J30 | J30.89 | Vasomotor and allergic rhinitis |
| J30 | J30.9 | Vasomotor and allergic rhinitis |
| J31.0 | J31.0 | Chronic rhinitis |
| J32 | J32.0 | Chronic sinusitis |
| J32 | J32.1 | Chronic sinusitis |
| J32 | J32.2 | Chronic sinusitis |
| J32 | J32.3 | Chronic sinusitis |
| J32 | J32.4 | Chronic sinusitis |
| J32 | J32.8 | Chronic sinusitis |
| J32 | J32.9 | Chronic sinusitis |
| J34 | J34.0 | Other and unspecified disorders of nose and nasal sinuses |
| J34 | J34.1 | Other and unspecified disorders of nose and nasal sinuses |
| J34 | J34.89 | Other and unspecified disorders of nose and nasal sinuses |



| CD-10 Group Cosignation Cosignation | |
|---|--|
| Designation Invidividual Code Group Description J34 J34,9 Other and unspecified disorders of nose and nasal sinuses J35 J35,02 Chronic diseases of tonsils and adenoids J35 J35,03 Chronic diseases of tonsils and adenoids J35 J35.1 Chronic diseases of tonsils and adenoids J35 J35.2 Chronic diseases of tonsils and adenoids J35 J35.3 Chronic diseases of tonsils and adenoids J35 J35.8 Chronic diseases of tonsils and adenoids J35 J35.9 Chronic diseases of tonsils and adenoids J40 J40 Bronchitis, not specified as acute or chronic J41 J41.0 Simple and mucopurulent chronic bronchitis J41 J41.1 Simple and mucopurulent chronic bronchitis J42 J42 Unspecified chronic bronchitis J43 J43.0 Emphysema J43 J43.1 Emphysema J43 J43.2 Emphysema J44.0 J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection J44.0 | |
| J34 J34,9 Other and unspecified disorders of nose and nasal sinuses J35 J35,01 Sp. Chronic diseases of tonsils and adenoids J35 J35,02 Chronic diseases of tonsils and adenoids J35 J35,03 Chronic diseases of tonsils and adenoids J35 J35,1 Chronic diseases of tonsils and adenoids J35 J35,1 Chronic diseases of tonsils and adenoids J35 J35,2 Chronic diseases of tonsils and adenoids J35 J35,3 Chronic diseases of tonsils and adenoids J35 J35,3 Chronic diseases of tonsils and adenoids J35 J35,9 Chronic diseases of tonsils and adenoids J36 J37,9 Chronic diseases of tonsils and adenoids J37,1 Sp. Chronic diseases of tonsils and adenoids J38,9 Chronic diseases of tonsils and adenoids J39,1 Sp. Chronic diseases of tonsils and adenoids J40, J40 Bronchitis, not specified as acute or chronic J41 J41,1 Simple and mucopurulent chronic bronchitis J41 J41,1 Simple and mucopurulent chronic bronchitis J41 J41,1 Simple and mucopurulent chronic bronchitis J42 J42 Unspecified chronic bronchitis J43 J43,0 Emphysema J43 J43,1 Emphysema J43 J43,1 Emphysema J43 J43,2 Emphysema J44 J44,0 J44,0 Chronic obstructive pulmonary disease with acute lower respiratory infection J44,9 J45,20 J45,20 Mild intermittent asthma, uncomplicated J45,21 J45,22 Mild intermittent asthma with status asthmaticus | |
| J35 J35.01 Chronic diseases of tonsils and adenoids J35 J35.03 Chronic diseases of tonsils and adenoids J35 J35.03 Chronic diseases of tonsils and adenoids J35 J35.1 Chronic diseases of tonsils and adenoids J35 J35.1 Chronic diseases of tonsils and adenoids J35 J35.2 Chronic diseases of tonsils and adenoids J35 J35.3 Chronic diseases of tonsils and adenoids J35 J35.8 Chronic diseases of tonsils and adenoids J36 J37.9 Chronic diseases of tonsils and adenoids J37.0 J40 Bronchitis, not specified as acute or chronic J41 J41.0 Simple and mucopurulent chronic bronchitis J41 J41.1 Simple and mucopurulent chronic bronchitis J41 J41.8 Simple and mucopurulent chronic bronchitis J42 J43 J43.0 Emphysema J43 J43.1 Emphysema J43 J43.1 Emphysema J43 J43.2 Emphysema J43 J43.8 Emphysema J44.0 J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection J45.20 J45.20 Mild intermittent asthma with (acute) exacerbation J46.22 J45.22 Mild intermittent asthma with status asthmaticus | |
| J35 J35.02 Chronic diseases of tonsils and adenoids J35 J35.03 Chronic diseases of tonsils and adenoids J35 J35.1 Chronic diseases of tonsils and adenoids J35 J35.2 Chronic diseases of tonsils and adenoids J35 J35.3 Chronic diseases of tonsils and adenoids J35 J35.3 Chronic diseases of tonsils and adenoids J35 J35.9 Chronic diseases of tonsils and adenoids J36 J37.0 Chronic diseases of tonsils and adenoids J37.0 J40 Bronchitis, not specified as acute or chronic J41 J41.0 Simple and mucopurulent chronic bronchitis J41 J41.1 Simple and mucopurulent chronic bronchitis J42 J42 Unspecified chronic bronchitis J43 J43.0 Emphysema J44.0 J43.1 Emphysema J43 J43.2 Emphysema J43 J43.3 Emphysema J44.0 J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection J44.9 J44.9 Chronic obstructive pulmonary disease, unspecified J45.20 J45.20 Mild intermittent asthma, uncomplicated J45.21 J45.21 Mild intermittent asthma with (acute) exacerbation | |
| J35 J35.03 Chronic diseases of tonsils and adenoids J35 J35.1 Chronic diseases of tonsils and adenoids J35 J35.2 Chronic diseases of tonsils and adenoids J35 J35.3 Chronic diseases of tonsils and adenoids J35 J35.3 Chronic diseases of tonsils and adenoids J35 J35.8 Chronic diseases of tonsils and adenoids J35 J35.9 Chronic diseases of tonsils and adenoids J40. J40 Bronchitis, not specified as acute or chronic J41 J41.0 Simple and mucopurulent chronic bronchitis J41 J41.1 Simple and mucopurulent chronic bronchitis J41 J41.8 Simple and mucopurulent chronic bronchitis J42 J42 Unspecified chronic bronchitis J43 J43.0 Emphysema J43 J43.1 Emphysema J43 J43.1 Emphysema J43 J43.2 Emphysema J43 J43.8 Emphysema J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection J44.9 J44.9 Chronic obstructive pulmonary disease, unspecified J45.20 J45.20 Mild intermittent asthma with (acute) exacerbation J45.22 J45.21 Mild intermittent asthma with status asthmaticus | |
| J35 J35.1 Chronic diseases of tonsils and adenoids J35 J35.2 Chronic diseases of tonsils and adenoids J35 J35.3 Chronic diseases of tonsils and adenoids J35 J35.8 Chronic diseases of tonsils and adenoids J35 J35.9 Chronic diseases of tonsils and adenoids J40. J40 Bronchitis, not specified as acute or chronic J41 J41.0 Simple and mucopurulent chronic bronchitis J41 J41.1 Simple and mucopurulent chronic bronchitis J42 J42 Unspecified chronic bronchitis J43 J43.0 Emphysema J43 J43.1 Emphysema J43 J43.2 Emphysema J43 J43.8 Emphysema J44.0 J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection J44.9 J45.21 J45.21 Mild intermittent asthma, uncomplicated J45.22 J45.22 Mild intermittent asthma with scaute sathmaticus | |
| J35 J35.2 Chronic diseases of tonsils and adenoids J35 J35.3 Chronic diseases of tonsils and adenoids J35 J35.8 Chronic diseases of tonsils and adenoids J35 J35.9 Chronic diseases of tonsils and adenoids J40. J40 Bronchitis, not specified as acute or chronic J41 J41.0 Simple and mucopurulent chronic bronchitis J41 J41.1 Simple and mucopurulent chronic bronchitis J41 J41.8 Simple and mucopurulent chronic bronchitis J42 Unspecified chronic bronchitis J43 J43.0 Emphysema J43 J43.1 Emphysema J43 J43.2 Emphysema J43 J43.8 Emphysema J44.0 J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection J44.9 J45.20 Mild intermittent asthma, uncomplicated J45.21 J45.21 Mild intermittent asthma with (acute) exacerbation J45.22 J45.22 Mild intermittent asthma with (acute) exacerbation | |
| J35 J35.3 Chronic diseases of tonsils and adenoids J35 J35.8 Chronic diseases of tonsils and adenoids J35 J35.9 Chronic diseases of tonsils and adenoids J40 J40 Bronchitis, not specified as acute or chronic J41 J41.0 Simple and mucopurulent chronic bronchitis J41 J41.1 Simple and mucopurulent chronic bronchitis J41 J41.8 Simple and mucopurulent chronic bronchitis J42 J42 Unspecified chronic bronchitis J43 J43.0 Emphysema J43 J43.1 Emphysema J43 J43.2 Emphysema J43 J43.8 Emphysema J44 J43.9 Emphysema J44.0 J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection J44.9 J44.9 Chronic obstructive pulmonary disease, unspecified J45.20 J45.20 Mild intermittent asthma, uncomplicated J45.21 J45.22 Mild intermittent asthma with status asthmaticus | |
| J35 J35.8 Chronic diseases of tonsils and adenoids J35 J35.9 Chronic diseases of tonsils and adenoids J40. J40 Bronchitis, not specified as acute or chronic J41 J41.0 Simple and mucopurulent chronic bronchitis J41 J41.1 Simple and mucopurulent chronic bronchitis J41 J41.8 Simple and mucopurulent chronic bronchitis J42. J42 Unspecified chronic bronchitis J43 J43.0 Emphysema J43 J43.1 Emphysema J43 J43.2 Emphysema J43 J43.8 Emphysema J43 J43.9 Emphysema J44 J44.9 J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection J44.9 J44.9 Chronic obstructive pulmonary disease, unspecified J45.20 J45.21 Mild intermittent asthma with (acute) exacerbation J45.22 J45.22 Mild intermittent asthma with status asthmaticus | |
| J35. J35.9 Chronic diseases of tonsils and adenoids J40. J40 Bronchitis, not specified as acute or chronic J41 J41.0 Simple and mucopurulent chronic bronchitis J41 J41.1 Simple and mucopurulent chronic bronchitis J42 J43.8 Simple and mucopurulent chronic bronchitis J43 J43.0 Emphysema J43 J43.1 Emphysema J43 J43.2 Emphysema J43 J43.8 Emphysema J43 J43.9 Emphysema J44 J44.0 J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection J44.9 J44.9 J45.20 Mild intermittent asthma, uncomplicated J45.21 J45.22 Mild intermittent asthma with status asthmaticus | |
| J40. J40 Bronchitis, not specified as acute or chronic J41 J41.0 Simple and mucopurulent chronic bronchitis J41 J41.1 Simple and mucopurulent chronic bronchitis J41 J41.8 Simple and mucopurulent chronic bronchitis J42 Unspecified chronic bronchitis J43 J43.0 Emphysema J43 J43.1 Emphysema J43 J43.2 Emphysema J43 J43.8 Emphysema J43 J43.9 Emphysema J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection J44.9 J44.9 Chronic obstructive pulmonary disease, unspecified J45.20 J45.20 Mild intermittent asthma, uncomplicated J45.21 J45.22 Mild intermittent asthma with (acute) exacerbation J45.22 J45.22 Mild intermittent asthma with status asthmaticus | |
| J41 J41.0 Simple and mucopurulent chronic bronchitis J41 J41.1 Simple and mucopurulent chronic bronchitis J41 J41.8 Simple and mucopurulent chronic bronchitis J42 J42 Unspecified chronic bronchitis J43 J43.0 Emphysema J43 J43.1 Emphysema J43 J43.2 Emphysema J43 J43.8 Emphysema J43 J43.9 J43.9 Emphysema J44.0 J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection J44.9 J45.20 J45.20 Mild intermittent asthma, uncomplicated J45.21 J45.21 Mild intermittent asthma with (acute) exacerbation J45.22 J45.22 Mild intermittent asthma with status asthmaticus | |
| J41 J41.8 Simple and mucopurulent chronic bronchitis J42. J42 Unspecified chronic bronchitis J43 J43.0 Emphysema J43 J43.1 Emphysema J43 J43.2 Emphysema J43 J43.8 Emphysema J43 J43.9 J43.9 Emphysema J44.0 J44.0 J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection J45.20 J45.21 Mild intermittent asthma, uncomplicated J45.21 J45.22 Mild intermittent asthma with status asthmaticus | |
| J41 J41.8 Simple and mucopurulent chronic bronchitis J42 J43 J43.0 Emphysema J43 J43.1 Emphysema J43 J43.2 Emphysema J43 J43.8 Emphysema J43 J43.9 Emphysema J44.0 J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection J44.9 J45.20 J45.20 Mild intermittent asthma, uncomplicated J45.21 J45.21 Mild intermittent asthma with (acute) exacerbation J45.22 J45.22 Mild intermittent asthma with status asthmaticus | |
| J42. J42 Unspecified chronic bronchitis J43 J43.0 Emphysema J43 J43.1 Emphysema J43 J43.2 Emphysema J43 J43.8 Emphysema J43 J43.9 Emphysema J44.0 J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection J44.9 J45.20 J45.20 Mild intermittent asthma, uncomplicated J45.21 J45.21 Mild intermittent asthma with status asthmaticus | |
| J43 J43.0 Emphysema J43 J43.1 Emphysema J43 J43.2 Emphysema J43 J43.8 Emphysema J43 J43.9 Emphysema J44.0 J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection J44.9 J45.20 J45.20 Mild intermittent asthma, uncomplicated J45.21 J45.21 Mild intermittent asthma with (acute) exacerbation J45.22 J45.22 Mild intermittent asthma with status asthmaticus | |
| J43 J43.1 Emphysema J43 J43.2 Emphysema J43 J43.8 Emphysema J43 J43.9 Emphysema J44.0 J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection J44.9 J45.20 J45.20 Mild intermittent asthma, uncomplicated J45.21 J45.21 Mild intermittent asthma with (acute) exacerbation J45.22 J45.22 Mild intermittent asthma with status asthmaticus | |
| J43 J43.2 Emphysema J43 J43.8 Emphysema J43 J43.9 Emphysema J44.0 J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection J44.9 J45.20 J45.20 Mild intermittent asthma, uncomplicated J45.21 J45.21 Mild intermittent asthma with (acute) exacerbation J45.22 J45.22 Mild intermittent asthma with status asthmaticus | |
| J43 J43.8 Emphysema J43 J43.9 Emphysema J44.0 J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection J44.9 J45.20 J45.20 Mild intermittent asthma, uncomplicated J45.21 J45.21 Mild intermittent asthma with (acute) exacerbation J45.22 J45.22 Mild intermittent asthma with status asthmaticus | |
| J43 J43.9 Emphysema J44.0 J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection J44.9 J45.20 J45.20 Mild intermittent asthma, uncomplicated J45.21 J45.21 Mild intermittent asthma with (acute) exacerbation J45.22 J45.22 Mild intermittent asthma with status asthmaticus | |
| J44.0 J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection J44.9 J44.9 Chronic obstructive pulmonary disease, unspecified J45.20 J45.20 Mild intermittent asthma, uncomplicated J45.21 J45.21 Mild intermittent asthma with (acute) exacerbation J45.22 J45.22 Mild intermittent asthma with status asthmaticus | |
| J44.9J44.9Chronic obstructive pulmonary disease, unspecifiedJ45.20J45.20Mild intermittent asthma, uncomplicatedJ45.21J45.21Mild intermittent asthma with (acute) exacerbationJ45.22J45.22Mild intermittent asthma with status asthmaticus | |
| J45.20 J45.20 Mild intermittent asthma, uncomplicated J45.21 J45.21 Mild intermittent asthma with (acute) exacerbation J45.22 J45.22 Mild intermittent asthma with status asthmaticus | |
| J45.21 J45.21 Mild intermittent asthma with (acute) exacerbation J45.22 J45.22 Mild intermittent asthma with status asthmaticus | |
| J45.22 J45.22 Mild intermittent asthma with status asthmaticus | |
| | |
| J45.30 J45.30 Mild persistent asthma, uncomplicated | |
| | |
| J45.31 J45.31 Mild persistent asthma with (acute) exacerbation | |
| J45.32 J45.32 Mild persistent asthma with status asthmaticus | |
| J45.40 J45.40 Moderate persistent asthma, uncomplicated | |
| J45.41 J45.41 Moderate persistent asthma with (acute) exacerbation | |
| J45.42 J45.42 Moderate persistent asthma with status asthmaticus | |
| J45.50 J45.50 Severe persistent asthma, uncomplicated | |
| J45.51 J45.51 Severe persistent asthma with (acute) exacerbation | |
| J45.52 J45.52 Severe persistent asthma with status asthmaticus | |
| J45.901 J45.901 Unspecified asthma with (acute) exacerbation | |
| J45.902 J45.902 Unspecified asthma with status asthmaticus | |
| J45.909 J45.909 Unspecified asthma, uncomplicated | |
| J45.990 J45.990 Exercise induced bronchospasm | |
| J45.991 J45.991 Cough variant asthma | |
| J45.998 J45.998 Other asthma | |
| J47.0 J47.0 Bronchiectasis with acute lower respiratory infection | |
| J47.9 J47.9 Bronchiectasis, uncomplicated | |
| J98.01 J98.01 Acute bronchospasm | |
| K00.5 Hereditary disturbances in tooth structure, not elsewhere classified | |
| K00.6 K00.6 Disturbances in tooth eruption | |
| K00.7 K00.7 Teething syndrome | |
| K00.9 Disorder of tooth development, unspecified | |
| K01 K01.0 Embedded and impacted teeth | |
| K01 K01.1 Embedded and impacted teeth | |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|---------------|--|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| K02.9 | Code K02.9 | Dental caries, unspecified |
| K04.4 | K04.4 | Acute apical periodontitis of pulpal origin |
| K04.7 | K04.7 | Periapical abscess without sinus |
| K05.10 | K05.10 | Chronic gingivitis, plaque induced |
| K08.8 | K08.8 | Other specified disorders of teeth and supporting structures |
| K08.8 | K08.81 | Other specified disorders of teeth and supporting structures Other specified disorders of teeth and supporting structures |
| K08.8 | K08.82 | Other specified disorders of teeth and supporting structures Other specified disorders of teeth and supporting structures |
| K08.8 | K08.89 | Other specified disorders of teeth and supporting structures Other specified disorders of teeth and supporting structures |
| K08.9 | K08.9 | Disorder of teeth and supporting structures, unspecified |
| K11 | K11.20 | Diseases of salivary glands |
| K11 | K11.21 | Diseases of salivary glands Diseases of salivary glands |
| K11 | K11.22 | Diseases of salivary glands Diseases of salivary glands |
| K11 | K11.23 | Diseases of salivary glands Diseases of salivary glands |
| K12 | K12.0 | Stomatitis and related lesions |
| K12 | K12.2 | Stomatitis and related lesions |
| K12 | K12.30 | Stomatitis and related lesions |
| K13 | K13.1 | Other diseases of lip and oral mucosa |
| K13 | K13.4 | Other diseases of lip and oral mucosa |
| K13 | K13.6 | Other diseases of lip and oral mucosa |
| K13 | K13.70 | Other diseases of lip and oral mucosa |
| K13 | K13.79 | Other diseases of lip and oral mucosa |
| K21.9 | K21.9 | Gastro-esophageal reflux disease without esophagitis |
| K40.90 | K40.90 | Unilateral inguinal hernia, without obstruction or gangrene, not specified as recurrent |
| K42.9 | K42.9 | Umbilical hernia without obstruction or gangrene |
| K52.2 | K52.2 | Allergic and dietetic gastroenteritis and colitis |
| K52.89 | K52.89 | Other specified noninfective gastroenteritis and colitis |
| K52.9 | K52.9 | Noninfective gastroenteritis and colitis, unspecified |
| K58 | K58.0 | Irritable bowel syndrome |
| K58 | K58.9 | Irritable bowel syndrome |
| K59 | K59.00 | Other functional intestinal disorders |
| K59 | K59.01 | Other functional intestinal disorders |
| K59 | K59.09 | Other functional intestinal disorders |
| K59 | K59.8 | Other functional intestinal disorders |
| K59 | K59.81 | Other functional intestinal disorders |
| K59 | K59.89 | Other functional intestinal disorders |
| K59 | K59.9 | Other functional intestinal disorders |
| K60 | K60.0 | Fissure and fistula of anal and rectal regions |
| K60 | K60.1 | Fissure and fistula of anal and rectal regions |
| K60 | K60.2 | Fissure and fistula of anal and rectal regions |
| K64 | K64.0 | Hemorrhoids and perianal venous thrombosis |
| K64 | K64.1 | Hemorrhoids and perianal venous thrombosis |
| K64 | K64.2 | Hemorrhoids and perianal venous thrombosis |
| K64 | K64.3 | Hemorrhoids and perianal venous thrombosis |
| K64 | K64.4 | Hemorrhoids and perianal venous thrombosis |
| K64 | K64.9 | Hemorrhoids and perianal venous thrombosis |
| K68.11 | K68.11 | Postprocedural retroperitoneal abscess |
| K80 | K80.20 | Cholelithiasis |
| K80 | K80.80 | Cholelithiasis |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|-----------------------------|--------------------------------|---|
| ICD-10 Group Designation | ICD-10 Invidividual Code | Group Description |
| K91.1 | K91.1 | Postgastric surgery syndromes |
| L01 | L01.00 | Impetigo |
| L01 | L01.01 | Impetigo |
| L01 | L01.02 | Impetigo |
| L01 | L01.03 | Impetigo |
| L01 | L01.09 | Impetigo |
| L01 | L01.1 | Impetigo |
| L02.01 | L02.01 | Cutaneous abscess of face |
| L02.2 | L02.211 | Cutaneous abscess, furuncle and carbuncle of trunk |
| L02.2 | L02.212 | Cutaneous abscess, furuncle and carbuncle of trunk |
| L02.2 | L02.213 | Cutaneous abscess, furuncle and carbuncle of trunk |
| L02.2 | L02.214 | Cutaneous abscess, furuncle and carbuncle of trunk |
| L02.2 | L02.215 | Cutaneous abscess, furuncle and carbuncle of trunk |
| L02.2 | L02.216 | Cutaneous abscess, furuncle and carbuncle of trunk |
| L02.2 | L02.219 | Cutaneous abscess, furuncle and carbuncle of trunk |
| L02.31 | L02.31 | Cutaneous abscess of buttock |
| L02.4 | L02.411 | Cutaneous abscess, furuncle and carbuncle of limb |
| L02.4 | L02.412 | Cutaneous abscess, furuncle and carbuncle of limb |
| L02.4 | L02.413 | Cutaneous abscess, furuncle and carbuncle of limb |
| L02.4 | L02.414 | Cutaneous abscess, furuncle and carbuncle of limb |
| L02.4 | L02.415 | Cutaneous abscess, furuncle and carbuncle of limb |
| L02.4 | L02.416 | Cutaneous abscess, furuncle and carbuncle of limb |
| L02.4 | L02.419 | Cutaneous abscess, furuncle and carbuncle of limb |
| L02.5 | L02.511 | Cutaneous abscess, furuncle and carbuncle of hand |
| L02.5 | L02.512 | Cutaneous abscess, furuncle and carbuncle of hand |
| L02.5 | L02.519 | Cutaneous abscess, furuncle and carbuncle of hand |
| L02.6 | L02.611 | Cutaneous abscess, furuncle and carbuncle of foot |
| L02.6 | L02.612 | Cutaneous abscess, furuncle and carbuncle of foot |
| L02.6 | L02.619 | Cutaneous abscess, furuncle and carbuncle of foot |
| L02.8 | L02.811 | Cutaneous abscess, furuncle and carbuncle of other sites |
| L02.8 | L02.818 | Cutaneous abscess, furuncle and carbuncle of other sites |
| L02.91 | L02.91 | Cutaneous abscess, unspecified |
| L02.92 | L02.92 | Furuncle, unspecified |
| L02.93 | L02.93 | Carbuncle, unspecified |
| L03.01 | L03.011 | Cellulitis of finger |
| L03.01 | L03.012 | Cellulitis of finger |
| L03.01 | L03.019 | Cellulitis of finger |
| L03.02 | L03.021 | Acute lymphangitis of finger |
| L03.02 | L03.022 | Acute lymphangitis of finger |
| L03.02 | L03.029 | Acute lymphangitis of finger |
| L03.03 | L03.031 | Cellulitis of toe |
| L03.03 | L03.032 | Cellulitis of toe |
| L03.03 | L03.039 | Cellulitis of toe |
| L03.04 | L03.041 | Acute lymphangitis of toe |
| L03.04 | L03.042 | Acute lymphangitis of toe |
| L03.04 | L03.049 | Acute lymphangitis of toe |
| L03.1 | L03.111 | Cellulitis and acute lymphangitis of other parts of limb |
| L03.1 | L03.112 | Cellulitis and acute lymphangitis of other parts of limb |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------------|--|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| L03.1 | Code L03.113 | Cellulitis and acute lymphangitis of other parts of limb |
| L03.1 | L03.113 | , , , , |
| | L03.114 | Cellulitis and acute lymphangitis of other parts of limb Cellulitis and acute lymphangitis of other parts of limb |
| L03.1 | L03.116 | |
| L03.1 | L03.116 | Cellulitis and acute lymphangitis of other parts of limb |
| L03.1 | | Cellulitis and acute lymphangitis of other parts of limb |
| L03.1 | L03.121 | Cellulitis and acute lymphangitis of other parts of limb |
| L03.1 | L03.122 L03.123 | Cellulitis and acute lymphangitis of other parts of limb |
| L03.1 | | Cellulitis and acute lymphangitis of other parts of limb |
| L03.1 | L03.124 | Cellulitis and acute lymphangitis of other parts of limb |
| L03.1 | L03.125 | Cellulitis and acute lymphangitis of other parts of limb |
| L03.1 | L03.126 | Cellulitis and acute lymphangitis of other parts of limb |
| L03.1 | L03.129 | Cellulitis and acute lymphangitis of other parts of limb |
| L03.2 | L03.211 | Cellulitis and acute lymphangitis of face and neck |
| L03.2 | L03.212 | Cellulitis and acute lymphangitis of face and neck |
| L03.311 | L03.311 | Cellulitis of abdominal wall |
| L03.312 | L03.312 | Cellulitis of back [any part except buttock] |
| L03.313 | L03.313 | Cellulitis of chest wall |
| L03.314 | L03.314 | Cellulitis of groin |
| L03.315 | L03.315 | Cellulitis of perineum |
| L03.316 | L03.316 | Cellulitis of umbilicus |
| L03.317 | L03.317 | Cellulitis of buttock |
| L03.319 | L03.319 | Cellulitis of trunk, unspecified |
| L03.321 | L03.321 | Acute lymphangitis of abdominal wall |
| L03.322 | L03.322 | Acute lymphangitis of back [any part except buttock] |
| L03.323 | L03.323 | Acute lymphangitis of chest wall |
| L03.324 | L03.324 | Acute lymphangitis of groin |
| L03.325 | L03.325 | Acute lymphangitis of perineum |
| L03.326 | L03.326 | Acute lymphangitis of umbilicus |
| L03.327 | L03.327 | Acute lymphangitis of buttock |
| L03.329 | L03.329 | Acute lymphangitis of trunk, unspecified |
| L03.8 | L03.811 | Cellulitis and acute lymphangitis of other sites |
| L03.8 | L03.818 | Cellulitis and acute lymphangitis of other sites |
| L03.8 | L03.891 | Cellulitis and acute lymphangitis of other sites |
| L03.8 | L03.898 | Cellulitis and acute lymphangitis of other sites |
| L03.9 | L03.90 | Cellulitis and acute lymphangitis, unspecified |
| L03.9 | L03.91 | Cellulitis and acute lymphangitis, unspecified |
| L05 | L05.01 | Pilonidal cyst and sinus |
| L05 | L05.02 | Pilonidal cyst and sinus |
| L05 | L05.91 | Pilonidal cyst and sinus |
| L05 | L05.92 | Pilonidal cyst and sinus |
| L08.9 | L08.9 | Local infection of the skin and subcutaneous tissue, unspecified |
| L20.0 | L20.0 | Besnier's prurigo |
| L20.81 | L20.81 | Atopic neurodermatitis |
| L20.82 | L20.82 | Flexural eczema |
| L20.83 | L20.83 | Infantile (acute) (chronic) eczema |
| L20.84 | L20.84 | Intrinsic (allergic) eczema |
| L20.89 | L20.89 | Other atopic dermatitis |
| L20.9 | L20.9 | Atopic dermatitis, unspecified |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|-----------------|----------------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual Code | Group Description |
| L21 | L21.0 | Seborrheic dermatitis |
| L21 | L21.1 | Seborrheic dermatitis |
| L21 | L21.8 | Seborrheic dermatitis Seborrheic dermatitis |
| L21 | L21.9 | Seborrheic dermatitis Seborrheic dermatitis |
| L22. | L22 | Diaper dermatitis |
| L23.0 | L23.0 | Allergic contact dermatitis due to metals |
| L23.1 | L23.1 | Allergic contact dermatitis due to metals Allergic contact dermatitis due to adhesives |
| L23.2 | L23.2 | Allergic contact dermatitis due to adhesives Allergic contact dermatitis due to cosmetics |
| L23.3 | L23.3 | Allergic contact dermatitis due to cosmercs Allergic contact dermatitis due to drugs in contact with skin |
| L23.4 | L23.4 | Allergic contact dermatitis due to drugs in contact with skin |
| L23.5 | L23.5 | Allergic contact dermatitis due to dyes Allergic contact dermatitis due to other chemical products |
| L23.6 | L23.6 | |
| L23.7 | L23.7 | Allergic contact dermatitis due to food in contact with the skin |
| L23.7 L23.81 | L23.81 | Allergic contact dermatitis due to plants, except food |
| L23.89 | L23.89 | Allergic contact dermatitis due to animal (cat) (dog) dander |
| L23.9 | L23.9 | Allergic contact dermatitis due to other agents |
| | L24.0 | Allergic contact dermatitis, unspecified cause |
| L24.0 | L24.0 L24.1 | Irritant contact dermatitis due to detergents |
| L24.1 | L24.1 | Irritant contact dermatitis due to oils and greases |
| L24.2 | L24.2 L24.3 | Irritant contact dermatitis due to solvents |
| L24.3 | L24.3 L24.4 | Irritant contact dermatitis due to cosmetics |
| L24.4 | | Irritant contact dermatitis due to drugs in contact with skin |
| L24.5 | L24.5 | Irritant contact dermatitis due to other chemical products |
| L24.6 | L24.6 | Irritant contact dermatitis due to food in contact with skin |
| L24.7 | L24.7 | Irritant contact dermatitis due to plants, except food |
| L24.81 | L24.81 | Irritant contact dermatitis due to metals |
| L24.89 | L24.89 | Irritant contact dermatitis due to other agents |
| L24.9 | L24.9 | Irritant contact dermatitis, unspecified cause |
| L25.0 | L25.0 | Unspecified contact dermatitis due to cosmetics |
| L25.1 | L25.1 | Unspecified contact dermatitis due to drugs in contact with skin |
| L25.2 | L25.2 | Unspecified contact dermatitis due to dyes |
| L25.3 | L25.3 | Unspecified contact dermatitis due to other chemical products |
| L25.4 | L25.4 | Unspecified contact dermatitis due to food in contact with skin |
| L25.5 | L25.5 | Unspecified contact dermatitis due to plants, except food |
| L25.8 | L25.8 | Unspecified contact dermatitis due to other agents |
| L25.9 | L25.9 | Unspecified contact dermatitis, unspecified cause |
| L27 | L27.0 | Dermatitis due to substances taken internally |
| L27 | L27.1 | Dermatitis due to substances taken internally |
| L27 | L27.2 | Dermatitis due to substances taken internally |
| L27 | L27.9 | Dermatitis due to substances taken internally |
| L29 | L29.8 | Pruritus |
| L29 | L29.9 | Pruritus Pruritus |
| L30.0 | L30.0 | Nummular dermatitis Purkhida sia Tananahahari |
| L30.1 | L30.1 | Dyshidrosis [pompholyx] |
| L30.2 | L30.2 | Cutaneous autosensitization |
| L30.8 | L30.8 | Other specified dermatitis |
| L30.9 | L30.9 | Dermatitis, unspecified |
| L42. | L42 | Pityriasis rosea |
| L50 | L50.0 | Urticaria |



| Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List | | | |
|---|--------------|--|--|
| ICD-10 Group | ICD-10 | | |
| Designation | Invidividual | Group Description | |
| | Code | | |
| L50 | L50.9 | Urticaria | |
| L55 | L55.0 | Sunburn | |
| L55 | L55.1 | Sunburn | |
| L55 | L55.9 | Sunburn | |
| L56.0 | L56.0 | Drug phototoxic response | |
| L56.1 | L56.1 | Drug photoallergic response | |
| L56.2 | L56.2 | Photocontact dermatitis [berloque dermatitis] | |
| L56.3 | L56.3 | Solar urticaria | |
| L56.4 | L56.4 | Polymorphous light eruption | |
| L56.5 | L56.5 | Disseminated superficial actinic porokeratosis (DSAP) | |
| L56.8 | L56.8 | Other specified acute skin changes due to ultraviolet radiation | |
| L56.9 | L56.9 | Acute skin change due to ultraviolet radiation, unspecified | |
| L57 | L57.1 | Skin changes due to chronic exposure to nonionizing radiation | |
| L57 | L57.5 | Skin changes due to chronic exposure to nonionizing radiation | |
| L57 | L57.8 | Skin changes due to chronic exposure to nonionizing radiation | |
| L57 | L57.9 | Skin changes due to chronic exposure to nonionizing radiation | |
| L58 | L58.0 | Radiodermatitis | |
| L58 | L58.1 | Radiodermatitis | |
| L58 | L58.9 | Radiodermatitis | |
| L59 | L59.0 | Other disorders of skin and subcutaneous tissue related to radiation | |
| L59 | L59.8 | Other disorders of skin and subcutaneous tissue related to radiation | |
| L59 | L59.9 | Other disorders of skin and subcutaneous tissue related to radiation | |
| L60.0 | L60.0 | Ingrowing nail | |
| L60.1 | L60.1 | Onycholysis | |
| L60.2 | L60.2 | Onychogryphosis | |
| L60.3 | L60.3 | Nail dystrophy | |
| L60.4 | L60.4 | Beau's lines | |
| L60.5 | L60.5 | Yellow nail syndrome | |
| L60.8 | L60.8 | Other nail disorders | |
| L60.9 | L60.9 | Nail disorder, unspecified | |
| L62. | L62 | Nail disorders in diseases classified elsewhere | |
| L63 | L63.0 | Alopecia areata | |
| L63 | L63.1 | Alopecia areata | |
| L63 | L63.2 | Alopecia areata | |
| L63 | L63.8 | Alopecia areata | |
| L63 | L63.9 | Alopecia areata | |
| L64 | L64.0 | Androgenic alopecia | |
| L64 | L64.8 | Androgenic alopecia | |
| L64 | L64.9 | Androgenic alopecia | |
| L65 | L65.1 | Other nonscarring hair loss | |
| L65 | L65.2 | Other nonscarring hair loss | |
| L65 | L65.8 | Other nonscarring hair loss | |
| L65 | L65.9 | Other nonscarring hair loss | |
| L66 | L66.0 | Cicatricial alopecia [scarring hair loss] | |
| L66 | L66.2 | Cicatricial alopecia [scarring hair loss] | |
| L66 | L66.3 | Cicatricial alopecia [scarring hair loss] | |
| L66 | L66.8 | Cicatricial alopecia [scarring hair loss] | |
| L66 | L66.9 | Cicatricial alopecia [scarring hair loss] | |



| | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List | | |
|--------------------------|---|--|--|
| ICD 40 Croup | ICD-10 | | |
| ICD-10 Group Designation | Invidividual | Group Description | |
| | Code | | |
| L70 | L70.0 | Acne | |
| L70 | L70.1 | Acne | |
| L70 | L70.3 | Acne | |
| L70 | L70.4 | Acne | |
| L70 | L70.5 | Acne | |
| L70 | L70.8 | Acne | |
| L70 | L70.9 | Acne | |
| L72 | L72.0 | Follicular cysts of skin and subcutaneous tissue | |
| L72 | L72.2 | Follicular cysts of skin and subcutaneous tissue | |
| L72 | L72.3 | Follicular cysts of skin and subcutaneous tissue | |
| L72 | L72.8 | Follicular cysts of skin and subcutaneous tissue | |
| L72 | L72.9 | Follicular cysts of skin and subcutaneous tissue | |
| L73.0 | L73.0 | Acne keloid | |
| L73.1 | L73.1 | Pseudofolliculitis barbae | |
| L73.2 | L73.2 | Hidradenitis suppurativa | |
| L73.8 | L73.8 | Other specified follicular disorders | |
| L73.9 | L73.9 | Follicular disorder, unspecified | |
| L74.0 | L74.0 | Miliaria rubra | |
| L74.1 | L74.1 | Miliaria crystallina | |
| L74.2 | L74.2 | Miliaria profunda | |
| L74.3 | L74.3 | Miliaria, unspecified | |
| L74.4 | L74.4 | Anhidrosis | |
| L74.5 | L74.510 | Focal hyperhidrosis | |
| L74.5 | L74.511 | Focal hyperhidrosis | |
| L74.5 | L74.512 | Focal hyperhidrosis | |
| L74.5 | L74.513 | Focal hyperhidrosis | |
| L74.5 | L74.519 | Focal hyperhidrosis | |
| L74.5 | L74.52 | Focal hyperhidrosis | |
| L74.8 | L74.8 | Other eccrine sweat disorders | |
| L74.9 | L74.9 | Eccrine sweat disorder, unspecified | |
| L75.0 | L75.0 | Bromhidrosis | |
| L75.1 | L75.1 | Chromhidrosis | |
| L75.2 | L75.2 | Apocrine miliaria | |
| L75.8 | L75.8 | Other apocrine sweat disorders | |
| L75.9 | L75.9 | Apocrine sweat disorder, unspecified | |
| L84. | L84 | Corns and callosities | |
| L85.3 | L85.3 | Xerosis cutis | |
| L98.3 | L98.3 | Eosinophilic cellulitis [Wells] | |
| M10.9 | M10.9 | Gout, unspecified | |
| M12.9 | M12.9 | Arthropathy, unspecified | |
| M22 | M22.90 | Disorder of patella | |
| M22 | M22.91 | Disorder of patella | |
| M22 | M22.92 | Disorder of patella | |
| M23 | M23.90 | Internal derangement of knee | |
| M23 | M23.91 | Internal derangement of knee | |
| M23 | M23.92 | Internal derangement of knee | |
| M25.46 | M25.461 | Effusion, knee | |
| M25.46 | M25.462 | Effusion, knee | |
| | | | |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| M25.46 | M25.469 | Effusion, knee |
| M25.50 | M25.50 | Pain in unspecified joint |
| M25.51 | M25.511 | Pain in shoulder |
| M25.51 | M25.512 | Pain in shoulder |
| M25.51 | M25.519 | Pain in shoulder |
| M25.52 | M25.521 | Pain in elbow |
| M25.52 | M25.522 | Pain in elbow |
| M25.52 | M25.529 | Pain in elbow |
| M25.53 | M25.531 | Pain in wrist |
| M25.53 | M25.532 | Pain in wrist |
| M25.53 | M25.539 | Pain in wrist |
| M25.56 | M25.561 | Pain in knee |
| M25.56 | M25.562 | Pain in knee |
| M25.56 | M25.569 | Pain in knee |
| M25.57 | M25.571 | Pain in ankle and joints of foot |
| M25.57 | M25.572 | Pain in ankle and joints of foot |
| M25.57 | M25.579 | Pain in ankle and joints of foot |
| M25.70 | M25.70 | Osteophyte, unspecified joint |
| M25.71 | M25.711 | Osteophyte, shoulder |
| M25.71 | M25.712 | Osteophyte, shoulder |
| M25.71 | M25.719 | Osteophyte, shoulder |
| M25.72 | M25.721 | Osteophyte, elbow |
| M25.72 | M25.722 | Osteophyte, elbow |
| M25.72 | M25.729 | Osteophyte, elbow |
| M25.73 | M25.731 | Osteophyte, wrist |
| M25.73 | M25.732 | Osteophyte, wrist |
| M25.73 | M25.739 | Osteophyte, wrist |
| M25.74 | M25.741 | Osteophyte, hand |
| M25.74 | M25.742 | Osteophyte, hand |
| M25.74 | M25.749 | Osteophyte, hand |
| M25.75 | M25.751 | Osteophyte, hip |
| M25.75 | M25.752 | Osteophyte, hip |
| M25.75 | M25.759 | Osteophyte, hip |
| M25.76 | M25.761 | Osteophyte, knee |
| M25.76 | M25.762 | Osteophyte, knee |
| M25.76 | M25.769 | Osteophyte, knee |
| M25.77 | M25.771 | Osteophyte, ankle and foot |
| M25.77 | M25.772 | Osteophyte, ankle and foot |
| M25.77 | M25.773 | Osteophyte, ankle and foot |
| M25.77 | M25.774 | Osteophyte, ankle and foot |
| M25.77 | M25.775 | Osteophyte, ankle and foot |
| M25.77 | M25.776 | Osteophyte, ankle and foot |
| M26 | M26.60 | Dentofacial anomalies [including malocclusion] |
| M26 | M26.601 | Dentofacial anomalies [including malocclusion] |
| M26 | M26.602 | Dentofacial anomalies [including malocclusion] |
| M26 | M26.603 | Dentofacial anomalies [including malocclusion] |
| M26 | M26.609 | Dentofacial anomalies [including malocclusion] |
| M26 | M26.69 | Dentofacial anomalies [including malocclusion] |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|--|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| M26 | M26.79 | Dentofacial anomalies [including malocclusion] |
| M43 | M43.20 | Other deforming dorsopathies |
| M43 | M43.21 | Other deforming dorsopathies |
| M43 | M43.22 | Other deforming dorsopathies |
| M43 | M43.23 | Other deforming dorsopathies |
| M43 | M43.24 | Other deforming dorsopathies |
| M43 | M43.25 | Other deforming dorsopathies |
| M43 | M43.26 | Other deforming dorsopathies |
| M43 | M43.27 | Other deforming dorsopathies |
| M43 | M43.28 | Other deforming dorsopathies |
| M43 | M43.8X9 | Other deforming dorsopathies |
| M48 | M48.00 | Other spondylopathies |
| M48 | M48.04 | Other spondylopathies |
| M48 | M48.05 | Other spondylopathies |
| M48 | M48.06 | Other spondylopathies |
| M48 | M48.061 | Other spondylopathies |
| M48 | M48.062 | Other spondylopathies |
| M48 | M48.07 | Other spondylopathies |
| M51 | M51.14 | Thoracic, thoracolumbar, and lumbosacral intervertebral disc disorders |
| M51 | M51.15 | Thoracic, thoracolumbar, and lumbosacral intervertebral disc disorders |
| M51 | M51.16 | Thoracic, thoracolumbar, and lumbosacral intervertebral disc disorders |
| M51 | M51.17 | Thoracic, thoracolumbar, and lumbosacral intervertebral disc disorders |
| M53 | M53.2X7 | Other and unspecified dorsopathies, not elsewhere classified |
| M53 | M53.2X8 | Other and unspecified dorsopathies, not elsewhere classified |
| M53 | M53.3 | Other and unspecified dorsopathies, not elsewhere classified |
| M53 | M53.80 | Other and unspecified dorsopathies, not elsewhere classified |
| M53 | M53.84 | Other and unspecified dorsopathies, not elsewhere classified |
| M53 | M53.85 | Other and unspecified dorsopathies, not elsewhere classified |
| M53 | M53.86 | Other and unspecified dorsopathies, not elsewhere classified |
| M53 | M53.87 | Other and unspecified dorsopathies, not elsewhere classified |
| M53 | M53.88 | Other and unspecified dorsopathies, not elsewhere classified |
| M53 | M53.9 | Other and unspecified dorsopathies, not elsewhere classified |
| M54.0 | M54.03 | Panniculitis affecting regions of neck and back |
| M54.0 | M54.04 | Panniculitis affecting regions of neck and back |
| M54.0 | M54.05 | Panniculitis affecting regions of neck and back |
| M54.0 | M54.06 | Panniculitis affecting regions of neck and back |
| M54.0 | M54.07 | Panniculitis affecting regions of neck and back |
| M54.0 | M54.08 | Panniculitis affecting regions of neck and back |
| M54.0 | M54.09 | Panniculitis affecting regions of neck and back |
| M54.10 | M54.10 | Radiculopathy, site unspecified |
| M54.14 | M54.14 | Radiculopathy, thoracic region |
| M54.15 | M54.15 | Radiculopathy, thoracolumbar region |
| M54.16 | M54.16 | Radiculopathy, lumbar region |
| M54.17 | M54.17 | Radiculopathy, lumbosacral region |
| M54.18 | M54.18 | Radiculopathy, sacral and sacrococcygeal region |
| M54.2 | M54.2 | Cervicalgia |
| M54.3 | M54.30 | Sciatica |
| M54.3 | M54.31 | Sciatica |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| M54.3 | M54.32 | Sciatica |
| M54.4 | M54.40 | Lumbago with sciatica |
| M54.4 | M54.41 | Lumbago with sciatica |
| M54.4 | M54.42 | Lumbago with sciatica |
| M54.5 | M54.5 | Low back pain |
| M54.6 | M54.6 | Pain in thoracic spine |
| M54.89 | M54.89 | Other dorsalgia |
| M54.9 | M54.9 | Dorsalgia, unspecified |
| M60 | M60.80 | Myositis |
| M60 | M60.811 | Myositis |
| M60 | M60.812 | Myositis |
| M60 | M60.819 | Myositis |
| M60 | M60.821 | Myositis |
| M60 | M60.822 | Myositis |
| M60 | M60.829 | Myositis |
| M60 | M60.831 | Myositis |
| M60 | M60.832 | Myositis |
| M60 | M60.839 | Myositis |
| M60 | M60.841 | Myositis |
| M60 | M60.842 | Myositis |
| M60 | M60.849 | Myositis |
| M60 | M60.851 | Myositis |
| M60 | M60.852 | Myositis |
| M60 | M60.859 | Myositis |
| M60 | M60.861 | Myositis |
| M60 | M60.862 | Myositis |
| M60 | M60.869 | Myositis |
| M60 | M60.871 | Myositis |
| M60 | M60.872 | Myositis |
| M60 | M60.879 | Myositis |
| M60 | M60.88 | Myositis |
| M60 | M60.89 | Myositis |
| M60 | M60.9 | Myositis |
| M62.4 | M62.40 | Contracture of muscle |
| M62.4 | M62.411 | Contracture of muscle |
| M62.4 | M62.412 | Contracture of muscle |
| M62.4 | M62.419 | Contracture of muscle |
| M62.4 | M62.421 | Contracture of muscle |
| M62.4 | M62.422 | Contracture of muscle |
| M62.4 | M62.429 | Contracture of muscle |
| M62.4 | M62.431 | Contracture of muscle |
| M62.4 | M62.432 | Contracture of muscle |
| M62.4 | M62.439 | Contracture of muscle |
| M62.4 | M62.441 | Contracture of muscle |
| M62.4 | M62.442 | Contracture of muscle |
| M62.4 | M62.449 | Contracture of muscle |
| M62.4 | M62.451 | Contracture of muscle |
| M62.4 | M62.452 | Contracture of muscle |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| M62.4 | M62.459 | Contracture of muscle |
| M62.4 | M62.461 | Contracture of muscle |
| M62.4 | M62.462 | Contracture of muscle |
| M62.4 | M62.469 | Contracture of muscle |
| M62.4 | M62.471 | Contracture of muscle |
| M62.4 | M62.472 | Contracture of muscle |
| M62.4 | M62.479 | Contracture of muscle |
| M62.4 | M62.48 | Contracture of muscle |
| M62.4 | M62.49 | Contracture of muscle |
| M62.830 | M62.830 | Muscle spasm of back |
| M62.831 | M62.831 | Muscle spasm of calf |
| M62.838 | M62.838 | Other muscle spasm |
| M65 | M65.10 | Synovitis and tenosynovitis |
| M65 | M65.111 | Synovitis and tenosynovitis |
| M65 | M65.112 | Synovitis and tenosynovitis |
| M65 | M65.119 | Synovitis and tenosynovitis |
| M65 | M65.121 | Synovitis and tenosynovitis |
| M65 | M65.122 | Synovitis and tenosynovitis |
| M65 | M65.129 | Synovitis and tenosynovitis |
| M65 | M65.131 | Synovitis and tenosynovitis |
| M65 | M65.132 | Synovitis and tenosynovitis |
| M65 | M65.139 | Synovitis and tenosynovitis |
| M65 | M65.141 | Synovitis and tenosynovitis |
| M65 | M65.142 | Synovitis and tenosynovitis |
| M65 | M65.149 | Synovitis and tenosynovitis |
| M65 | M65.151 | Synovitis and tenosynovitis |
| M65 | M65.152 | Synovitis and tenosynovitis |
| M65 | M65.159 | Synovitis and tenosynovitis |
| M65 | M65.161 | Synovitis and tenosynovitis |
| M65 | M65.162 | Synovitis and tenosynovitis |
| M65 | M65.169 | Synovitis and tenosynovitis |
| M65 | M65.171 | Synovitis and tenosynovitis |
| M65 | M65.172 | Synovitis and tenosynovitis |
| M65 | M65.179 | Synovitis and tenosynovitis |
| M65 | M65.18 | Synovitis and tenosynovitis |
| M65 | M65.19 | Synovitis and tenosynovitis |
| M65 | M65.80 | Synovitis and tenosynovitis |
| M65 | M65.811 | Synovitis and tenosynovitis |
| M65 | M65.812 | Synovitis and tenosynovitis |
| M65 | M65.819 | Synovitis and tenosynovitis |
| M65 | M65.821 | Synovitis and tenosynovitis |
| M65 | M65.822 | Synovitis and tenosynovitis |
| M65 | M65.829 | Synovitis and tenosynovitis |
| M65 | M65.831 | Synovitis and tenosynovitis Synovitis and tenosynovitis |
| M65 | M65.832 | Synovitis and tenosynovitis |
| M65 | M65.839 | Synovitis and tenosynovitis Synovitis and tenosynovitis |
| M65 | M65.841 | Synovitis and tenosynovitis Synovitis and tenosynovitis |
| M65 | | |
| IVIOS | M65.842 | Synovitis and tenosynovitis |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| M65 | M65.849 | Synovitis and tenosynovitis |
| M65 | M65.851 | Synovitis and tenosynovitis |
| M65 | M65.852 | Synovitis and tenosynovitis |
| M65 | M65.859 | Synovitis and tenosynovitis |
| M65 | M65.861 | Synovitis and tenosynovitis |
| M65 | M65.862 | Synovitis and tenosynovitis |
| M65 | M65.869 | Synovitis and tenosynovitis |
| M65 | M65.88 | Synovitis and tenosynovitis |
| M65 | M65.89 | Synovitis and tenosynovitis |
| M66 | M66.211 | Spontaneous rupture of synovium and tendon |
| M66 | M66.212 | Spontaneous rupture of synovium and tendon |
| M66 | M66.219 | Spontaneous rupture of synovium and tendon |
| M66 | M66.811 | Spontaneous rupture of synovium and tendon |
| M66 | M66.812 | Spontaneous rupture of synovium and tendon |
| M66 | M66.819 | Spontaneous rupture of synovium and tendon |
| M67 | M67.30 | Other disorders of synovium and tendon |
| M67 | M67.311 | Other disorders of synovium and tendon |
| M67 | M67.312 | Other disorders of synovium and tendon |
| M67 | M67.319 | Other disorders of synovium and tendon |
| M67 | M67.321 | Other disorders of synovium and tendon |
| M67 | M67.322 | Other disorders of synovium and tendon |
| M67 | M67.329 | Other disorders of synovium and tendon |
| M67 | M67.331 | Other disorders of synovium and tendon |
| M67 | M67.332 | Other disorders of synovium and tendon |
| M67 | M67.339 | Other disorders of synovium and tendon |
| M67 | M67.341 | Other disorders of synovium and tendon |
| M67 | M67.342 | Other disorders of synovium and tendon |
| M67 | M67.349 | Other disorders of synovium and tendon |
| M67 | M67.351 | Other disorders of synovium and tendon |
| M67 | M67.352 | Other disorders of synovium and tendon |
| M67 | M67.359 | Other disorders of synovium and tendon |
| M67 | M67.361 | Other disorders of synovium and tendon |
| M67 | M67.362 | Other disorders of synovium and tendon |
| M67 | M67.369 | Other disorders of synovium and tendon |
| M67 | M67.371 | Other disorders of synovium and tendon |
| M67 | M67.372 | Other disorders of synovium and tendon |
| M67 | M67.379 | Other disorders of synovium and tendon |
| M67 | M67.38 | Other disorders of synovium and tendon |
| M67 | M67.39 | Other disorders of synovium and tendon |
| M70.1 | M70.10 | Bursitis of hand |
| M70.1 | M70.11 | Bursitis of hand |
| M70.1 | M70.12 | Bursitis of hand |
| M70.2 | M70.20 | Olecranon bursitis |
| M70.2 | M70.21 | Olecranon bursitis |
| M70.2 | M70.22 | Olecranon bursitis |
| M70.4 | M70.40 | Prepatellar bursitis |
| M70.4 | M70.41 | Prepatellar bursitis |
| M70.4 | M70.42 | Prepatellar bursitis |



| | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List | | | |
|--------------|---|--|--|--|
| ICD 40 Croun | ICD-10 | | | |
| ICD-10 Group | Invidividual | Group Description | | |
| Designation | Code | | | |
| M70.5 | M70.50 | Other bursitis of knee | | |
| M70.5 | M70.51 | Other bursitis of knee | | |
| M70.5 | M70.52 | Other bursitis of knee | | |
| M70.6 | M70.60 | Trochanteric bursitis | | |
| M70.6 | M70.61 | Trochanteric bursitis | | |
| M70.6 | M70.62 | Trochanteric bursitis | | |
| M70.7 | M70.70 | Other bursitis of hip | | |
| M70.7 | M70.71 | Other bursitis of hip | | |
| M70.7 | M70.72 | Other bursitis of hip | | |
| M72.2 | M72.2 | Plantar fascial fibromatosis | | |
| M75.0 | M75.00 | Adhesive capsulitis of shoulder | | |
| M75.0 | M75.01 | Adhesive capsulitis of shoulder | | |
| M75.0 | M75.02 | Adhesive capsulitis of shoulder | | |
| M75.1 | M75.100 | Rotator cuff tear or rupture, not specified as traumatic | | |
| M75.1 | M75.101 | Rotator cuff tear or rupture, not specified as traumatic | | |
| M75.1 | M75.102 | Rotator cuff tear or rupture, not specified as traumatic | | |
| M75.2 | M75.20 | Bicipital tendinitis | | |
| M75.2 | M75.21 | Bicipital tendinitis | | |
| M75.2 | M75.22 | Bicipital tendinitis | | |
| M75.3 | M75.30 | Calcific tendinitis of shoulder | | |
| M75.3 | M75.31 | Calcific tendinitis of shoulder | | |
| M75.3 | M75.32 | Calcific tendinitis of shoulder | | |
| M75.4 | M75.40 | Impingement syndrome of shoulder | | |
| M75.4 | M75.41 | Impingement syndrome of shoulder | | |
| M75.4 | M75.42 | Impingement syndrome of shoulder | | |
| M75.5 | M75.50 | Bursitis of shoulder | | |
| M75.5 | M75.51 | Bursitis of shoulder | | |
| M75.5 | M75.52 | Bursitis of shoulder | | |
| M75.8 | M75.80 | Other shoulder lesions | | |
| M75.8 | M75.81 | Other shoulder lesions | | |
| M75.8 | M75.82 | Other shoulder lesions | | |
| M75.9 | M75.90 | Shoulder lesion, unspecified | | |
| M75.9 | M75.91 | Shoulder lesion, unspecified | | |
| M75.9 | M75.92 | Shoulder lesion, unspecified | | |
| M76.0 | M76.00 | Gluteal tendinitis | | |
| M76.0 | M76.01 | Gluteal tendinitis | | |
| M76.0 | M76.02 | Gluteal tendinitis | | |
| M76.1 | M76.10 | Psoas tendinitis | | |
| M76.1 | M76.11 | Psoas tendinitis | | |
| M76.1 | M76.12 | Psoas tendinitis | | |
| M76.2 | M76.20 | Iliac crest spur | | |
| M76.2 | M76.21 | Iliac crest spur | | |
| M76.2 | M76.22 | Iliac crest spur | | |
| M76.3 | M76.30 | Iliotibial band syndrome | | |
| M76.3 | M76.31 | Iliotibial band syndrome | | |
| M76.3 | M76.32 | Iliotibial band syndrome | | |
| M76.5 | M76.50 | Patellar tendinitis | | |
| M76.5 | M76.51 | Patellar tendinitis | | |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|--|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| M76.5 | M76.52 | Patellar tendinitis |
| M76.6 | M76.60 | Achilles tendinitis |
| M76.6 | M76.61 | Achilles tendinitis |
| M76.6 | M76.62 | Achilles tendinitis |
| M76.7 | M76.70 | Peroneal tendinitis |
| M76.7 | M76.71 | Peroneal tendinitis |
| M76.7 | M76.72 | Peroneal tendinitis |
| M76.89 | M76.891 | Other specified enthesopathies of lower limb, excluding foot |
| M76.89 | M76.892 | Other specified enthesopathies of lower limb, excluding foot |
| M76.89 | M76.899 | Other specified enthesopathies of lower limb, excluding foot |
| M76.9 | M76.9 | Unspecified enthesopathy, lower limb, excluding foot |
| M77 | M77.00 | Other enthesopathies |
| M77 | M77.01 | Other enthesopathies |
| M77 | M77.02 | Other enthesopathies |
| M77 | M77.10 | Other enthesopathies |
| M77 | M77.11 | Other enthesopathies |
| M77 | M77.12 | Other enthesopathies |
| M77 | M77.20 | Other enthesopathies |
| M77 | M77.21 | Other enthesopathies |
| M77 | M77.22 | Other enthesopathies |
| M77 | M77.30 | Other enthesopathies |
| M77 | M77.31 | Other enthesopathies |
| M77 | M77.32 | Other enthesopathies |
| M77 | M77.40 | Other enthesopathies |
| M77 | M77.41 | Other enthesopathies |
| M77 | M77.42 | Other enthesopathies |
| M77 | M77.50 | Other enthesopathies |
| M77 | M77.51 | Other enthesopathies |
| M77 | M77.52 | Other enthesopathies |
| M77 | M77.8 | Other enthesopathies |
| M77 | M77.9 | Other enthesopathies |
| M79.0 | M79.0 | Rheumatism, unspecified |
| M79.1 | M79.1 | Myalgia |
| M79.1 | M79.10 | Myalgia |
| M79.1 | M79.11 | Myalgia |
| M79.1 | M79.12 | Myalgia |
| M79.1 | M79.18 | Myalgia |
| M79.2 | M79.2 | Neuralgia and neuritis, unspecified |
| M79.6 | M79.601 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.602 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.603 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.604 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.605 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.606 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.609 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.621 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.622 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.629 | Pain in limb, hand, foot, fingers and toes |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|------------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| M79.6 | M79.631 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.632 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.639 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.641 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.642 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.643 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.644 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.645 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.646 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.651 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.652 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.659 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.661 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.662 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.669 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.671 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.672 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.673 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.674 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.675 | Pain in limb, hand, foot, fingers and toes |
| M79.6 | M79.676 | Pain in limb, hand, foot, fingers and toes |
| M79.7 | M79.7 | Fibromyalgia Cut and the first of the first |
| M79.89 | M79.89 | Other specified soft tissue disorders |
| M94.0 | M94.0 | Chondrocostal junction syndrome [Tietze] |
| M99 | M99.22 | Biomechanical lesions, not elsewhere classified |
| M99 | M99.23 | Biomechanical lesions, not elsewhere classified |
| M99 | M99.32 | Biomechanical lesions, not elsewhere classified |
| M99 | M99.33 | Biomechanical lesions, not elsewhere classified |
| M99 | M99.42 | Biomechanical lesions, not elsewhere classified |
| M99 | M99.43 | Biomechanical lesions, not elsewhere classified |
| M99 | M99.52 | Biomechanical lesions, not elsewhere classified |
| M99 | M99.53 | Biomechanical lesions, not elsewhere classified |
| M99 | M99.62 | Biomechanical lesions, not elsewhere classified |
| M99 | M99.63 | Biomechanical lesions, not elsewhere classified |
| M99 | M99.72 | Biomechanical lesions, not elsewhere classified |
| M99 | M99.73 | Biomechanical lesions, not elsewhere classified |
| N10. | N10 | Acute tubulo-interstitial nephritis |
| N11.9 | N11.9 | Chronic tubulo-interstitial nephritis, unspecified |
| N12. | N12 | Tubulo-interstitial nephritis, not specified as acute or chronic |
| N20 | N20.0 | Calculus of kidney and ureter |
| N20 | N20.1 N20.2 | Calculus of kidney and ureter |
| N20 | N20.2 N23 | Calculus of kidney and ureter |
| N23. | | Unspecified renal colic |
| N30.0 | N30.00 | Acute cystitis |
| N30.0 | N30.01 | Acute cystitis |
| N30 | N30.10 N30.11 | Interstitial cystitis (chronic) |
| N30 | | Interstitial cystitis (chronic) |
| N30 | N30.20 | Other chronic cystitis |



| | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List | | | |
|--------------|---|--|--|--|
| ICD-10 Group | ICD-10 | | | |
| Designation | Invidividual | Group Description | | |
| | Code | | | |
| N30 | N30.31 | Trigonitis | | |
| N30.4 | N30.40 | Irradiation cystitis | | |
| N30.4 | N30.41 | Irradiation cystitis | | |
| N30.8 | N30.80 | Other cystitis | | |
| N30.8 | N30.81 | Other cystitis | | |
| N30.9 | N30.90 | Cystitis, unspecified | | |
| N30.9 | N30.91 | Cystitis, unspecified | | |
| N34 | N34.1 | Urethritis and urethral syndrome | | |
| N34 | N34.2 | Urethritis and urethral syndrome | | |
| N36.8 | N36.8 | Other specified disorders of urethra | | |
| N36.9 | N36.9 | Urethral disorder, unspecified | | |
| N39.0 | N39.0 | Urinary tract infection, site not specified | | |
| N39.3 | N39.3 | Stress incontinence (female) (male) | | |
| N39.41 | N39.41 | Urge incontinence | | |
| N39.42 | N39.42 | Incontinence without sensory awareness | | |
| N39.44 | N39.44 | Nocturnal enuresis | | |
| N39.45 | N39.45 | Continuous leakage | | |
| N39.46 | N39.46 | Mixed incontinence | | |
| N39.490 | N39.490 | Overflow incontinence | | |
| N39.8 | N39.8 | Other specified disorders of urinary system | | |
| N39.9 | N39.9 | Disorder of urinary system, unspecified | | |
| N47.6 | N47.6 | Balanoposthitis | | |
| N48.1 | N48.1 | Balanitis | | |
| N50.9 | N50.9 | Disorder of male genital organs, unspecified | | |
| N63. | N63 | Unspecified lump in breast | | |
| N63. | N63.0 | Unspecified lump in breast | | |
| N63. | N63.10 | Unspecified lump in breast | | |
| N63. | N63.11 | Unspecified lump in breast | | |
| N63. | N63.12 | Unspecified lump in breast | | |
| N63. | N63.13 | Unspecified lump in breast | | |
| N63. | N63.14 | Unspecified lump in breast | | |
| N63. | N63.15 | Unspecified lump in breast | | |
| N63. | N63.20 | Unspecified lump in breast | | |
| N63. | N63.21 | Unspecified lump in breast | | |
| N63. | N63.22 | Unspecified lump in breast | | |
| N63. | N63.23 | Unspecified lump in breast | | |
| N63. | N63.24 | Unspecified lump in breast | | |
| N63. | N63.25 | Unspecified lump in breast | | |
| N63. | N63.31 | Unspecified lump in breast | | |
| N63. | N63.32 | Unspecified lump in breast | | |
| N63. | N63.41 | Unspecified lump in breast | | |
| N63. | N63.42 | Unspecified lump in breast | | |
| N64.4 | N64.4 | Mastodynia | | |
| N72. | N72 | Inflammatory disease of cervix uteri | | |
| N73 | N73.5 | Other female pelvic inflammatory diseases | | |
| N76.0 | N76.0 | Acute vaginitis | | |
| N76.1 | N76.1 | Subacute and chronic vaginitis | | |
| N76.2 | N76.2 | Acute vulvitis | | |
| | | | | |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| N76.3 | N76.3 | Subacute and chronic vulvitis |
| N76.4 | N76.4 | Abscess of vulva |
| N77 | N77.1 | Vulvovaginal ulceration and inflammation in diseases classified elsewhere |
| N83 | N83.20 | Noninflammatory disorders of ovary, fallopian tube and broad ligament |
| N83 | N83.201 | Noninflammatory disorders of ovary, fallopian tube and broad ligament |
| N83 | N83.202 | Noninflammatory disorders of ovary, fallopian tube and broad ligament |
| N83 | N83.209 | Noninflammatory disorders of ovary, fallopian tube and broad ligament |
| N83 | N83.29 | Noninflammatory disorders of ovary, fallopian tube and broad ligament |
| N83 | N83.291 | Noninflammatory disorders of ovary, fallopian tube and broad ligament |
| N83 | N83.292 | Noninflammatory disorders of ovary, fallopian tube and broad ligament |
| N83 | N83.299 | Noninflammatory disorders of ovary, fallopian tube and broad ligament |
| N89 | N89.7 | Erosion and ectropion of cervix uteri |
| N89 | N89.8 | Erosion and ectropion of cervix uteri |
| N92 | N92.0 | Excessive, frequent and irregular menstruation |
| N92 | N92.5 | Excessive, frequent and irregular menstruation |
| N92 | N92.6 | Excessive, frequent and irregular menstruation |
| N93 | N93.8 | Other abnormal uterine and vaginal bleeding |
| N93 | N93.9 | Other abnormal uterine and vaginal bleeding |
| N94.4 | N94.4 | Primary dysmenorrhea |
| N94.5 | N94.5 | Secondary dysmenorrhea |
| N94.6 | N94.6 | Dysmenorrhea, unspecified |
| N94.89 | N94.89 | Other specified conditions associated with female genital organs and menstrual cycle |
| O21.0 | O21.0 | Mild hyperemesis gravidarum |
| O25 | O25.11 | Malnutrition in pregnancy, childbirth and the puerperium |
| O25 | O25.12 | Malnutrition in pregnancy, childbirth and the puerperium |
| O25 | O25.13 | Malnutrition in pregnancy, childbirth and the puerperium |
| O99 | O99.281 | Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium |
| O99 | O99.282 | Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium |
| O99 | O99.283 | Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium |
| O99 | O99.511 | Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium |
| O99 | O99.512 | Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium |
| O99 | O99.513 | Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium |
| O99 | O99.611 | Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium |
| O99 | O99.612 | Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium |
| O99 | O99.613 | Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium |
| O99 | O99.711 | Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium |
| O99 | O99.712 | Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium |
| O99 | O99.713 | Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium |
| O99 | O99.820 | Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium |
| O9A | O9A.111 | Maternal malignant neoplasms, traumatic injuries and abuse classifiable elsewhere but complicating pregnancy, childbirth and the puerperium |
| O9A | O9A.112 | Maternal malignant neoplasms, traumatic injuries and abuse classifiable elsewhere but complicating pregnancy, childbirth and the puerperium |
| O9A | O9A.113 | Maternal malignant neoplasms, traumatic injuries and abuse classifiable elsewhere but complicating pregnancy, childbirth and the puerperium |
| O9A | O9A.211 | Maternal malignant neoplasms, traumatic injuries and abuse classifiable elsewhere but complicating pregnancy, childbirth and the puerperium |
| O9A | O9A.212 | Maternal malignant neoplasms, traumatic injuries and abuse classifiable elsewhere but complicating pregnancy, childbirth and the puerperium |
| O9A | O9A.213 | Maternal malignant neoplasms, traumatic injuries and abuse classifiable elsewhere but complicating pregnancy, childbirth and the puerperium |
| R00.1 | R00.1 | Bradycardia, unspecified |
| R00.2 | R00.2 | Palpitations |
| R04.0 | R04.0 | Epistaxis |
| | | |



| Designation Octobe Code R05. R05 Cough R06.01 R06.01 Orthopnee R06.2 R06.2 Wheezing R06.4 R06.4 Wheezing R06.8 R06.6 Hiscough R06.8 R06.9 Unspecified abnormalities of breathing R07.0 R07.0 Pain in throat R09.3 R09.3 Abnormal sputum R09.8.1 R09.8.1 Nasal congestion R10.0 R10.0 Acute abdomen R10.1 R10.10 Acute abdomen R10.1 R10.11 Pain localized to upper abdomen R10.1 R10.12 Pain localized to upper abdomen R10.1 R10.12 Pain localized to upper abdomen R10.1 R10.13 Pain localized to upper abdomen R10.1 R10.12 Pain localized to upper abdomen R10.1 R10.12 Pain localized to upper abdomen R10.1 R10.13 Pain localized to upper abdomen R10.2 R10.2 Pain localized | |
|--|--|
| R05.01 R05.01 Cough R05.01 R05.01 Orthopnes R05.02 R05.2 Wheezing R05.4 R05.4 Hyperventilation R05.6 R05.5 Unspecified abnormalities of breathing R06.9 R05.9 Unspecified abnormalities of breathing R07.0 R07.0 Pain in throat R09.3 R09.3 R09.3 R09.3 R09.3 Abnormal sputum R09.3 R09.31 Nasal congestion R10.0 R10.0 Catue abdomen R10.1 R10.0 Pain localized to upper abdomen R10.1 R10.11 Pain localized to upper abdomen R10.1 R10.12 Pain localized to upper abdomen R10.1 R10.13 Pain localized to upper abdomen R10.1 R10.13 Pain localized to upper abdomen R10.1 <th></th> | |
| R08.01 R06.01 Orthopnes R06.4 R06.4 R06.4 Hyperventilation R06.6 R06.6 R06.8 R06.89 Other abnormalities of breathing R06.9 R06.89 Other abnormalities of breathing R07.0 R07.0 R07.0 Pain in threat R09.3 R09.3 AND.3 Abnormal sputum R09.81 R08.81 N.saal congestion R10.0 R10.0 Acute abdomen R10.1 R10.1 Pain localized to upper addomen R10.1 R10.11 Pain localized to upper addomen R10.1 R10.13 Pain localized to upper addomen R10.2 R10.2 R10.2 R10.3 R10.32 Pain localized to upper addomen | |
| R06.2 R06.2 Wheezing R06.4 R06.6 Hyperventitation R06.6 R06.6 Hiscough R06.8 R08.9 Other abnormalities of breathing R07.0 R07.0 Pain in throat R09.3 R09.3 Annormal sputum R09.3 R09.3 Annormal sputum R09.1 R09.9 Nasal congestion R10.0 R10.0 Acute addomen R10.1 R10.10 Pain localized to upper abdomen R10.1 R10.11 Pain localized to upper abdomen R10.1 R10.12 Pain localized to upper abdomen R10.1 R10.12 Pain localized to upper abdomen R10.1 R10.12 Pain localized to upper abdomen R10.2 R10.2 Polic and perineal pain R10.3 R10.31 Pain localized to other parts of lower abdomen R10.3 R10.32 Pain localized to other parts of lower abdomen R10.3 R10.33 Pain localized to other parts of lower abdomen R10.3 R10.32 Pain localized to oth | |
| R06.4 R06.4 Hyperventilation R06.8 R06.89 R06.89 Other abnormalities of breathing R07.0 R07.0 R07.0 Posi in throat R09.3 R09.3 Abnormal sysutum R09.81 R08.91 Nasal congestion R10.0 R10.0 Acute abdomen R10.1 R10.11 Pain localized to upper abdomen R10.1 R10.11 Pain localized to upper abdomen R10.1 R10.12 Pain localized to upper abdomen R10.1 R10.13 Pain localized to upper abdomen R10.1 R10.13 Pain localized to upper abdomen R10.2 R10.2 Pelvie and perinsal pain R10.3 R10.31 Pain localized to other parts of lower abdomen R10.3 R10.30 Pain localized to other parts of lower abdomen R10.3 R10.31 Pain localized to other parts of lower abdomen R10.3 R10.32 Pain localized to other parts of lower abdomen R10.8 R10.811 Abdominal tenderness R10.812 Abdominal tenderness | |
| R06.6 R06.6 Hiccough R06.89 R06.9 Other abnormalities of breathing R07.0 R07.0 Pain in throat R09.3 R09.3 Abnormal sputum R09.81 R09.81 Nasal congestion R10.0 R10.0 Acute abdomen R10.1 R10.10 Pain localized to upper abdomen R10.1 R10.1 Pain localized to upper abdomen R10.1 R10.12 Pain localized to upper abdomen R10.3 R10.31 Pain localized to other parts of lower abdomen R10.3 R10.31 Pain localized to other parts of lower abdomen R10.3 R10.31 Pain localized to other parts of lower abdomen R10.3 R10.31 Abdominal tendermess R10.81 | |
| R06.89 R06.99 Other abnormalities of breathing R06.9 R07.0 Pain in throat R07.0 R07.0 Pain in throat R09.3 R08.3 Abnormal sputum R09.81 R08.91 Nasal congestion R10.0 R10.0 Acute abdomen R10.1 R10.11 Pain localized to upper abdomen R10.1 R10.11 Pain localized to upper abdomen R10.1 R10.13 Pain localized to upper abdomen R10.1 R10.13 Pain localized to upper abdomen R10.1 R10.13 Pain localized to other parts of lower abdomen R10.2 R10.3 Pain localized to other parts of lower abdomen R10.3 R10.31 Pain localized to other parts of lower abdomen R10.3 R10.32 Pain localized to other parts of lower abdomen R10.3 R10.33 Pain localized to other parts of lower abdomen R10.8 R10.811 Abdominal tenderness R10.81 R10.812 Abdominal tenderness R10.81 R10.813 Abdominal tenderness | |
| R06.9 R06.9 Unspecified abnormalities of breathing R07.0 R07.0 Pain in throat R09.3 R09.31 R09.81 Nasal congestion R10.0 R10.0 Acute abdomen R09.81 R10.1 R10.10 Pain localized to upper abdomen R10.11 R10.1 R10.12 Pain localized to upper abdomen R10.1 R10.13 Pain localized to upper abdomen R10.2 R10.2 Pelvic and perineal pain R10.3 R10.30 Pain localized to other parts of lower abdomen R10.3 R10.31 Pain localized to other parts of lower abdomen R10.81 R10.811 Abdominal tenderness R10.81 R10.812 Abdominal tenderness R10.81 R10.813 Abdominal tenderness R10.81 R10.816 <t< td=""><td></td></t<> | |
| R07.0 R07.0 Pain in throat R09.3 R09.81 R09.81 Nasal congestion R10.0 R10.0 Acute abdomen R10.1 R10.01 Pain localized to upper abdomen R10.1 R10.11 Pain localized to upper abdomen R10.1 R10.12 Pain localized to upper abdomen R10.1 R10.13 Pain localized to upper abdomen R10.1 R10.13 Pain localized to other parts of lower abdomen R10.2 R10.20 Pelvic and perineal pain R10.3 R10.30 Pain localized to other parts of lower abdomen R10.3 R10.31 Pain localized to other parts of lower abdomen R10.3 R10.32 Pain localized to other parts of lower abdomen R10.3 R10.33 Pain localized to other parts of lower abdomen R10.81 R10.811 Abdominal tenderness R10.81 R10.812 Abdominal tenderness R10.81 R10.812 Abdominal tenderness R10.81 R10.816 Abdominal tenderness R10.81 R10.816 Abdominal tende | |
| R99.3 R99.3 Abnormal sputum R99.81 R98.81 Nasal congestion R10.0 R10.0 Acute abdomen R10.1 R10.10 Pain localized to upper abdomen R10.1 R10.12 Pain localized to upper abdomen R10.1 R10.12 Pain localized to upper abdomen R10.1 R10.12 Pain localized to upper abdomen R10.1 R10.2 R10.2 R10.2 R10.2 Pelvic and perineal pain R10.3 R10.31 Pain localized to other parts of lower abdomen R10.3 R10.32 Pain localized to other parts of lower abdomen R10.3 R10.33 Pain localized to other parts of lower abdomen R10.3 R10.32 Pain localized to other parts of lower abdomen R10.3 R10.33 Pain localized to other parts of lower abdomen R10.3 R10.31 Abdominal tenderness R10.81 R10.811 Abdominal tenderness R10.81 R10.813 Abdominal tenderness R10.81 R10.814 Abdominal tenderness R | |
| R9.81 R9.8.1 Nasal congestion R10.0 R10.0 Acute abdomen R10.1 R10.11 Pain localized to upper abdomen R10.1 R10.12 Pain localized to upper abdomen R10.1 R10.13 Pain localized to upper abdomen R10.1 R10.13 Pain localized to upper abdomen R10.2 R10.2 Pelvic and perineal pain R10.3 R10.31 Pain localized to other parts of lower abdomen R10.3 R10.31 Pain localized to other parts of lower abdomen R10.3 R10.33 Pain localized to other parts of lower abdomen R10.81 R10.81 Abdominal tendemess R10.81 R10.81 Abdominal tendemess R10.81 R10.813 Abdominal tendemess R10.81 R10.815 Abdominal tendemess R10.81 R10.816 Abdominal tendemess R10.81 R10.819 Abdominal tendemess R10.81 R10.819 Abdominal tendemess R10.82 R10.829 Rebound abdominal tendemess R10.82 | |
| R10.0 R10.0 Acute abdomen R10.1 R10.10 Pain localized to upper abdomen R10.1 R10.12 Pain localized to upper abdomen R10.1 R10.12 Pain localized to upper abdomen R10.1 R10.12 Pain localized to upper abdomen R10.2 R10.2 Pelvic and perineal pain R10.3 R10.30 Pain localized to other parts of lower abdomen R10.3 R10.31 Pain localized to other parts of lower abdomen R10.3 R10.32 Pain localized to other parts of lower abdomen R10.3 R10.33 Pain localized to other parts of lower abdomen R10.3 R10.31 Abdominal tenderness R10.81 R10.811 Abdominal tenderness R10.81 R10.812 Abdominal tenderness R10.81 R10.814 Abdominal tenderness R10.81 R10.815 Abdominal tenderness R10.81 R10.817 Abdominal tenderness R10.81 R10.819 Abdominal tenderness R10.82 R10.821 Rebound abdominal tenderness <tr< td=""><td></td></tr<> | |
| R10.1 R10.10 Pain localized to upper abdomen R10.1 R10.11 Pain localized to upper abdomen R10.1 R10.13 Pain localized to upper abdomen R10.1 R10.13 Pain localized to upper abdomen R10.2 R10.20 Pelvic and perineal pain R10.3 R10.30 Pain localized to other parts of lower abdomen R10.3 R10.31 Pain localized to other parts of lower abdomen R10.3 R10.32 Pain localized to other parts of lower abdomen R10.3 R10.33 Pain localized to other parts of lower abdomen R10.81 R10.81 Abdominal tenderness R10.81 R10.812 Abdominal tenderness R10.81 R10.813 Abdominal tenderness R10.81 R10.814 Abdominal tenderness R10.81 R10.815 Abdominal tenderness R10.81 R10.816 Abdominal tenderness R10.81 R10.819 Abdominal tenderness R10.82 R10.821 Rebound abdominal tenderness R10.82 R10.822 Rebound abdominal tenderness <td></td> | |
| R10.1 R10.12 Pain localized to upper abdomen R10.1 R10.12 Pain localized to upper abdomen R10.2 R10.2 Pelvic and perineal pain R10.3 R10.30 Pain localized to other parts of lower abdomen R10.3 R10.31 Pain localized to other parts of lower abdomen R10.3 R10.32 Pain localized to other parts of lower abdomen R10.3 R10.33 Pain localized to other parts of lower abdomen R10.81 R10.81 Abdominal tenderness R10.81 R10.81 Abdominal tenderness R10.81 R10.813 Abdominal tenderness R10.81 R10.814 Abdominal tenderness R10.81 R10.815 Abdominal tenderness R10.81 R10.816 Abdominal tenderness R10.81 R10.816 Abdominal tenderness R10.81 R10.817 Abdominal tenderness R10.81 R10.817 Abdominal tenderness R10.82 R10.821 Rebound abdominal tenderness R10.82 R10.822 Rebound abdominal tenderness <tr< td=""><td></td></tr<> | |
| R10.1 R10.12 Pain localized to upper abdomen R10.1 R10.13 Pain localized to upper abdomen R10.2 R10.2 Pelvic and perineal pain R10.3 R10.30 Pain localized to other parts of lower abdomen R10.3 R10.31 Pain localized to other parts of lower abdomen R10.3 R10.32 Pain localized to other parts of lower abdomen R10.3 R10.33 Pain localized to other parts of lower abdomen R10.81 R10.81 Abdominal tenderness R10.81 R10.81 Abdominal tenderness R10.81 R10.812 Abdominal tenderness R10.81 R10.814 Abdominal tenderness R10.81 R10.815 Abdominal tenderness R10.81 R10.816 Abdominal tenderness R10.81 R10.817 Abdominal tenderness R10.81 R10.819 Abdominal tenderness R10.82 R10.821 Rebound abdominal tenderness R10.82 R10.822 Rebound abdominal tenderness R10.82 R10.823 Rebound abdominal tenderness | |
| R10.1 R10.2 Pain localized to upper abdomen R10.2 R10.2 Pelvic and perineal pain R10.3 R10.30 Pain localized to other parts of lower abdomen R10.3 R10.31 Pain localized to other parts of lower abdomen R10.3 R10.32 Pain localized to other parts of lower abdomen R10.3 R10.33 Pain localized to other parts of lower abdomen R10.81 R10.811 Abdominal tendemess R10.81 R10.812 Abdominal tendemess R10.81 R10.813 Abdominal tendemess R10.81 R10.814 Abdominal tendemess R10.81 R10.815 Abdominal tendemess R10.81 R10.816 Abdominal tendemess R10.81 R10.816 Abdominal tendemess R10.82 R10.821 Rebound abdominal tendemess R10.82 R10.821 Rebound abdominal tendemess R10.82 R10.822 Rebound abdominal tendemess R10.82 R10.823 Rebound abdominal tendemess R10.82 R10.825 Rebound abdominal tendemess | |
| R10.2 R10.2 Pelvic and perineal pain R10.3 R10.30 Pain localized to other parts of lower abdomen R10.3 R10.31 Pain localized to other parts of lower abdomen R10.3 R10.32 Pain localized to other parts of lower abdomen R10.3 R10.33 Pain localized to other parts of lower abdomen R10.81 R10.811 Abdominal tenderness R10.81 R10.812 Abdominal tenderness R10.81 R10.813 Abdominal tenderness R10.81 R10.814 Abdominal tenderness R10.81 R10.815 Abdominal tenderness R10.81 R10.816 Abdominal tenderness R10.81 R10.817 Abdominal tenderness R10.82 R10.819 Abdominal tenderness R10.82 R10.821 Rebound abdominal tenderness R10.82 R10.822 Rebound abdominal tenderness R10.82 R10.823 Rebound abdominal tenderness R10.82 R10.825 Rebound abdominal tenderness R10.82 R10.826 Rebound abdominal tenderness R10.82 R10.827 Rebound abdominal tenderness | |
| R10.3 R10.30 Pain localized to other parts of lower abdomen R10.3 R10.31 Pain localized to other parts of lower abdomen R10.3 R10.32 Pain localized to other parts of lower abdomen R10.81 R10.811 Abdominal tenderness R10.81 R10.812 Abdominal tenderness R10.81 R10.813 Abdominal tenderness R10.81 R10.814 Abdominal tenderness R10.81 R10.815 Abdominal tenderness R10.81 R10.816 Abdominal tenderness R10.81 R10.816 Abdominal tenderness R10.81 R10.817 Abdominal tenderness R10.81 R10.817 Abdominal tenderness R10.82 R10.821 Rebound abdominal tenderness R10.82 R10.822 Rebound abdominal tenderness R10.82 R10.823 Rebound abdominal tenderness R10.82 R10.824 Rebound abdominal tenderness R10.82 R10.825 Rebound abdominal tenderness R10.82 R10.827 Rebound abdominal tenderness | |
| R10.3 R10.31 Pain localized to other parts of lower abdomen R10.3 R10.32 Pain localized to other parts of lower abdomen R10.81 R10.813 Pain localized to other parts of lower abdomen R10.81 R10.811 Abdominal tenderness R10.81 R10.812 Abdominal tenderness R10.81 R10.813 Abdominal tenderness R10.81 R10.814 Abdominal tenderness R10.81 R10.815 Abdominal tenderness R10.81 R10.816 Abdominal tenderness R10.81 R10.817 Abdominal tenderness R10.81 R10.819 Abdominal tenderness R10.82 R10.821 Rebound abdominal tenderness R10.82 R10.822 Rebound abdominal tenderness R10.82 R10.823 Rebound abdominal tenderness R10.82 R10.824 Rebound abdominal tenderness R10.82 R10.825 Rebound abdominal tenderness R10.82 R10.826 Rebound abdominal tenderness R10.82 R10.827 Rebound abdominal tenderness R10.83 R10.849 Generalized abdominal tenderness | |
| R10.3 R10.32 Pain localized to other parts of lower abdomen R10.3 R10.33 Pain localized to other parts of lower abdomen R10.81 R10.811 Abdominal tenderness R10.81 R10.812 Abdominal tenderness R10.81 R10.813 Abdominal tenderness R10.81 R10.814 Abdominal tenderness R10.81 R10.815 Abdominal tenderness R10.81 R10.816 Abdominal tenderness R10.81 R10.817 Abdominal tenderness R10.81 R10.819 Abdominal tenderness R10.82 R10.821 Rebound abdominal tenderness R10.82 R10.822 Rebound abdominal tenderness R10.82 R10.823 Rebound abdominal tenderness R10.82 R10.824 Rebound abdominal tenderness R10.82 R10.825 Rebound abdominal tenderness R10.82 R10.826 Rebound abdominal tenderness R10.82 R10.827 Rebound abdominal tenderness R10.82 R10.829 Rebound abdominal tenderness R10 | |
| R10.3 R10.33 Pain localized to other parts of lower abdomen R10.81 R10.811 Abdominal tenderness R10.81 R10.812 Abdominal tenderness R10.81 R10.813 Abdominal tenderness R10.81 R10.814 Abdominal tenderness R10.81 R10.815 Abdominal tenderness R10.81 R10.816 Abdominal tenderness R10.81 R10.817 Abdominal tenderness R10.81 R10.819 Abdominal tenderness R10.82 R10.821 Rebound abdominal tenderness R10.82 R10.822 Rebound abdominal tenderness R10.82 R10.823 Rebound abdominal tenderness R10.82 R10.824 Rebound abdominal tenderness R10.82 R10.825 Rebound abdominal tenderness R10.82 R10.826 Rebound abdominal tenderness R10.82 R10.829 Rebound abdominal tenderness R10.84 R10.84 Generalized abdominal tenderness R10.84 R10.84 Generalized abdominal tenderness R10.89 | |
| R10.3 R10.33 Pain localized to other parts of lower abdomen R10.81 R10.811 Abdominal tenderness R10.81 R10.812 Abdominal tenderness R10.81 R10.813 Abdominal tenderness R10.81 R10.814 Abdominal tenderness R10.81 R10.815 Abdominal tenderness R10.81 R10.816 Abdominal tenderness R10.81 R10.817 Abdominal tenderness R10.81 R10.819 Abdominal tenderness R10.82 R10.821 Rebound abdominal tenderness R10.82 R10.822 Rebound abdominal tenderness R10.82 R10.823 Rebound abdominal tenderness R10.82 R10.824 Rebound abdominal tenderness R10.82 R10.825 Rebound abdominal tenderness R10.82 R10.826 Rebound abdominal tenderness R10.82 R10.829 Rebound abdominal tenderness R10.84 R10.84 Generalized abdominal tenderness R10.84 R10.84 Generalized abdominal tenderness R10.89 | |
| R10.81 R10.812 Abdominal tenderness R10.81 R10.813 Abdominal tenderness R10.81 R10.813 Abdominal tenderness R10.81 R10.814 Abdominal tenderness R10.81 R10.815 Abdominal tenderness R10.81 R10.816 Abdominal tenderness R10.81 R10.817 Abdominal tenderness R10.81 R10.819 Abdominal tenderness R10.82 R10.821 Rebound abdominal tenderness R10.82 R10.822 Rebound abdominal tenderness R10.82 R10.823 Rebound abdominal tenderness R10.82 R10.824 Rebound abdominal tenderness R10.82 R10.825 Rebound abdominal tenderness R10.82 R10.826 Rebound abdominal tenderness R10.82 R10.827 Rebound abdominal tenderness R10.82 R10.829 Rebound abdominal tenderness R10.84 R10.84 Generalized abdominal pain R10.9 Unspecified abdominal pain R10 Nausea and vomiting | |
| R10.81 R10.813 Abdominal tenderness R10.81 R10.814 Abdominal tenderness R10.81 R10.815 Abdominal tenderness R10.81 R10.816 Abdominal tenderness R10.81 R10.817 Abdominal tenderness R10.81 R10.819 Abdominal tenderness R10.82 R10.821 Rebound abdominal tenderness R10.82 R10.822 Rebound abdominal tenderness R10.82 R10.823 Rebound abdominal tenderness R10.82 R10.824 Rebound abdominal tenderness R10.82 R10.825 Rebound abdominal tenderness R10.82 R10.826 Rebound abdominal tenderness R10.82 R10.827 Rebound abdominal tenderness R10.83 R10.829 Rebound abdominal tenderness R10.84 Generalized abdominal pain R10.9 R10.9 Unspecified abdominal pain R11 R11.0 Nausea and vomiting | |
| R10.81 R10.813 Abdominal tenderness R10.81 R10.814 Abdominal tenderness R10.81 R10.815 Abdominal tenderness R10.81 R10.816 Abdominal tenderness R10.81 R10.817 Abdominal tenderness R10.81 R10.819 Abdominal tenderness R10.82 R10.821 Rebound abdominal tenderness R10.82 R10.822 Rebound abdominal tenderness R10.82 R10.823 Rebound abdominal tenderness R10.82 R10.824 Rebound abdominal tenderness R10.82 R10.825 Rebound abdominal tenderness R10.82 R10.826 Rebound abdominal tenderness R10.82 R10.827 Rebound abdominal tenderness R10.82 R10.829 Rebound abdominal tenderness R10.84 Generalized abdominal pain R10.9 R10.9 Unspecified abdominal pain R11 R11.0 Nausea and vomiting | |
| R10.81 R10.814 Abdominal tenderness R10.81 R10.815 Abdominal tenderness R10.81 R10.816 Abdominal tenderness R10.81 R10.817 Abdominal tenderness R10.81 R10.819 Abdominal tenderness R10.82 R10.821 Rebound abdominal tenderness R10.82 R10.822 Rebound abdominal tenderness R10.82 R10.823 Rebound abdominal tenderness R10.82 R10.824 Rebound abdominal tenderness R10.82 R10.825 Rebound abdominal tenderness R10.82 R10.826 Rebound abdominal tenderness R10.82 R10.827 Rebound abdominal tenderness R10.82 R10.829 Rebound abdominal tenderness R10.84 R10.849 Generalized abdominal tenderness R10.84 R10.9 Unspecified abdominal pain R10.9 R10.9 Unspecified abdominal pain R11 R11.0 Nausea and vomiting | |
| R10.81 R10.815 Abdominal tenderness R10.81 R10.816 Abdominal tenderness R10.81 R10.817 Abdominal tenderness R10.81 R10.819 Abdominal tenderness R10.82 R10.821 Rebound abdominal tenderness R10.82 R10.822 Rebound abdominal tenderness R10.82 R10.823 Rebound abdominal tenderness R10.82 R10.824 Rebound abdominal tenderness R10.82 R10.825 Rebound abdominal tenderness R10.82 R10.826 Rebound abdominal tenderness R10.82 R10.827 Rebound abdominal tenderness R10.82 R10.828 R10.829 Rebound abdominal tenderness R10.84 R10.85 Rebound abdominal tenderness R10.89 R10.89 Rebound abdominal tenderness R10.89 R10.89 Rebound abdominal tenderness R10.80 R10.80 R10.80 Rebound abdominal tenderness R10.81 R10.82 R10.829 Rebound abdominal tenderness R10.83 R10.84 R10.84 Generalized abdominal pain R10.9 R10.9 Unspecified abdominal pain R11 R11.0 Nausea and vomiting | |
| R10.81 R10.817 Abdominal tenderness R10.81 R10.819 Abdominal tenderness R10.82 R10.821 Rebound abdominal tenderness R10.82 R10.822 Rebound abdominal tenderness R10.82 R10.823 Rebound abdominal tenderness R10.82 R10.824 Rebound abdominal tenderness R10.82 R10.825 Rebound abdominal tenderness R10.82 R10.826 Rebound abdominal tenderness R10.82 R10.827 Rebound abdominal tenderness R10.82 R10.829 Rebound abdominal tenderness R10.84 R10.859 Rebound abdominal tenderness R10.84 R10.84 Generalized abdominal pain R10.9 R10.9 Unspecified abdominal pain R11 R11.0 Nausea and vomiting | |
| R10.81R10.819Abdominal tendernessR10.82R10.821Rebound abdominal tendernessR10.82R10.822Rebound abdominal tendernessR10.82R10.823Rebound abdominal tendernessR10.82R10.824Rebound abdominal tendernessR10.82R10.825Rebound abdominal tendernessR10.82R10.826Rebound abdominal tendernessR10.82R10.827Rebound abdominal tendernessR10.82R10.829Rebound abdominal tendernessR10.84R10.84Generalized abdominal painR10.9R10.9Unspecified abdominal painR11R11.0Nausea and vomiting | |
| R10.82 R10.821 Rebound abdominal tenderness R10.82 R10.822 Rebound abdominal tenderness R10.82 R10.823 Rebound abdominal tenderness R10.82 R10.824 Rebound abdominal tenderness R10.82 R10.825 Rebound abdominal tenderness R10.82 R10.826 Rebound abdominal tenderness R10.82 R10.827 Rebound abdominal tenderness R10.82 R10.829 Rebound abdominal tenderness R10.84 R10.84 Generalized abdominal pain R10.9 R10.9 Unspecified abdominal pain R11 R11.0 Nausea and vomiting | |
| R10.82R10.822Rebound abdominal tendernessR10.82R10.823Rebound abdominal tendernessR10.82R10.824Rebound abdominal tendernessR10.82R10.825Rebound abdominal tendernessR10.82R10.826Rebound abdominal tendernessR10.82R10.827Rebound abdominal tendernessR10.82R10.829Rebound abdominal tendernessR10.84R10.84Generalized abdominal painR10.9R10.9Unspecified abdominal painR11R11.0Nausea and vomiting | |
| R10.82R10.822Rebound abdominal tendernessR10.82R10.823Rebound abdominal tendernessR10.82R10.824Rebound abdominal tendernessR10.82R10.825Rebound abdominal tendernessR10.82R10.826Rebound abdominal tendernessR10.82R10.827Rebound abdominal tendernessR10.82R10.829Rebound abdominal tendernessR10.84R10.84Generalized abdominal painR10.9R10.9Unspecified abdominal painR11R11.0Nausea and vomiting | |
| R10.82R10.824Rebound abdominal tendernessR10.82R10.825Rebound abdominal tendernessR10.82R10.826Rebound abdominal tendernessR10.82R10.827Rebound abdominal tendernessR10.82R10.829Rebound abdominal tendernessR10.84R10.84Generalized abdominal painR10.9R10.9Unspecified abdominal painR11R11.0Nausea and vomiting | |
| R10.82R10.824Rebound abdominal tendernessR10.82R10.825Rebound abdominal tendernessR10.82R10.826Rebound abdominal tendernessR10.82R10.827Rebound abdominal tendernessR10.82R10.829Rebound abdominal tendernessR10.84R10.84Generalized abdominal painR10.9R10.9Unspecified abdominal painR11R11.0Nausea and vomiting | |
| R10.82R10.825Rebound abdominal tendernessR10.82R10.826Rebound abdominal tendernessR10.82R10.827Rebound abdominal tendernessR10.82R10.829Rebound abdominal tendernessR10.84R10.84Generalized abdominal painR10.9R10.9Unspecified abdominal painR11R11.0Nausea and vomiting | |
| R10.82R10.826Rebound abdominal tendernessR10.82R10.827Rebound abdominal tendernessR10.82R10.829Rebound abdominal tendernessR10.84R10.84Generalized abdominal painR10.9R10.9Unspecified abdominal painR11R11.0Nausea and vomiting | |
| R10.82R10.827Rebound abdominal tendernessR10.82R10.829Rebound abdominal tendernessR10.84R10.84Generalized abdominal painR10.9R10.9Unspecified abdominal painR11R11.0Nausea and vomiting | |
| R10.84 R10.84 Generalized abdominal pain R10.9 R10.9 Unspecified abdominal pain R11 R11.0 Nausea and vomiting | |
| R10.84 R10.84 Generalized abdominal pain R10.9 R10.9 Unspecified abdominal pain R11 R11.0 Nausea and vomiting | |
| R10.9 R10.9 Unspecified abdominal pain R11 R11.0 Nausea and vomiting | |
| R11 R11.0 Nausea and vomiting | |
| | |
| R11 R11.10 Nausea and vomiting | |
| R11 R11.11 Nausea and vomiting | |
| R11 R11.12 Nausea and vomiting | |
| R11 R11.2 Nausea and vomiting | |
| R14 R14.0 Flatulence and related conditions | |
| R14 R14.1 Flatulence and related conditions | |
| R14 R14.2 Flatulence and related conditions | |
| R14 R14.3 Flatulence and related conditions | |
| R16 R16.0 Hepatomegaly and splenomegaly, not elsewhere classified | |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|---|
| 100 40 0 | ICD-10 | |
| ICD-10 Group | Invidividual | Group Description |
| Designation | Code | |
| R16 | R16.1 | Hepatomegaly and splenomegaly, not elsewhere classified |
| R16 | R16.2 | Hepatomegaly and splenomegaly, not elsewhere classified |
| R17. | R17 | Unspecified jaundice |
| R19.0 | R19.00 | Intra-abdominal and pelvic swelling, mass and lump |
| R19.0 | R19.01 | Intra-abdominal and pelvic swelling, mass and lump |
| R19.0 | R19.02 | Intra-abdominal and pelvic swelling, mass and lump |
| R19.0 | R19.03 | Intra-abdominal and pelvic swelling, mass and lump |
| R19.0 | R19.04 | Intra-abdominal and pelvic swelling, mass and lump |
| R19.0 | R19.05 | Intra-abdominal and pelvic swelling, mass and lump |
| R19.0 | R19.06 | Intra-abdominal and pelvic swelling, mass and lump |
| R19.0 | R19.07 | Intra-abdominal and pelvic swelling, mass and lump |
| R19.0 | R19.09 | Intra-abdominal and pelvic swelling, mass and lump |
| R19.2 | R19.2 | Visible peristalsis |
| R19.4 | R19.4 | Change in bowel habit |
| R19.5 | R19.5 | Other fecal abnormalities |
| R19.7 | R19.7 | Diarrhea, unspecified |
| R19.8 | R19.8 | Other specified symptoms and signs involving the digestive system and abdomen |
| R21. | R21 | Rash and other nonspecific skin eruption |
| R22 | R22.0 | Localized swelling, mass and lump of skin and subcutaneous tissue |
| R22 | R22.1 | Localized swelling, mass and lump of skin and subcutaneous tissue |
| R22 | R22.2 | Localized swelling, mass and lump of skin and subcutaneous tissue |
| R22 | R22.30 | Localized swelling, mass and lump of skin and subcutaneous tissue |
| R22 | R22.31 | Localized swelling, mass and lump of skin and subcutaneous tissue |
| R22 | R22.32 | Localized swelling, mass and lump of skin and subcutaneous tissue |
| R22 | R22.33 | Localized swelling, mass and lump of skin and subcutaneous tissue |
| R22 | R22.40 | Localized swelling, mass and lump of skin and subcutaneous tissue |
| R22 | R22.41 | Localized swelling, mass and lump of skin and subcutaneous tissue |
| R22 | R22.42 | Localized swelling, mass and lump of skin and subcutaneous tissue |
| R22 | R22.43 | Localized swelling, mass and lump of skin and subcutaneous tissue |
| R22 | R22.9 | Localized swelling, mass and lump of skin and subcutaneous tissue |
| R23.2 | R23.2 | Flushing |
| R23.3 | R23.3 | Spontaneous ecchymoses |
| R23.4 | R23.4 | Changes in skin texture |
| R23.8 | R23.8 | Other skin changes |
| R23.9 | R23.9 | Unspecified skin changes |
| R25.2 | R25.2 | Cramp and spasm |
| R30 | R30.0 | Pain associated with micturition |
| R30 | R30.9 | Pain associated with micturition |
| R31.9 | R31.9 | Hematuria, unspecified |
| R33 | R33.0 | Retention of urine |
| R33 | R33.8 | Retention of urine |
| R33 | R33.9 | Retention of urine |
| R35 | R35.0 | Polyuria |
| R35 | R35.1 | Polyuria |
| R35 | R35.8 | Polyuria |
| R36 | R36.0 | Urethral discharge |
| R36 | R36.9 | Urethral discharge |
| R39.11 | R39.11 | Hesitancy of micturition |



| R49.5 R49.6 Other voice and resonance disorders R50 R50.2 Fewor of other and unknown origin R51 R51 R51 R51. R51.0 Headache R51. R51.0 Headache R51. R51.0 Headache R52. R52.0 Pair. unspecified R53.3 R53.3 Malaise and faligue R53.3 R53.3 Malaise and faligue R53.4 R53.31 Malaise and faligue R53.3 R53.35 Malaise and faligue R53.4 R53.35 Malaise and faligue R53.8 R53.31 Malaise and faligue R59.0 Enlarged lymph nodes R59.0 Enlarged lymph nodes R59.0 R50.1 Enlarged lymph nodes R59.0 R50.1 Edma, not elsewhere classified R60.0 R60.1 Edma, not elsewhere classified R60.0 R60.1 Edma, not elsewhere classified R61. R61. R61. R62. R60.4 | | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|---|--------------|--------|---|
| Designation Designation | ICD-10 Group | | |
| Mail | | | Group Description |
| R38,13 R38,14 Splitting of unimary stream R30,14 R50,16 R30,16 Stall of R30,16 Wingson, of unimation R30,15 R30,16 Starting to void Account of the control of the c | | | |
| R39,14 R39,15 Feeling of incomplete bladder emptying R30,16 R39,15 Straining to void R30,19 Other difficulties with micturition R30,19 R39,19 Other difficulties with micturition R30,19 R39,191 Other difficulties with micturition R30,19 R39,192 Other difficulties with micturition R30,19 R39,192 Other difficulties with micturition R30,19 R39,192 Other difficulties with micturition R30,10 R39,192 Other difficulties with micturition R30,10 R49,20 Duriness and glidiplicases R42,2 Duriness and glidiplicases R48,2 M49,32 Other voice and resource deported and supplications R50,1 R51,9 Headlache R51,1 Headlache R51,1 R51,1 Headlache R52,2 R53,1 R51,80 Mailaise and fraitigue R53,3 R53,81 Mailaise and fraitigue R53,6 R52,1 Headlache R59,9 R59,1 Edinarged lymph nod | | | |
| R39,15 R39,16 Visarining to void R30.16 R30.19 R30.19 Other difficulties with micrurition R30.19 R30.191 Other difficulties with micrurition R30.19 R30.192 Other difficulties with micrurition R30.19 R30.192 Other difficulties with micrurition R42, R42 Discription and globidiness R48, R49, R49, Park Other voice and resonance disorders R50, R50, Feb. Prove for other and unknown origin R51, R51, R51, Headcarte Headcarte R51, R51, Headcarte Headcarte R52, R53, Headcarte Headcarte R53, R53, R53, Headcarte Headcarte R53, R53, Headcarte Headcarte R53, R53, R53, Headcarte Headcarte R53, R53, Headcarte Headcarte R54, R54, Headcarte Headcarte R55, Headcarte He | | | |
| R39.19 R39.19 Other difficulties with miclurition R39.19 R39.19 Other difficulties with miclurition R39.19 R39.19 Other difficulties with miclurition R39.19 R39.198 Other difficulties with miclurition R42 R22 Diziness and glodiness R48.8 Other voice and resonance disorders R50 R50.2 Fever of other and unknown origin R50 R50.9 Fever of other and unknown origin R51. R51. Headache R51. R51.0 Headache R52. R52.0 Pair, unspecfied R53.1 Maliase and fratigue R53.2 R53.1 Maliase and fratigue R53.3 R53.21 Maliase and fratigue R53.3 R53.3 Maliase and fratigue R53.3 R54.1 February of lymph nodes R59 R59.0 Enlarged lymph nodes R59 R59.9 Enlarged lymph nodes R50 R59.9 Enlarged lymph nodes R50 R59.9 Enlarged lymph | | | |
| R39.19 R39.191 Other difficulties with micturition R39.19 R39.191 Other difficulties with micturition R39.19 R39.192 Other difficulties with micturition R42. R42 Dizziness and gliddness R43. R49.8 Other voice and resonance disorders R50 R50.9 Fewer of other and unknown origin R51. Headsche R51. Headsche R51. R51.0 Headsche R52. R51.0 Headsche R53.1 Maleise and feligipe R53.3 R53.81 Maleise and feligipe R53.3 R54.1 Learned Winnh nodes R59.9 R59.1 Enlarged Winnh nodes | | | |
| R39.19 R39.192 Other difficulties with micturition R39.19 R39.198 Other difficulties with micturition R42. R42 Dizenase and gladiness R45.0 R49.2 Other voice and resonance disorders R50. R50.2 Fever of other and unknown origin R51. R51. R51. Headache R51. R51. Headache R51. R51.9 Headache R52. R52. Pain. unspecified R53. R53.3 Malaise and fatigue R53. R53.31 Malaise and fatigue R53. R53.81 Malaise and fatigue R53. R53.91 Malaise and fatigue R53. R53.91 Malaise and fatigue R54. R55.91 Enlarged lymph nodes R59. R59.0 Enlarged lymph nodes R59. R59.1 Enlarged lymph nodes R50. R50.0 Edema. not elsewhere classified R60. R60.0 Edema. not elsewhere classified R60.1 | | | |
| R39,19 R39,198 Other difficulties with micturition R42, R42 Dizziness and gitdiness R48,8 R48,8 Cher with micturition R50 R50,2 Fever of other and unknown origin R51 R50,9 Fever of other and unknown origin R51, R51,0 Headache R51, R51,0 Headache R51, R51,9 Headache R52, R52 Pain, unspecified R53 R53,0 Maleise and fatigue R53 R53,1 Maleise and fatigue R59 R59,0 Einlarged lymph nodes R59 R59,1 Einlarged lymph nodes R60 R60,0 Edema, not elsewhere classified R61 R61 Generalized hyperhidrosis R64 Cachexia S00,03XA | | | |
| R39,19 R39,198 Other difficulties with micruition M42. R42. Dizziness and gliddiness R49.8 R49.8 Cyber voice and resonance disorders R50. R50.2 Fever of other and unknown origin R50. R50.2 Fever of other and unknown origin R51. R51.1 Headache R51. R51.9 Headache R51. R51.9 Headache R52. R52. Pain, unspecified R53. R53.1 Malaise and fatique R53. R53.3 Malaise and fatique R53. R53.31 Malaise and fatique R59. R59.0 Enlarged lymph nodes R59. R59.1 Enlarged lymph nodes R59. R59.9 Enlarged lymph nodes R59. R59.9 Enlarged lymph nodes R59. R59.9 Enlarged lymph nodes R59. R59.1 Edema, not elsewhere classified R60.1 Edema, not elsewhere classified R60.2 Edema, not elsewhere classified | | | |
| R42, R42 Dizziness and gliddiness R48,8 R49,8 Orber voice and resonance disorders R50 R50,2 Fever of other and unknown origin R51, R51 Hand R51, R51 Headache R51, R51,9 Headache R52, R62 Pain, unspecified R53 R53,1 Malaise and fatigue R53 R53,1 Malaise and fatigue R53 R53,1 Malaise and fatigue R53 R53,3 Malaise and fatigue R53 R53,1 Malaise and fatigue R53 R53,3 Malaise and fatigue R53 R53,3 Malaise and fatigue R53 R53,3 Malaise and fatigue R59 R69,1 Enlarged lymph nodes R59 R69,1 Enlarged lymph nodes R60 R60,1 Edma, not elsewhere classified R60 R60,1 Edma, not elsewhere classified R61 R61 Generalized hyperhidrosis | | | |
| R49.5 R49.6 Other voice and resonance disorders R50 R50.2 Fewor of other and unknown origin R51 R51 R51 R51. R51.0 Headache R51. R51.0 Headache R51. R51.0 Headache R52. R52.0 Pair. unspecified R53.3 R53.3 Malaise and faligue R53.3 R53.3 Malaise and faligue R53.4 R53.31 Malaise and faligue R53.3 R53.35 Malaise and faligue R53.4 R53.35 Malaise and faligue R53.8 R53.31 Malaise and faligue R59.0 Enlarged lymph nodes R59.0 Enlarged lymph nodes R59.0 R50.1 Enlarged lymph nodes R59.0 R50.1 Edma, not elsewhere classified R60.0 R60.1 Edma, not elsewhere classified R60.0 R60.1 Edma, not elsewhere classified R61. R61. R61. R62. R60.4 | | | |
| R50 R50.2 Eever of other and unknown origin R50 R50.9 Fever of other and unknown origin R61. R51 Headache R51. R51.9 Headache R51. R51.9 Headache R52. R52 Pain, unspecified R83. R33.1 Malaise and fatigue R53 R33.81 Malaise and fatigue R63 R33.81 Malaise and fatigue R63 R33.83 Malaise and fatigue R69 R89.0 Enlarged lymph nodes R69 R89.1 Enlarged lymph nodes R69 R89.1 Enlarged lymph nodes R60 R80.0 Edema, not elsewhere classified R60 R80.1 Edema, not elsewhere classified R60 R80.1 Edema, not elsewhere classified R61. R61 Generalized hyperhidrosis R62. R62 Cachoxia S00.01XA S00.01XA Abrasion of scalp, initial encounter R63. R64 Cachoxia | R42. | | |
| R50 R50.9 Fover of other and unknown origin R61. R51.0 Headache R51. R51.0 Headache R81. R51.9 Headache R52. R52. R52. R53.0 Malaise and fatigue R53.1 Malaise and fatigue R53.3 Malaise and fatigue R53.8 R53.81 Malaise and fatigue R59. R59.0 Enlarged lymph nodes R69. R69.1 Enlarged lymph nodes R69. R69.0 Enlarged lymph nodes R60. R60.0 Edema, not elsewhere classified R60. R60.1 Edema, not elsewhere classified R61. R61.9 Edema, not elsewhere classified R62. R63.9 Cathexia R63. R64. Cachexia R64. R64. Cachexia R65. R69.3 Insect bits (norwenous) of sealp, initial encounter R64. Cachexia Insect bits (norwenous) of sealp, initial encounter R64. R64. | R49.8 | | Other voice and resonance disorders |
| R51. R51. Headache R61. R51.9 Headache R62. R52.9 Pan, unspecified R83 R53.0 Malaise and fatigue R83 R53.1 Malaise and fatigue R53.8 R53.81 Malaise and fatigue R53.8 R53.83 Malaise and fatigue R59.9 R59.1 Enlarged lymph nodes R69.0 Enlarged lymph nodes R59.9 R59.1 Enlarged lymph nodes R60.0 R60.0 Edema, not elsewhere classified R60.0 R60.1 Edema, not elsewhere classified R60.1 R61. R61. R61. R61. Generalized ryperhidrosis R64. R64. Cachexia S00.01XA S00.01XA Abrasion of scalp, initial encounter S00.03XA S00.03XA Contusion of rose, initial encounter S00.33XA S00.03XA Abrasion of nose, initial encounter S00.41 S00.412A Abrasion of ence, initial encounter S00.41 S00.412A <td< td=""><td>R50</td><td></td><td>Fever of other and unknown origin</td></td<> | R50 | | Fever of other and unknown origin |
| R51. R51.0 Headache R61. R51.9 Headache R52. R52 Pan, unspecified R53.1 Malaise and fatigue R53.8 R53.1 Malaise and fatigue R53.8 R53.81 Malaise and fatigue R59. R53.83 Malaise and fatigue R59. R59.0 Enlarged lymph nodes R59. R59.1 Enlarged lymph nodes R60. R60.0 Edema, not elsewhere classified R60. R60.1 Edema, not elsewhere classified R60. R60.1 Edema, not elsewhere classified R61. R61. Generalized syperhidrosis R64. S60.001XA S00.01XA S00.01XA S00.01XA Abrasion of scalp, initial encounter S00.02XA S00.03XA Contusion of nonex, initial encounter S00.03XA S00.03XA Contusion of nose, initial encounter S00.33XA S00.33XA Contusion of nose, initial encounter S00.41 Abrasion of lore S00.41 Abrasion of ear< | R50 | | Fever of other and unknown origin |
| R51. R51.9 Headache R52. R52.0 Pain, unspecified R53. R53.1 Malaise and fatigue R53. R53.81 Malaise and fatigue R53. R53.83 Malaise and fatigue R59. R59.0 Enlarged lymph nodes R59. R59.1 Enlarged lymph nodes R59. R59.1 Enlarged lymph nodes R60. R60.0 Edema, not elsewhere classified R80. R60.1 Edema, not elsewhere classified R80. R60.1 Edema, not elsewhere classified R80. R60.9 Edema, not elsewhere classified R80. R60.9 Edema, not elsewhere classified R80. R60.9 Edema, not elsewhere classified R81. Generalized hyperhidrosis R84. R64. Cachexia S00.03XA S00.01XA S00.01XA S00.04XA S00.05XA Insect bite (nonvenomous) of scalp, initial encounter S00.31XA S00.31XA S00.31XA Abrasion of nose, initial encounter | R51. | | Headache |
| R52 Pain, unspecified R53 R53.0 Malaise and fatigue R53 R53.1 Malaise and fatigue R53 R53.81 Malaise and fatigue R59 R59.0 Enlarged lymph nodes R59 R59.1 Enlarged lymph nodes R59 R59.9 Enlarged lymph nodes R60 R60.0 Edema, not elsewhere classified R80 R60.1 Edema, not elsewhere classified R60 R60.9 Edema, not elsewhere classified R61 R61 Generalized hyperhidrois R64 Cachexia S00.01XA S00.01XA S00.03XA Contusion of scalp, initial encounter S00.05XA S00.03XA S00.03XA S00.34XA S00.03XA Contusion of nose, initial encounter S00.35XA S00.35XA Contusion of nose, initial encounter S00.35XA S00.35XA Contusion of nose, initial encounter S00.41 S00.411A Abrasion of lar S00.42 S00.431A Abrasion of lar S00.43 | R51. | R51.0 | Headache |
| R83 R53.0 Malaise and fatigue R53 R53.81 Malaise and fatigue R87 R53.83 Malaise and fatigue R89 R59.0 Enlarged lymph nodes R59 R59.1 Enlarged lymph nodes R69 R59.0 Eclema, not elsewhere classified R60 R60.0 Edema, not elsewhere classified R60 R60.9 Edema, not elsewhere classified R61 R81 Generalized hyperhidrosis R04 R84 Cachexia R050.03XA S00.01XA S00.01XA S00.03XA S00.03XA Contusion of scalp, initial encounter S00.35XA S00.35XA S00.35XA S00.35XA S00.35XA S00.35XA S00.41 S00.412A Abrasion of ear S00.41 S00.412A Abrasion of ear S00.43 S00.412A Abrasion of ear S00.41 S00.412A Abrasion of ear S00.43 S00.433A Contusion of ear S00.43 S00.439A Contusion of | R51. | R51.9 | Headache |
| R53 R53.1 Malaise and fatigue R53 R53.81 Malaise and fatigue R59 R59.0 Enlarged lymph nodes R59 R59.9 Enlarged lymph nodes R60 R69.1 Eleman not elsewhere classified R60 R60.1 Edema, not elsewhere classified R60 R60.1 Edema, not elsewhere classified R61 R61 Generalized hyperhidrosis R61 R61 Generalized hyperhidrosis R64 Cachexia S00.01XA Abrasion of scalp, initial encounter S00.03XA S00.03XA S00.05XA S00.05XA S00.31XA Abrasion of nose, initial encounter S00.33XA S00.33XA S00.33XA S00.33XA S00.35XA Contusion of nose, initial encounter S00.35XA S00.33XA S00.35XA S00.35XA S00.35XA S00.35XA S00.35XA Contusion of nose, initial encounter S00.35XA S00.35XA S00.35XA Contusion of ear | R52. | R52 | Pain, unspecified |
| R53 R53.1 Malaise and fatigue R53 R53.81 Malaise and fatigue R59 R59.0 Enlarged lymph nodes R59 R59.9 Enlarged lymph nodes R60 R60.0 Edema, not elsewhere classified R60 R60.1 Edema, not elsewhere classified R60 R60.1 Edema, not elsewhere classified R61 R61 Generalized hyperhidrosis R61 R61 Generalized hyperhidrosis R64 Cachexia S00.01XA S00.01XA Abrasion of scalp, initial encounter S00.05XA S00.05XA Insect bite (nonvenomous) of scalp, initial encounter S00.33XA S00.33XA S00.35XA Contusion of nose, initial encounter S00.33XA S00.33XA S00.33XA Contusion of nose, initial encounter S00.35XA S00.35XA Contusion of ear S00.41 S00.411A Abrasion of ear S00.41 S00.411A Abrasion of ear S00.41 S00.419A Abrasion of ear S00.43 S00.43 | R53 | R53.0 | |
| R83 R83,81 Malaise and fatigue R89 R89.0 Enlarged lymph nodes R89 R89.1 Enlarged lymph nodes R89 R89.2 Enlarged lymph nodes R80 R80.0 Edema, not elsewhere classified R80 R80.1 Edema, not elsewhere classified R80 R80.1 Edema, not elsewhere classified R81 R81 Generalized hyperhidrosis R84. R84 Cachexia S00.01XA S00.01XA Abrasion of scalp, initial encounter S00.03XA S00.03XA Contusion of scalp, initial encounter S00.33XA S00.33XA Contusion of nose, initial encounter S00.33XA S00.33XA Contusion of nose, initial encounter S00.33XA S00.33XA Contusion of nose, initial encounter S00.41 S00.411A Abrasion of ear S00.41 S00.412A Abrasion of ear S00.41 S00.419A Abrasion of ear S00.43 S00.439A Contusion of ear S00.46 S00.462A Insect | R53 | R53.1 | |
| R53 R53,83 Malaise and fatigue R59 R59,0 Enlarged lymph nodes R59 R59,9 Enlarged lymph nodes R60 R60.0 Edema, not elsewhere classified R60 R60.1 Edema, not elsewhere classified R60 R60.1 Edema, not elsewhere classified R61 R61 Ceneralized hyperhidrosis R61. R61 Ceneralized hyperhidrosis R64. R64 Cachexia S00.01XA Abrasion of scalp, initial encounter S00.03XA S00.03XA S00.03XA S00.03XA S00.03XA Insect bite (nonvenomous) of scalp, initial encounter S00.31XA S00.31XA Abrasion of nose, initial encounter S00.33XA S00.33XA Contusion of nose, initial encounter S00.41XA S00.31XA Contusion of ear S00.41 S00.411A Abrasion of ear S00.41 S00.412 Abrasion of ear S00.43 S00.433A Contusion of ear S00.43 S00.439A Contusion of ear <tr< td=""><td>R53</td><td>R53.81</td><td></td></tr<> | R53 | R53.81 | |
| RS9 RS9.0 Enlarged lymph nodes RS9 R59.1 Enlarged lymph nodes R80 R60.0 Edema, not elsewhere classified R60 R60.0 Edema, not elsewhere classified R60 R60.9 Edema, not elsewhere classified R61 Generalized hyperhidrosis R64. R64 Cachexia S00.01XA S00.01XA Abrasion of scalp, initial encounter S00.03XA S00.03XA Contusion of scalp, initial encounter S00.31XA S00.31XA Abrasion of nose, initial encounter S00.33XA S00.33XA Contusion of nose, initial encounter S00.41 S00.41 Abrasion of ear S00.41 S00.41A Abrasion of ear S00.41 S00.41A Abrasion of ear S00.43 S00.43A S00.43A S00.41A S00.44 Contusion of ear S00.45 S00.46A S00.46B S00.46B S00.46B S00.46B S00.46B S00.46B S00.46B S00.46B S00.45B Insect bite (nonvenomous) of ear < | R53 | | |
| RS9 R59.1 Enlarged lymph nodes R59 R59.9 Enlarged lymph nodes R60 R60.1 Edema, not elsewhere classified R60 R60.1 Edema, not elsewhere classified R61 R61 Generalized hyperhidrosis R64. R64 Cachexia S00.01XA S00.01XA Abrasion of scalp, initial encounter S00.03XA S00.08XA Insect bite (nonvenomous) of scalp, initial encounter S00.33XA S00.33XA Contusion of nose, initial encounter S00.33XA S00.33XA Contusion of nose, initial encounter S00.36XA Insect bite (nonvenomous) of nose, initial encounter S00.41 S00.41A Abrasion of ear S00.41 S00.41A Abrasion of ear S00.43 S00.43A Contusion of ear S00.43 S00.43A Contusion of ear S00.43 S00.43A Contusion of ear S00.44 S00.45A Insect bite (nonvenomous) of ear S00.46 S00.46A Insect bite (nonvenomous) of ear S00.46 S00.4 | R59 | | |
| R59.9 Enlarged lymph nodes R60 R60.0 Edema, not elsewhere classified R60 R60.9 Edema, not elsewhere classified R61. R61 Generalized hyperhidrosis R64. R64 Cackvia S00.01XA S00.01XA Abrasion of scalp, initial encounter S00.03XA S00.03XA Contusion of scalp, initial encounter S00.03XA S00.31XA Abrasion of nose, initial encounter S00.31XA S00.31XA Abrasion of nose, initial encounter S00.33XA S00.33XA Contusion of nose, initial encounter S00.41 S00.41A Abrasion of ose, Initial encounter S00.41 S00.41A Abrasion of ear S00.41 S00.41A Abrasion of ear S00.43 S00.42A Abrasion of ear S00.43 S00.43A Contusion of ear S00.46 S00.46BA Insect bite (nonvenomous) of ear S00.46 S00.46BA Insect bite (nonvenomous) of ear S00.51 S00.51A Abrasion of lip and oral cavity S00.53 | R59 | | |
| R80 R80.1 Edema, not elsewhere classified R80 R80.1 Edema, not elsewhere classified R81 Generalized hyperhidrosis R84. R84 Cachexia S00.01XA S00.01XA Abrasion of scalp, initial encounter S00.08XA S00.03XA Contusion of scalp, initial encounter S00.03XA S00.06XA Insect bite (nonvenomous) of scalp, initial encounter S00.31XA S00.31XA Abrasion of nose, initial encounter S00.33XA S00.33XA Contusion of nose, initial encounter S00.33XA S00.36XA Insect bite (nonvenomous) of nose, initial encounter S00.41 S00.411A Abrasion of ear S00.41 S00.411A Abrasion of ear S00.41 S00.412A Abrasion of ear S00.43 S00.432A Contusion of ear S00.43 S00.432A Contusion of ear S00.46 S00.461A Insect bite (nonvenomous) of ear S00.46 S00.462A Insect bite (nonvenomous) of ear S00.51 S00.51A Abrasion of lip and oral cavity | R59 | | |
| R80 R80.1 Edema, not elsewhere classified R80 R80.9 Edema, not elsewhere classified R81. R81 Generalized hyperhidrosis R80.0.01XA S00.01XA S00.01XA Abrasion of scalp, initial encounter S00.03XA S00.03XA Contusion of scalp, initial encounter S00.05XA S00.31XA S00.31XA Abrasion of nose, initial encounter S00.33XA S00.33XA Contusion of nose, initial encounter S00.36XA S00.36XA Insect bite (nonvenomous) of nose, initial encounter S00.41 S00.41A Abrasion of ear S00.41 S00.41A Abrasion of ear S00.43 S00.431A Contusion of oear S00.43 S00.432A Contusion of ear S00.43 S00.439A Contusion of ear S00.46 S00.460A Insect bite (nonvenomous) of ear S00.46 S00.469A Insect bite (nonvenomous) of ear S00.51 S00.511A Abrasion of lip and oral cavity S00.53 S00.531A Contusion of lip and oral cavity | R60 | | |
| R80 R61 Edema, not elsewhere classified R81. R84 Cachexia 800.01XA S00.01XA Abrasion of scalp, initial encounter 500.03XA S00.03XA Contusion of scalp, initial encounter 800.06XA S00.06XA Insect bite (nonvenomous) of scalp, initial encounter 800.31XA S00.31XA Abrasion of nose, initial encounter 800.33XA S00.33XA Contusion of nose, initial encounter 800.41 S00.41A Abrasion of ear 800.41 S00.41A Abrasion of ear 800.43 S00.43A Contusion of ear 800.43 S00.43A Contusion of ear 800.43 S00.43A Contusion of ear 800.46 S00.46A Insect bite (nonvenomous) of ear 800.46 S00.46A Insect bite (nonvenomous) of ear 800.51 S00.511A Abrasion of lip and oral cavity 800.51 S00.514 Abrasion of lip and oral cavity | R60 | | |
| R61. Generalized hyperhidrosis R64. R64 Cachexia S00.01XA S00.01XA Abrasion of scalp, initial encounter S00.03XA S00.08XA Contusion of scalp, initial encounter S00.08XA S00.06XA Insect bite (nonvenomous) of scalp, initial encounter S00.31XA S00.31XA Abrasion of nose, initial encounter S00.33XA S00.33XA Contusion of nose, initial encounter S00.41 S00.36XA Insect bite (nonvenomous) of nose, initial encounter S00.41 S00.41A Abrasion of ear S00.41 S00.41A Abrasion of ear S00.43 S00.431A Contusion of ear S00.43 S00.432A Contusion of ear S00.43 S00.439A Contusion of ear S00.46 S00.462A Insect bite (nonvenomous) of ear S00.46 S00.469A Insect bite (nonvenomous) of ear S00.51 S00.51A Abrasion of lip and oral cavity S00.53 S00.531A Abrasion of lip and oral cavity | R60 | | Edema, not elsewhere classified |
| R64 Cachexia S00.01XA S00.01XA Abrasion of scalp, initial encounter S00.03XA S00.03XA Contusion of scalp, initial encounter S00.05XA S00.06XA Insect bite (nonvenomous) of scalp, initial encounter S00.31XA S00.31XA Abrasion of nose, initial encounter S00.33XA S00.36XA Insect bite (nonvenomous) of nose, initial encounter S00.40 S00.411A Abrasion of ear S00.41 S00.412A Abrasion of ear S00.41 S00.419A Abrasion of ear S00.43 S00.431A Contusion of ear S00.43 S00.432A Contusion of ear S00.43 S00.439A Contusion of ear S00.46 S00.462A Insect bite (nonvenomous) of ear S00.46 S00.469A Insect bite (nonvenomous) of ear S00.51 S00.511A Abrasion of lip and oral cavity S00.53 S00.531A Contusion of lip and oral cavity | R61. | | |
| \$00.01XA \$00.01XA Abrasion of scalp, initial encounter \$00.03XA \$00.03XA Contusion of scalp, initial encounter \$00.06XA \$00.06XA Insect bite (nonvenomous) of scalp, initial encounter \$00.31XA \$00.31XA Abrasion of nose, initial encounter \$00.33XA \$00.33XA Contusion of nose, initial encounter \$00.36XA \$00.36XA Insect bite (nonvenomous) of nose, initial encounter \$00.41 \$00.411A Abrasion of ear \$00.41 \$00.412A Abrasion of ear \$00.41 \$00.419A Abrasion of ear \$00.43 \$00.431A Contusion of ear \$00.43 \$00.432A Contusion of ear \$00.46 \$00.461A Insect bite (nonvenomous) of ear \$00.46 \$00.462A Insect bite (nonvenomous) of ear \$00.51 \$00.511A Abrasion of lip and oral cavity \$00.53 \$00.512A Abrasion of lip and oral cavity | R64. | | |
| S00.03XA S00.03XA Contusion of scalp, initial encounter S00.06XA S00.06XA Insect bite (nonvenomous) of scalp, initial encounter S00.31XA S00.33XA S00.33XA Contusion of nose, initial encounter S00.36XA S00.36XA Insect bite (nonvenomous) of nose, initial encounter S00.41 S00.411A Abrasion of ear S00.41 S00.412A Abrasion of ear S00.43 S00.431A Contusion of ear S00.43 S00.432A Contusion of ear S00.43 S00.439A Contusion of ear S00.46 S00.461A Insect bite (nonvenomous) of ear S00.46 S00.462A Insect bite (nonvenomous) of ear S00.46 S00.469A Insect bite (nonvenomous) of ear S00.51 S00.511A Abrasion of lip and oral cavity S00.53 S00.531A Contusion of lip and oral cavity | S00.01XA | | |
| 800.06XA S00.06XA Insect bite (nonvenomous) of scalp, initial encounter 800.31XA S00.31XA Abrasion of nose, initial encounter 800.33XA S00.36XA Insect bite (nonvenomous) of nose, initial encounter 800.41 S00.411A Abrasion of ear 800.41 S00.412A Abrasion of ear 800.41 S00.419A Abrasion of ear 800.43 S00.431A Contusion of ear 800.43 S00.432A Contusion of ear 800.43 S00.439A Contusion of ear 800.46 S00.461A Insect bite (nonvenomous) of ear 800.46 S00.462A Insect bite (nonvenomous) of ear 800.51 S00.511A Abrasion of lip and oral cavity 800.53 S00.531A Contusion of lip and oral cavity | S00.03XA | | · |
| S00.31XA S00.31XA Abrasion of nose, initial encounter S00.33XA S00.33XA Contusion of nose, initial encounter S00.41 S00.41XA Insect bite (nonvenomous) of nose, initial encounter S00.41 S00.411A Abrasion of ear S00.41 S00.419A Abrasion of ear S00.43 S00.431A Contusion of ear S00.43 S00.432A Contusion of ear S00.43 S00.439A Contusion of ear S00.46 S00.461A Insect bite (nonvenomous) of ear S00.46 S00.462A Insect bite (nonvenomous) of ear S00.51 S00.511A Abrasion of lip and oral cavity S00.53 S00.512A Abrasion of lip and oral cavity S00.53 S00.531A Contusion of lip and oral cavity | | | |
| S00.33XA S00.33XA Contusion of nose, initial encounter S00.36XA S00.36XA Insect bite (nonvenomous) of nose, initial encounter S00.41 S00.411A Abrasion of ear S00.41 S00.419A Abrasion of ear S00.43 S00.431A Contusion of ear S00.43 S00.432A Contusion of ear S00.43 S00.439A Contusion of ear S00.46 S00.461A Insect bite (nonvenomous) of ear S00.46 S00.462A Insect bite (nonvenomous) of ear S00.46 S00.469A Insect bite (nonvenomous) of ear S00.51 S00.511A Abrasion of lip and oral cavity S00.53 S00.531A Contusion of lip and oral cavity | | | |
| S00.36XA S00.36XA Insect bite (nonvenomous) of nose, initial encounter S00.41 S00.411A Abrasion of ear S00.41 S00.419A Abrasion of ear S00.43 S00.431A Contusion of ear S00.43 S00.432A Contusion of ear S00.43 S00.439A Contusion of ear S00.46 S00.461A Insect bite (nonvenomous) of ear S00.46 S00.462A Insect bite (nonvenomous) of ear S00.51 S00.511A Abrasion of lip and oral cavity S00.52 S00.531A Contusion of lip and oral cavity | S00.33XA | | Contusion of nose, initial encounter |
| 800.41 \$00.411A Abrasion of ear 800.41 \$00.412A Abrasion of ear 800.41 \$00.419A Abrasion of ear 800.43 \$00.431A Contusion of ear 800.43 \$00.432A Contusion of ear 800.43 \$00.439A Contusion of ear 800.46 \$00.461A Insect bite (nonvenomous) of ear 800.46 \$00.462A Insect bite (nonvenomous) of ear 800.51 \$00.511A Abrasion of lip and oral cavity 800.51 \$00.512A Abrasion of lip and oral cavity 800.53 \$00.531A Contusion of lip and oral cavity | | | Insect bite (nonvenomous) of nose, initial encounter |
| S00.41 S00.412A Abrasion of ear S00.43 S00.431A Contusion of ear S00.43 S00.432A Contusion of ear S00.43 S00.439A Contusion of ear S00.46 S00.461A Insect bite (nonvenomous) of ear S00.46 S00.462A Insect bite (nonvenomous) of ear S00.46 S00.469A Insect bite (nonvenomous) of ear S00.51 S00.511A Abrasion of lip and oral cavity S00.53 S00.531A Contusion of lip and oral cavity | S00.41 | | |
| S00.41 S00.419A Abrasion of ear S00.43 S00.431A Contusion of ear S00.43 S00.432A Contusion of ear S00.43 S00.439A Contusion of ear S00.46 S00.461A Insect bite (nonvenomous) of ear S00.46 S00.462A Insect bite (nonvenomous) of ear S00.46 S00.469A Insect bite (nonvenomous) of ear S00.51 S00.511A Abrasion of lip and oral cavity S00.53 S00.531A Contusion of lip and oral cavity | S00.41 | | |
| S00.43 S00.431A Contusion of ear S00.43 S00.432A Contusion of ear S00.43 S00.439A Contusion of ear S00.46 S00.461A Insect bite (nonvenomous) of ear S00.46 S00.462A Insect bite (nonvenomous) of ear S00.46 S00.469A Insect bite (nonvenomous) of ear S00.51 S00.511A Abrasion of lip and oral cavity S00.53 S00.531A Contusion of lip and oral cavity | S00.41 | | |
| S00.43S00.432AContusion of earS00.43S00.439AContusion of earS00.46S00.461AInsect bite (nonvenomous) of earS00.46S00.462AInsect bite (nonvenomous) of earS00.46S00.469AInsect bite (nonvenomous) of earS00.51S00.511AAbrasion of lip and oral cavityS00.53S00.531AContusion of lip and oral cavity | S00.43 | | |
| S00.43S00.439AContusion of earS00.46S00.461AInsect bite (nonvenomous) of earS00.46S00.462AInsect bite (nonvenomous) of earS00.46S00.469AInsect bite (nonvenomous) of earS00.51S00.511AAbrasion of lip and oral cavityS00.53S00.531AContusion of lip and oral cavity | | | |
| S00.46S00.461AInsect bite (nonvenomous) of earS00.46S00.462AInsect bite (nonvenomous) of earS00.46S00.469AInsect bite (nonvenomous) of earS00.51S00.511AAbrasion of lip and oral cavityS00.52S00.531AContusion of lip and oral cavity | | | |
| S00.46S00.462AInsect bite (nonvenomous) of earS00.46S00.469AInsect bite (nonvenomous) of earS00.51S00.511AAbrasion of lip and oral cavityS00.51S00.512AAbrasion of lip and oral cavityS00.53S00.531AContusion of lip and oral cavity | | | |
| S00.46S00.469AInsect bite (nonvenomous) of earS00.51S00.511AAbrasion of lip and oral cavityS00.51S00.512AAbrasion of lip and oral cavityS00.53S00.531AContusion of lip and oral cavity | | | |
| S00.51 S00.511A Abrasion of lip and oral cavity S00.51 S00.512A Abrasion of lip and oral cavity S00.53 S00.531A Contusion of lip and oral cavity | | | |
| S00.51 S00.512A Abrasion of lip and oral cavity S00.53 S00.531A Contusion of lip and oral cavity | | | |
| S00.53 S00.531A Contusion of lip and oral cavity | | | |
| | | | |
| | S00.53 | | |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|--|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| S00.56 | S00.561A | Insect bite (nonvenomous) of lip and oral cavity |
| S00.56 | S00.562A | Insect bite (nonvenomous) of lip and oral cavity |
| S00.81XA | S00.81XA | Abrasion of other part of head, initial encounter |
| S00.83XA | S00.83XA | Contusion of other part of head, initial encounter |
| S00.86XA | S00.86XA | Insect bite (nonvenomous) of other part of head, initial encounter |
| S00.91XA | S00.91XA | Abrasion of unspecified part of head, initial encounter |
| S00.93XA | S00.93XA | Contusion of unspecified part of head, initial encounter |
| S00.96XA | S00.96XA | Insect bite (nonvenomous) of unspecified part of head, initial encounter |
| S01.0 | S01.00XA | Open wound of scalp |
| S01.0 | S01.01XA | Open wound of scalp |
| S01.0 | S01.03XA | Open wound of scalp |
| S01.0 | S01.05XA | Open wound of scalp |
| S01.4 | S01.401A | Open wound of cheek and temporomandibular area |
| S01.4 | S01.402A | Open wound of cheek and temporomandibular area |
| S01.4 | S01.409A | Open wound of cheek and temporomandibular area |
| S01.4 | S01.411A | Open wound of cheek and temporomandibular area |
| S01.4 | S01.412A | Open wound of cheek and temporomandibular area |
| S01.4 | S01.419A | Open wound of cheek and temporomandibular area |
| S01.4 | S01.431A | Open wound of cheek and temporomandibular area |
| S01.4 | S01.432A | Open wound of cheek and temporomandibular area |
| S01.4 | S01.439A | Open wound of cheek and temporomandibular area |
| S01.4 | S01.451A | Open wound of cheek and temporomandibular area |
| S01.4 | S01.452A | Open wound of cheek and temporomandibular area |
| S01.4 | S01.459A | Open wound of cheek and temporomandibular area |
| S01.5 | S01.501A | Open wound of lip and oral cavity |
| S01.5 | S01.511A | Open wound of lip and oral cavity |
| S01.5 | S01.531A | Open wound of lip and oral cavity |
| S01.5 | S01.551A | Open wound of lip and oral cavity |
| S01.8 | S01.80XA | Open wound of other parts of head |
| S01.8 | S01.81XA | Open wound of other parts of head |
| S01.8 | S01.83XA | Open wound of other parts of head |
| S01.8 | S01.85XA | Open wound of other parts of head |
| S02.2XXA | S02.2XXA | Fracture of nasal bones, initial encounter for closed fracture |
| S02.5 | S02.5XXA | Fracture of tooth (traumatic) |
| S02.5 | S02.5XXB | Fracture of tooth (traumatic) |
| S03.2XXA | S03.2XXA | Dislocation of tooth, initial encounter |
| S03.8XXA | S03.8XXA | Sprain of joints and ligaments of other parts of head, initial encounter |
| S03.9XXA | S03.9XXA | Sprain of joints and ligaments of unspecified parts of head, initial encounter |
| S05 | S05.00XA | Injury of eye and orbit |
| S05 | S05.01XA | Injury of eye and orbit |
| S05 | S05.02XA | Injury of eye and orbit |
| S08.0XXA | S08.0XXA | Avulsion of scalp, initial encounter |
| S09.92XA | S09.92XA | Unspecified injury of nose, initial encounter |
| S09.93XA | S09.93XA | Unspecified injury of face, initial encounter |
| S10.0XXA | S10.0XXA | Contusion of throat, initial encounter |
| S10.11XA | S10.11XA | Abrasion of throat, initial encounter |
| S10.16XA | S10.16XA | Insect bite (nonvenomous) of throat, initial encounter |
| S10.81XA | S10.81XA | Abrasion of other specified part of neck, initial encounter |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|--|
| ICD 40 C | ICD-10 | |
| ICD-10 Group | Invidividual | Group Description |
| Designation | Code | |
| S10.83XA | S10.83XA | Contusion of other specified part of neck, initial encounter |
| S10.86XA | S10.86XA | Insect bite of other specified part of neck, initial encounter |
| S10.91XA | S10.91XA | Abrasion of unspecified part of neck, initial encounter |
| S10.93XA | S10.93XA | Contusion of unspecified part of neck, initial encounter |
| S10.96XA | S10.96XA | Insect bite of unspecified part of neck, initial encounter |
| S13.4XXA | S13.4XXA | Sprain of ligaments of cervical spine, initial encounter |
| S13.8XXA | S13.8XXA | Sprain of joints and ligaments of other parts of neck, initial encounter |
| S13.9XXA | S13.9XXA | Sprain of joints and ligaments of unspecified parts of neck, initial encounter |
| S16.1XXA | S16.1XXA | Strain of muscle, fascia and tendon at neck level, initial encounter |
| S16.8XXA | S16.8XXA | Other specified injury of muscle, fascia and tendon at neck level, initial encounter |
| S16.9XXA | S16.9XXA | Unspecified injury of muscle, fascia and tendon at neck level, initial encounter |
| S19 | S19.80XA | Other specified and unspecified injuries of neck |
| S19 | S19.81XA | Other specified and unspecified injuries of neck |
| S19 | S19.82XA | Other specified and unspecified injuries of neck |
| S19 | S19.83XA | Other specified and unspecified injuries of neck |
| S19 | S19.84XA | Other specified and unspecified injuries of neck |
| S19 | S19.85XA | Other specified and unspecified injuries of neck |
| S19 | S19.89XA | Other specified and unspecified injuries of neck |
| S19 | S19.9XXA | Other specified and unspecified injuries of neck |
| S20.1 | S20.111A | Other and unspecified superficial injuries of breast |
| S20.1 | S20.112A | Other and unspecified superficial injuries of breast |
| S20.1 | S20.119A | Other and unspecified superficial injuries of breast |
| S20.1 | S20.161A | Other and unspecified superficial injuries of breast |
| S20.1 | S20.162A | Other and unspecified superficial injuries of breast |
| S20.1 | S20.169A | Other and unspecified superficial injuries of breast |
| S20.2 | S20.211A | Contusion of thorax |
| S20.2 | S20.212A | Contusion of thorax |
| S20.2 | S20.219A | Contusion of thorax |
| S20.3 | S20.311A | Other and unspecified superficial injuries of front wall of thorax |
| S20.3 | S20.312A | Other and unspecified superficial injuries of front wall of thorax |
| S20.3 | S20.319A | Other and unspecified superficial injuries of front wall of thorax |
| S20.3 | S20.361A | Other and unspecified superficial injuries of front wall of thorax |
| S20.3 | S20.362A | Other and unspecified superficial injuries of front wall of thorax |
| S20.3 | S20.369A | Other and unspecified superficial injuries of front wall of thorax |
| S20.4 | S20.411A | Other and unspecified superficial injuries of back wall of thorax |
| S20.4 | S20.412A | Other and unspecified superficial injuries of back wall of thorax |
| S20.4 | S20.419A | Other and unspecified superficial injuries of back wall of thorax |
| S20.4 | S20.461A | Other and unspecified superficial injuries of back wall of thorax |
| S20.4 | S20.462A | Other and unspecified superficial injuries of back wall of thorax |
| S20.4 | S20.469A | Other and unspecified superficial injuries of back wall of thorax |
| S20.9 | S20.91XA | Superficial injury of unspecified parts of thorax |
| S20.9 | S20.96XA | Superficial injury of unspecified parts of thorax |
| S22 | S22.31XA | Fracture of rib(s), sternum and thoracic spine |
| S22 | S22.32XA | Fracture of rib(s), sternum and thoracic spine |
| S22 | S22.39XA | Fracture of rib(s), sternum and thoracic spine |
| S23 | S23.41XA | Dislocation and sprain of joints and ligaments of thorax |
| S23 | S23.9XXA | Dislocation and sprain of joints and ligaments of thorax |
| S29 | S29.011A | Other and unspecified injuries of thorax |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| S29 | S29.012A | Other and unspecified injuries of thorax |
| S29 | S29.019A | Other and unspecified injuries of thorax |
| S30.0XXA | S30.0XXA | Contusion of lower back and pelvis, initial encounter |
| S30.8 | S30.810A | Other superficial injuries of abdomen, lower back, pelvis and external genitals |
| S30.8 | S30.811A | Other superficial injuries of abdomen, lower back, pelvis and external genitals |
| S30.8 | S30.812A | Other superficial injuries of abdomen, lower back, pelvis and external genitals |
| S30.8 | S30.813A | Other superficial injuries of abdomen, lower back, pelvis and external genitals |
| S30.8 | S30.814A | Other superficial injuries of abdomen, lower back, pelvis and external genitals |
| S30.8 | S30.815A | Other superficial injuries of abdomen, lower back, pelvis and external genitals |
| S30.8 | S30.816A | Other superficial injuries of abdomen, lower back, pelvis and external genitals |
| S30.8 | S30.817A | Other superficial injuries of abdomen, lower back, pelvis and external genitals |
| S30.8 | S30.860A | Other superficial injuries of abdomen, lower back, pelvis and external genitals |
| S30.8 | S30.861A | Other superficial injuries of abdomen, lower back, pelvis and external genitals |
| S30.8 | S30.862A | Other superficial injuries of abdomen, lower back, pelvis and external genitals |
| S30.8 | S30.863A | Other superficial injuries of abdomen, lower back, pelvis and external genitals |
| S30.8 | S30.864A | Other superficial injuries of abdomen, lower back, pelvis and external genitals |
| S30.8 | S30.865A | Other superficial injuries of abdomen, lower back, pelvis and external genitals |
| S30.8 | S30.866A | Other superficial injuries of abdomen, lower back, pelvis and external genitals |
| S30.8 | S30.867A | Other superficial injuries of abdomen, lower back, pelvis and external genitals |
| S33.5XXA | S33.5XXA | Sprain of ligaments of lumbar spine, initial encounter |
| S33.8XXA | S33.8XXA | Sprain of other parts of lumbar spine and pelvis, initial encounter |
| S33.9XXA | S33.9XXA | Sprain of unspecified parts of lumbar spine and pelvis, initial encounter |
| S39 | S39.011A | Other and unspecified injuries of abdomen, lower back, pelvis and external genitals |
| S39 | S39.012A | Other and unspecified injuries of abdomen, lower back, pelvis and external genitals |
| S39 | S39.013A | Other and unspecified injuries of abdomen, lower back, pelvis and external genitals |
| S42 | S42.001A | Fracture of shoulder and upper arm |
| S42 | S42.002A | Fracture of shoulder and upper arm |
| S42 | S42.009A | Fracture of shoulder and upper arm |
| S42 | S42.021A | Fracture of shoulder and upper arm |
| S42 | S42.022A | Fracture of shoulder and upper arm |
| S42 | S42.023A | Fracture of shoulder and upper arm |
| S42 | S42.024A | Fracture of shoulder and upper arm |
| S42 | S42.025A | Fracture of shoulder and upper arm |
| S42 | S42.026A | Fracture of shoulder and upper arm |
| S43 | S43.401A | Dislocation and sprain of joints and ligaments of shoulder girdle |
| S43 | S43.402A | Dislocation and sprain of joints and ligaments of shoulder girdle |
| S43 | S43.409A | Dislocation and sprain of joints and ligaments of shoulder girdle |
| S43 | S43.491A | Dislocation and sprain of joints and ligaments of shoulder girdle |
| S43 | S43.492A | Dislocation and sprain of joints and ligaments of shoulder girdle |
| S43 | S43.499A | Dislocation and sprain of joints and ligaments of shoulder girdle |
| S43 | S43.60XA | Dislocation and sprain of joints and ligaments of shoulder girdle |
| S43 | S43.61XA | Dislocation and sprain of joints and ligaments of shoulder girdle |
| S43 | S43.62XA | Dislocation and sprain of joints and ligaments of shoulder girdle |
| S43 | S43.90XA | Dislocation and sprain of joints and ligaments of shoulder girdle |
| S43 | S43.91XA | Dislocation and sprain of joints and ligaments of shoulder girdle |
| S43 | S43.92XA | Dislocation and sprain of joints and ligaments of shoulder girdle |
| S46 | S46.011A | Injury of muscle, fascia and tendon at shoulder and upper arm level |
| S46 | S46.012A | Injury of muscle, fascia and tendon at shoulder and upper arm level |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------------|----------------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| S46 | S46.019A | Injury of muscle, fascia and tendon at shoulder and upper arm level |
| S46 | S46.111A | Injury of muscle, fascia and tendon at shoulder and upper arm level |
| S46 | S46.112A | Injury of muscle, fascia and tendon at shoulder and upper arm level |
| S46 | S46.119A | Injury of muscle, fascia and tendon at shoulder and upper arm level |
| S46 | S46.211A | Injury of muscle, fascia and tendon at shoulder and upper arm level |
| S46 | S46.212A | Injury of muscle, fascia and tendon at shoulder and upper arm level |
| S46 | S46.219A | Injury of muscle, fascia and tendon at shoulder and upper arm level |
| S46 | S46.311A | Injury of muscle, fascia and tendon at shoulder and upper arm level |
| S46 | S46.312A | Injury of muscle, fascia and tendon at shoulder and upper arm level |
| S46 | S46.319A | Injury of muscle, fascia and tendon at shoulder and upper arm level |
| S46 | S46.811A | Injury of muscle, fascia and tendon at shoulder and upper arm level |
| S46 | S46.812A | Injury of muscle, fascia and tendon at shoulder and upper arm level |
| S46 | S46.819A | Injury of muscle, fascia and tendon at shoulder and upper arm level |
| S46 | S46.911A | Injury of muscle, fascia and tendon at shoulder and upper arm level |
| S46 | S46.912A | Injury of muscle, fascia and tendon at shoulder and upper arm level |
| S46 | S46.919A | Injury of muscle, fascia and tendon at shoulder and upper arm level |
| S50 | S50.311A | Superficial injury of elbow and forearm |
| S50 | S50.312A | Superficial injury of elbow and forearm |
| S50 | S50.319A | Superficial injury of elbow and forearm |
| S50 | S50.361A | Superficial injury of elbow and forearm |
| S50 | S50.362A | Superficial injury of elbow and forearm |
| S50 | S50.369A | Superficial injury of elbow and forearm |
| S50 | S50.811A | Superficial injury of elbow and forearm |
| S50 | S50.812A | Superficial injury of elbow and forearm |
| S50 | S50.819A | Superficial injury of elbow and forearm |
| S50 | S50.861A | Superficial injury of elbow and forearm |
| S50 | S50.862A | Superficial injury of elbow and forearm |
| S50 | S50.869A | Superficial injury of elbow and forearm |
| S51 | S51.001A | Open wound of elbow and forearm |
| S51 | S51.002A | Open wound of elbow and forearm |
| S51 | S51.009A | Open wound of elbow and forearm |
| S51 | S51.011A | Open wound of elbow and forearm |
| S51 | S51.012A | Open wound of elbow and forearm |
| S51 | S51.019A | Open wound of elbow and forearm |
| S51 | S51.031A | Open wound of elbow and forearm |
| S51 | S51.032A | Open wound of elbow and forearm |
| S51 | S51.039A | Open wound of elbow and forearm |
| S51 | S51.051A | Open wound of elbow and forearm |
| S51 | S51.052A | Open wound of elbow and forearm |
| S51 | S51.059A | Open wound of elbow and forearm |
| S51 S51 | S51.801A | Open wound of elbow and forearm |
| S51 | S51.802A | Open wound of elbow and forearm |
| | S51.809A | Open wound of elbow and forearm |
| S51 | S51.811A | Open wound of elbow and forearm |
| S51 | S51.812A | Open wound of elbow and forearm |
| S51 S51 | S51.819A S51.831A | Open wound of elbow and forearm |
| | | Open wound of elbow and forearm |
| S51 | S51.832A | Open wound of elbow and forearm |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| S51 | S51.839A | Open wound of elbow and forearm |
| S51 | S51.851A | Open wound of elbow and forearm |
| S51 | S51.852A | Open wound of elbow and forearm |
| S51 | S51.859A | Open wound of elbow and forearm |
| S52 | S52.121A | Fracture of forearm |
| S52 | S52.122A | Fracture of forearm |
| S52 | S52.123A | Fracture of forearm |
| S52 | S52.124A | Fracture of forearm |
| S52 | S52.125A | Fracture of forearm |
| S52 | S52.126A | Fracture of forearm |
| S52 | S52.501A | Fracture of forearm |
| S52 | S52.502A | Fracture of forearm |
| S52 | S52.509A | Fracture of forearm |
| S52 | S52.511A | Fracture of forearm |
| S52 | S52.512A | Fracture of forearm |
| S52 | S52.513A | Fracture of forearm |
| S52 | S52.514A | Fracture of forearm |
| S52 | S52.515A | Fracture of forearm |
| S52 | S52.516A | Fracture of forearm |
| S52 | S52.531A | Fracture of forearm |
| S52 | S52.532A | Fracture of forearm |
| S52 | S52.539A | Fracture of forearm |
| S52 | S52.541A | Fracture of forearm |
| S52 | S52.542A | Fracture of forearm |
| S52 | S52.549A | Fracture of forearm |
| S52 | S52.551A | Fracture of forearm |
| S52 | S52.552A | Fracture of forearm |
| S52 | S52.559A | Fracture of forearm |
| S52 | S52.561A | Fracture of forearm |
| S52 | S52.562A | Fracture of forearm |
| S52 | S52.569A | Fracture of forearm |
| S52 | S52.571A | Fracture of forearm |
| S52 | S52.572A | Fracture of forearm |
| S52 | S52.579A | Fracture of forearm |
| S52 | S52.591A | Fracture of forearm |
| S52 | S52.592A | Fracture of forearm |
| S52 | S52.599A | Fracture of forearm |
| S52 | S52.609A | Fracture of forearm |
| S53 | S53.031A | Dislocation and sprain of joints and ligaments of elbow |
| S53 | S53.032A | Dislocation and sprain of joints and ligaments of elbow |
| S53 | S53.033A | Dislocation and sprain of joints and ligaments of elbow |
| S56 | S56.001A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.002A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.009A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.091A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.092A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.099A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.101A | Injury of muscle, fascia and tendon at forearm level |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| S56 | S56.102A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.103A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.104A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.105A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.106A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.107A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.108A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.109A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.191A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.192A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.193A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.194A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.195A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.196A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.197A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.198A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.199A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.201A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.202A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.209A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.291A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.292A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.299A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.301A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.302A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.309A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.391A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.392A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.399A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.401A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.402A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.403A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.404A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.405A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.406A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.407A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.408A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.409A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.491A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.492A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.493A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.494A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.495A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.496A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.497A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.498A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.499A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.501A | Injury of muscle, fascia and tendon at forearm level |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|----------------|--------------|---|
| CD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| S56 | S56.502A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.509A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.591A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.592A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.599A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.801A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.802A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.809A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.891A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.892A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.899A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.901A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.902A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.909A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.991A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.992A | Injury of muscle, fascia and tendon at forearm level |
| S56 | S56.999A | Injury of muscle, fascia and tendon at forearm level |
| S59.2 | S59.201A | Physeal fracture of lower end of radius |
| S59.2 | S59.202A | Physeal fracture of lower end of radius |
| S59.2 | S59.209A | Physeal fracture of lower end of radius |
| S59.2 | S59.211A | Physeal fracture of lower end of radius |
| S59 . 2 | S59.212A | Physeal fracture of lower end of radius |
| S59 . 2 | S59.219A | Physeal fracture of lower end of radius |
| S59 . 2 | S59.221A | Physeal fracture of lower end of radius |
| S59.2 | S59.222A | Physeal fracture of lower end of radius |
| S59.2 | S59.229A | Physeal fracture of lower end of radius |
| S59.2 | S59.231A | Physeal fracture of lower end of radius |
| S59.2 | S59.232A | Physeal fracture of lower end of radius |
| S59 . 2 | S59.239A | Physeal fracture of lower end of radius |
| S59.2 | S59.241A | Physeal fracture of lower end of radius |
| S59.2 | S59.242A | Physeal fracture of lower end of radius |
| S59 . 2 | S59.249A | Physeal fracture of lower end of radius |
| S59.2 | S59.291A | Physeal fracture of lower end of radius |
| S59.2 | S59.292A | Physeal fracture of lower end of radius |
| S59.2 | S59.299A | Physeal fracture of lower end of radius |
| S59.8 | S59.801A | Other specified injuries of elbow and forearm |
| S59.8 | S59.802A | Other specified injuries of elbow and forearm |
| S59.8 | S59.809A | Other specified injuries of elbow and forearm |
| S59 . 8 | S59.811A | Other specified injuries of elbow and forearm |
| S59 . 8 | S59.812A | Other specified injuries of elbow and forearm |
| S59 . 8 | S59.819A | Other specified injuries of elbow and forearm |
| S59 . 9 | S59.901A | Unspecified injury of elbow and forearm |
| S59.9 | S59.902A | Unspecified injury of elbow and forearm |
| S59.9 | S59.909A | Unspecified injury of elbow and forearm |
| S59 . 9 | S59.911A | Unspecified injury of elbow and forearm |
| S59 . 9 | S59.912A | Unspecified injury of elbow and forearm |
| S59 . 9 | S59.919A | Unspecified injury of elbow and forearm |
| S60.0 | S60.00XA | Contusion of finger without damage to nail |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|-------------------------|--------------|---|
| CD-10 Group | ICD-10 | |
| Designation Designation | Invidividual | Group Description |
| | Code | |
| S60.0 | S60.011A | Contusion of finger without damage to nail |
| S60.0 | S60.012A | Contusion of finger without damage to nail |
| S60.0 | S60.019A | Contusion of finger without damage to nail |
| S60.0 | S60.021A | Contusion of finger without damage to nail |
| S60.0 | S60.022A | Contusion of finger without damage to nail |
| S60.0 | S60.029A | Contusion of finger without damage to nail |
| S60.0 | S60.031A | Contusion of finger without damage to nail |
| S60.0 | S60.032A | Contusion of finger without damage to nail |
| S60.0 | S60.039A | Contusion of finger without damage to nail |
| S60.0 | S60.041A | Contusion of finger without damage to nail |
| S60.0 | S60.042A | Contusion of finger without damage to nail |
| S60.0 | S60.049A | Contusion of finger without damage to nail |
| S60.0 | S60.051A | Contusion of finger without damage to nail |
| S60.0 | S60.052A | Contusion of finger without damage to nail |
| S60.0 | S60.059A | Contusion of finger without damage to nail |
| S60.1 | S60.10XA | Contusion of finger with damage to nail |
| S60.1 | S60.111A | Contusion of finger with damage to nail |
| S60.1 | S60.112A | Contusion of finger with damage to nail |
| S60.1 | S60.119A | Contusion of finger with damage to nail |
| S60.1 | S60.121A | Contusion of finger with damage to nail |
| S60.1 | S60.122A | Contusion of finger with damage to nail |
| S60.1 | S60.129A | Contusion of finger with damage to nail |
| S60.1 | S60.131A | Contusion of finger with damage to nail |
| S60.1 | S60.132A | Contusion of finger with damage to nail |
| S60.1 | S60.139A | Contusion of finger with damage to nail |
| S60.1 | S60.141A | Contusion of finger with damage to nail |
| S60.1 | S60.142A | Contusion of finger with damage to nail |
| S60.1 | S60.149A | Contusion of finger with damage to nail |
| S60.1 | S60.151A | Contusion of finger with damage to nail |
| S60.1 | S60.152A | Contusion of finger with damage to nail |
| S60.1 | S60.159A | Contusion of finger with damage to nail |
| S60.2 | S60.221A | Contusion of wrist and hand |
| S60.2 | S60.222A | Contusion of wrist and hand |
| S60.2 | S60.229A | Contusion of wrist and hand |
| S60.3 | S60.311A | Other superficial injuries of thumb |
| S60.3 | S60.312A | Other superficial injuries of thumb |
| S60.3 | S60.319A | Other superficial injuries of thumb |
| S60.4 | S60.410A | Other superficial injuries of other fingers |
| S60.4 | S60.411A | Other superficial injuries of other fingers |
| S60.4 | S60.412A | Other superficial injuries of other fingers |
| S60.4 | S60.413A | Other superficial injuries of other fingers |
| S60.4 | S60.414A | Other superficial injuries of other fingers |
| S60.4 | S60.415A | Other superficial injuries of other fingers |
| S60.4 | S60.416A | Other superficial injuries of other fingers |
| S60.4 | S60.417A | Other superficial injuries of other fingers |
| S60.4 | S60.418A | Other superficial injuries of other fingers |
| S60.4 | S60.419A | Other superficial injuries of other fingers |
| S60.5 | S60.511A | Other superficial injuries of hand |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|-------------------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation Designation | Invidividual | Group Description |
| | Code | |
| S60.5 | S60.512A | Other superficial injuries of hand |
| S60.5 | S60.519A | Other superficial injuries of hand |
| S60.8 | S60.811A | Other superficial injuries of wrist |
| S60.8 | S60.812A | Other superficial injuries of wrist |
| S60.8 | S60.819A | Other superficial injuries of wrist |
| S60.8 | S60.861A | Other superficial injuries of wrist |
| S60.8 | S60.862A | Other superficial injuries of wrist |
| S60.8 | S60.869A | Other superficial injuries of wrist |
| S61.0 | S61.001A | Open wound of thumb without damage to nail |
| S61.0 | S61.002A | Open wound of thumb without damage to nail |
| S61.0 | S61.009A | Open wound of thumb without damage to nail |
| S61.0 | S61.011A | Open wound of thumb without damage to nail |
| S61.0 | S61.012A | Open wound of thumb without damage to nail |
| S61.0 | S61.019A | Open wound of thumb without damage to nail |
| S61.0 | S61.021A | Open wound of thumb without damage to nail |
| S61.0 | S61.022A | Open wound of thumb without damage to nail |
| S61.0 | S61.029A | Open wound of thumb without damage to nail |
| S61.0 | S61.031A | Open wound of thumb without damage to nail |
| S61.0 | S61.032A | Open wound of thumb without damage to nail |
| S61.0 | S61.039A | Open wound of thumb without damage to nail |
| S61.0 | S61.041A | Open wound of thumb without damage to nail |
| S61.0 | S61.042A | Open wound of thumb without damage to nail |
| S61.0 | S61.049A | Open wound of thumb without damage to nail |
| S61.0 | S61.051A | Open wound of thumb without damage to nail |
| S61.0 | S61.052A | Open wound of thumb without damage to nail |
| S61.0 | S61.059A | Open wound of thumb without damage to nail |
| S61.1 | S61.101A | Open wound of thumb with damage to nail |
| S61.1 | S61.102A | Open wound of thumb with damage to nail |
| S61.1 | S61.109A | Open wound of thumb with damage to nail |
| S61.1 | S61.111A | Open wound of thumb with damage to nail |
| S61.1 | S61.112A | Open wound of thumb with damage to nail |
| S61.1 | S61.119A | Open wound of thumb with damage to nail |
| S61.1 | S61.121A | Open wound of thumb with damage to nail |
| S61.1 | S61.122A | Open wound of thumb with damage to nail |
| S61.1 | S61.129A | Open wound of thumb with damage to nail |
| S61.1 | S61.131A | Open wound of thumb with damage to nail |
| S61.1 | S61.132A | Open wound of thumb with damage to nail |
| S61.1 | S61.139A | Open wound of thumb with damage to nail |
| S61.1 | S61.141A | Open wound of thumb with damage to nail |
| S61.1 | S61.142A | Open wound of thumb with damage to nail |
| S61.1 | S61.149A | Open wound of thumb with damage to nail |
| S61.1 | S61.151A | Open wound of thumb with damage to nail |
| S61.1 | S61.152A | Open wound of thumb with damage to nail |
| S61.1 | S61.159A | Open wound of thumb with damage to nail |
| S61.2 | S61.200A | Open wound of other finger without damage to nail |
| S61.2 | S61.201A | Open wound of other finger without damage to nail |
| S61.2 | S61.202A | Open wound of other finger without damage to nail |
| S61.2 | S61.203A | Open wound of other finger without damage to nail |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| S61.2 | S61.204A | Open wound of other finger without damage to nail |
| S61.2 | S61.205A | Open wound of other finger without damage to nail |
| S61.2 | S61.206A | Open wound of other finger without damage to nail |
| S61.2 | S61.207A | Open wound of other finger without damage to nail |
| S61.2 | S61.208A | Open wound of other finger without damage to nail |
| S61.2 | S61.209A | Open wound of other finger without damage to nail |
| S61.2 | S61.210A | Open wound of other finger without damage to nail |
| S61.2 | S61.211A | Open wound of other finger without damage to nail |
| S61.2 | S61.212A | Open wound of other finger without damage to nail |
| S61.2 | S61.213A | Open wound of other finger without damage to nail |
| S61.2 | S61.214A | Open wound of other finger without damage to nail |
| S61.2 | S61.215A | Open wound of other finger without damage to nail |
| S61.2 | S61.216A | Open wound of other finger without damage to nail |
| S61.2 | S61.217A | Open wound of other finger without damage to nail |
| S61.2 | S61.218A | Open wound of other finger without damage to nail |
| S61.2 | S61.219A | Open wound of other finger without damage to nail |
| S61.2 | S61.220A | Open wound of other finger without damage to nail |
| S61.2 | S61.221A | Open wound of other finger without damage to nail |
| S61.2 | S61.222A | Open wound of other finger without damage to nail |
| S61.2 | S61.223A | Open wound of other finger without damage to nail |
| S61.2 | S61.224A | Open wound of other finger without damage to nail |
| S61.2 | S61.225A | Open wound of other finger without damage to nail |
| S61.2 | S61.226A | Open wound of other finger without damage to nail |
| S61.2 | S61.227A | Open wound of other finger without damage to nail |
| S61.2 | S61.228A | Open wound of other finger without damage to nail |
| S61.2 | S61.229A | Open wound of other finger without damage to nail |
| S61.2 | S61.230A | Open wound of other finger without damage to nail |
| S61.2 | S61.231A | Open wound of other finger without damage to nail |
| S61.2 | S61.232A | Open wound of other finger without damage to nail |
| S61.2 | S61.233A | Open wound of other finger without damage to nail |
| S61.2 | S61.234A | Open wound of other finger without damage to nail |
| S61.2 | S61.235A | Open wound of other finger without damage to nail |
| S61.2 | S61.236A | Open wound of other finger without damage to nail |
| S61.2 | S61.237A | Open wound of other finger without damage to nail |
| S61.2 | S61.238A | Open wound of other finger without damage to nail |
| S61.2 | S61.239A | Open wound of other finger without damage to nail |
| S61.2 | S61.240A | Open wound of other finger without damage to nail |
| S61.2 | S61.241A | Open wound of other finger without damage to nail |
| S61.2 | S61.242A | Open wound of other finger without damage to nail |
| S61.2 | S61.243A | Open wound of other finger without damage to nail |
| S61.2 | S61.244A | Open wound of other finger without damage to nail |
| S61.2 | S61.245A | Open wound of other finger without damage to nail |
| S61.2 | S61.246A | Open wound of other finger without damage to nail |
| S61.2 | S61.247A | Open wound of other finger without damage to nail |
| S61.2 | S61.248A | Open wound of other finger without damage to nail |
| S61.2 | S61.249A | Open wound of other finger without damage to nail |
| S61.2 | S61.250A | Open wound of other finger without damage to nail |
| S61.2 | S61.251A | Open wound of other finger without damage to nail |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| S61.2 | S61,252A | Open wound of other finger without damage to nail |
| S61.2 | S61.253A | Open wound of other finger without damage to nail |
| S61.2 | S61.254A | Open wound of other finger without damage to nail |
| S61.2 | S61.255A | Open wound of other finger without damage to nail |
| S61.2 | S61.256A | Open wound of other finger without damage to nail |
| S61.2 | S61.257A | Open wound of other finger without damage to nail |
| S61.2 | S61.258A | Open wound of other finger without damage to nail |
| S61.2 | S61.259A | Open wound of other finger without damage to nail |
| S61.3 | S61.300A | Open wound of other finger with damage to nail |
| S61.3 | S61.301A | Open wound of other finger with damage to nail |
| S61.3 | S61.302A | Open wound of other finger with damage to nail |
| S61.3 | S61.303A | Open wound of other finger with damage to nail |
| S61.3 | S61.304A | Open wound of other finger with damage to nail |
| S61.3 | S61.305A | Open wound of other finger with damage to nail |
| S61.3 | S61.306A | Open wound of other finger with damage to nail |
| S61.3 | S61.307A | Open wound of other finger with damage to nail |
| S61.3 | S61.308A | Open wound of other finger with damage to nail |
| S61.3 | S61.309A | Open wound of other finger with damage to nail |
| S61.3 | S61.310A | Open wound of other finger with damage to nail |
| S61.3 | S61.311A | Open wound of other finger with damage to nail |
| S61.3 | S61.312A | Open wound of other finger with damage to nail |
| S61.3 | S61.313A | Open wound of other finger with damage to nail |
| S61.3 | S61.314A | Open wound of other finger with damage to nail |
| S61.3 | S61.315A | Open wound of other finger with damage to nail |
| S61.3 | S61.316A | Open wound of other finger with damage to nail |
| S61.3 | S61.317A | Open wound of other finger with damage to nail |
| S61.3 | S61.318A | Open wound of other finger with damage to nail |
| S61.3 | S61.319A | Open wound of other finger with damage to nail |
| S61.3 | S61.320A | Open wound of other finger with damage to nail |
| S61.3 | S61.321A | Open wound of other finger with damage to nail |
| S61.3 | S61.322A | Open wound of other finger with damage to nail |
| S61.3 | S61.323A | Open wound of other finger with damage to nail |
| S61.3 | S61.324A | Open wound of other finger with damage to nail |
| S61.3 | S61.325A | Open wound of other finger with damage to nail |
| S61.3 | S61.326A | Open wound of other finger with damage to nail |
| S61.3 | S61.327A | Open wound of other finger with damage to nail |
| S61.3 | S61.328A | Open wound of other finger with damage to nail |
| S61.3 | S61.329A | Open wound of other finger with damage to nail |
| S61.3 | S61.330A | Open wound of other finger with damage to nail |
| S61.3 | S61.331A | Open wound of other finger with damage to nail |
| S61.3 | S61.332A | Open wound of other finger with damage to nail |
| S61.3 | S61.333A | Open wound of other finger with damage to nail |
| S61.3 | S61.334A | Open wound of other finger with damage to nail |
| S61.3 | S61.335A | Open wound of other finger with damage to nail |
| S61.3 | S61.336A | Open wound of other finger with damage to nail |
| S61.3 | S61.337A | Open wound of other finger with damage to nail |
| S61.3 | S61.338A | Open wound of other finger with damage to nail |
| S61.3 | S61.339A | Open wound of other finger with damage to nail |
| | | 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| S61.3 | S61.340A | Open wound of other finger with damage to nail |
| S61.3 | S61.341A | Open wound of other finger with damage to nail |
| S61.3 | S61.342A | Open wound of other finger with damage to nail |
| S61.3 | S61.343A | Open wound of other finger with damage to nail |
| S61.3 | S61.344A | Open wound of other finger with damage to nail |
| S61.3 | S61.345A | Open wound of other finger with damage to nail |
| S61.3 | S61.346A | Open wound of other finger with damage to nail |
| S61.3 | S61.347A | Open wound of other finger with damage to nail |
| S61.3 | S61.348A | Open wound of other finger with damage to nail |
| S61.3 | S61.349A | Open wound of other finger with damage to nail |
| S61.3 | S61.350A | Open wound of other finger with damage to nail |
| S61.3 | S61.351A | Open wound of other finger with damage to nail |
| S61.3 | S61.352A | Open wound of other finger with damage to nail |
| S61.3 | S61.353A | Open wound of other finger with damage to nail |
| S61.3 | S61.354A | Open wound of other finger with damage to nail |
| S61.3 | S61.355A | Open wound of other finger with damage to nail |
| S61.3 | S61.356A | Open wound of other finger with damage to nail |
| S61.3 | S61.357A | Open wound of other finger with damage to nail |
| S61.3 | S61.358A | Open wound of other finger with damage to nail |
| S61.3 | S61.359A | Open wound of other finger with damage to nail |
| S61.4 | S61.401A | Open wound of hand |
| S61.4 | S61.402A | Open wound of hand |
| S61.4 | S61.409A | Open wound of hand |
| S61.4 | S61.411A | Open wound of hand |
| S61.4 | S61.412A | Open wound of hand |
| S61.4 | S61.419A | Open wound of hand |
| S61.4 | S61.431A | Open wound of hand |
| S61.4 | S61.432A | Open wound of hand |
| S61.4 | S61.439A | Open wound of hand |
| S61.4 | S61.451A | Open wound of hand |
| S61.4 | S61.452A | Open wound of hand |
| S61.4 | S61.459A | Open wound of hand |
| S61.5 | S61.501A | Open wound of wrist |
| S61.5 | S61.502A | Open wound of wrist |
| S61.5 | S61.509A | Open wound of wrist |
| S61.5 | S61.511A | Open wound of wrist |
| S61.5 | S61.512A | Open wound of wrist |
| S61.5 | S61.519A | Open wound of wrist |
| S61.5 | S61.531A | Open wound of wrist |
| S61.5 | S61.532A | Open wound of wrist |
| S61.5 | S61.539A | Open wound of wrist |
| S61.5 | S61.551A | Open wound of wrist |
| S61.5 | S61.552A | Open wound of wrist |
| S61.5 | S61.559A | Open wound of wrist |
| S62 | S62.309A | Fracture at wrist and hand level |
| S62 | S62.319A | Fracture at wrist and hand level |
| S62 | S62.329A | Fracture at wrist and hand level |
| S62 | S62.339A | Fracture at wrist and hand level |



| | | | ow Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------------|--------------|----------------------------------|--|
| ICD-10 Group | ICD-10 | | |
| Designation | Invidividual | Group Description | |
| | Code | | |
| S62 | S62.349A | Fracture at wrist and hand level | |
| S62 | S62.359A | Fracture at wrist and hand level | |
| S62 | S62.369A | Fracture at wrist and hand level | |
| S62 | S62.399A | Fracture at wrist and hand level | |
| S62 | S62.501A | Fracture at wrist and hand level | |
| S62 | S62.502A | Fracture at wrist and hand level | |
| S62 | S62.509A | Fracture at wrist and hand level | |
| S62 | S62.511A | Fracture at wrist and hand level | |
| S62 | S62.512A | Fracture at wrist and hand level | |
| S62 | S62.513A | Fracture at wrist and hand level | |
| S62 | S62.514A | Fracture at wrist and hand level | |
| S62 | S62.515A | Fracture at wrist and hand level | |
| S62 | S62.516A | Fracture at wrist and hand level | |
| S62 | S62.521A | Fracture at wrist and hand level | |
| S62 | S62.522A | Fracture at wrist and hand level | |
| S62 | S62.523A | Fracture at wrist and hand level | |
| S62 | S62.524A | Fracture at wrist and hand level | |
| S62 | S62.525A | Fracture at wrist and hand level | |
| S62 | S62.526A | Fracture at wrist and hand level | |
| S62 | S62.600A | Fracture at wrist and hand level | |
| S62 | S62.601A | Fracture at wrist and hand level | |
| S62 | S62.602A | Fracture at wrist and hand level | |
| S62 | S62.603A | Fracture at wrist and hand level | |
| S62 | S62.604A | Fracture at wrist and hand level | |
| S62 | S62.605A | Fracture at wrist and hand level | |
| S62 | S62.606A | Fracture at wrist and hand level | |
| S62 | S62.607A | Fracture at wrist and hand level | |
| S62 | S62.608A | Fracture at wrist and hand level | |
| S62 | S62.609A | Fracture at wrist and hand level | |
| S62 | S62.610A | Fracture at wrist and hand level | |
| S62 | S62.611A | Fracture at wrist and hand level | |
| S62 | S62.612A | Fracture at wrist and hand level | |
| S62 | S62.613A | Fracture at wrist and hand level | |
| S62 | S62.614A | Fracture at wrist and hand level | |
| S62 | S62.615A | Fracture at wrist and hand level | |
| S62 | S62.616A | Fracture at wrist and hand level | |
| S62 | S62.617A | Fracture at wrist and hand level | |
| S62 | S62.618A | Fracture at wrist and hand level | |
| S62 | S62.619A | Fracture at wrist and hand level | |
| S62 | S62.620A | Fracture at wrist and hand level | |
| S62 | S62.621A | Fracture at wrist and hand level | |
| S62 | S62.622A | Fracture at wrist and hand level | |
| S62 | S62.623A | Fracture at wrist and hand level | |
| S62 | S62.624A | Fracture at wrist and hand level | |
| S62 | S62.625A | Fracture at wrist and hand level | |
| S62 | S62.626A | Fracture at wrist and hand level | |
| S62 | S62.627A | Fracture at wrist and hand level | |
| S62 | S62.628A | Fracture at wrist and hand level | |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| S62 | S62.629A | Fracture at wrist and hand level |
| S62 | S62.630A | Fracture at wrist and hand level |
| S62 | S62.631A | Fracture at wrist and hand level |
| S62 | S62.632A | Fracture at wrist and hand level |
| S62 | S62.633A | Fracture at wrist and hand level |
| S62 | S62.634A | Fracture at wrist and hand level |
| S62 | S62.635A | Fracture at wrist and hand level |
| S62 | S62.636A | Fracture at wrist and hand level |
| S62 | S62.637A | Fracture at wrist and hand level |
| S62 | S62.638A | Fracture at wrist and hand level |
| S62 | S62.639A | Fracture at wrist and hand level |
| S62 | S62.640A | Fracture at wrist and hand level |
| S62 | S62.641A | Fracture at wrist and hand level |
| S62 | S62.642A | Fracture at wrist and hand level |
| S62 | S62.643A | Fracture at wrist and hand level |
| S62 | S62.644A | Fracture at wrist and hand level |
| S62 | S62.645A | Fracture at wrist and hand level |
| S62 | S62.646A | Fracture at wrist and hand level |
| S62 | S62.647A | Fracture at wrist and hand level |
| S62 | S62.648A | Fracture at wrist and hand level |
| S62 | S62.649A | Fracture at wrist and hand level |
| S62 | S62.650A | Fracture at wrist and hand level |
| S62 | S62.651A | Fracture at wrist and hand level |
| S62 | S62.652A | Fracture at wrist and hand level |
| S62 | S62.653A | Fracture at wrist and hand level |
| S62 | S62.654A | Fracture at wrist and hand level |
| S62 | S62.655A | Fracture at wrist and hand level |
| S62 | S62.656A | Fracture at wrist and hand level |
| S62 | S62.657A | Fracture at wrist and hand level |
| S62 | S62.658A | Fracture at wrist and hand level |
| S62 | S62.659A | Fracture at wrist and hand level |
| S62 | S62.660A | Fracture at wrist and hand level |
| S62 | S62.661A | Fracture at wrist and hand level |
| S62 | S62.662A | Fracture at wrist and hand level |
| S62 | S62.663A | Fracture at wrist and hand level |
| S62 | S62.664A | Fracture at wrist and hand level |
| S62 | S62.665A | Fracture at wrist and hand level |
| S62 | S62.666A | Fracture at wrist and hand level |
| S62 | S62.667A | Fracture at wrist and hand level |
| S62 | S62.668A | Fracture at wrist and hand level |
| S62 | S62.669A | Fracture at wrist and hand level |
| S63.4 | S63.400A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.401A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.402A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.403A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.404A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.405A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.406A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| S63.4 | S63.407A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.408A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.409A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.410A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.411A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.412A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.413A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.414A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.415A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.416A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.417A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.418A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.419A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.420A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.421A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.422A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.423A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.424A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.425A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.426A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.427A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.428A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.429A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.430A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.431A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.432A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.433A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.434A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.435A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.436A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.437A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.438A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.439A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.490A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.491A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.492A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.493A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.494A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.495A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.496A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.497A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.498A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.4 | S63.499A | Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s) |
| S63.5 | S63.501A | Other and unspecified sprain of wrist |
| S63.5 | S63.502A | Other and unspecified sprain of wrist |
| S63.5 | S63.509A | Other and unspecified sprain of wrist |
| S63.6 | S63.601A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.602A | Other and unspecified sprain of finger(s) |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|--|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| S63.6 | S63.609A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.610A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.611A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.612A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.613A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.614A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.615A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.616A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.617A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.618A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.619A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.621A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.622A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.629A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.630A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.631A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.632A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.633A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.634A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.635A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.636A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.637A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.638A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.639A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.681A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.682A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.689A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.690A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.691A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.692A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.693A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.694A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.695A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.696A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.697A | Other and unspecified sprain of finger(s) |
| S63.6 | S63.698A | Other and unspecified sprain of finger(s) |
| S63.6 | S63,699A | Other and unspecified sprain of finger(s) |
| S63.8 | S63.8X1A | Sprain of other part of wrist and hand |
| S63.8 | S63.8X2A | Sprain of other part of wrist and hand |
| S63.8 | S63.8X9A | Sprain of other part of wrist and hand |
| S63.9 | S63.90XA | Sprain of unspecified part of wrist and hand |
| S63.9 | S63.91XA | Sprain of unspecified part of wrist and hand |
| S63.9 | S63.92XA | Sprain of unspecified part of wrist and hand |
| S66.00 | S66.001A | Unspecified injury of long flexor muscle, fascia and tendon of thumb at wrist and hand level |
| S66.00 | S66.002A | Unspecified injury of long flexor muscle, fascia and tendon of thumb at wrist and hand level |
| S66.00 | S66.009A | Unspecified injury of long flexor muscle, fascia and tendon of thumb at wrist and hand level |
| S66.01 | S66.011A | Strain of long flexor muscle, fascia and tendon of thumb at wrist and hand level |
| S66.01 | S66.012A | Strain of long flexor muscle, fascia and tendon of thumb at wrist and hand level |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|-------------------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation Designation | Invidividual | Group Description |
| | Code | |
| S66.01 | S66.019A | Strain of long flexor muscle, fascia and tendon of thumb at wrist and hand level |
| S66.09 | S66.091A | Other specified injury of long flexor muscle, fascia and tendon of thumb at wrist and hand level |
| S66.09 | S66.092A | Other specified injury of long flexor muscle, fascia and tendon of thumb at wrist and hand level |
| S66.09 | S66.099A | Other specified injury of long flexor muscle, fascia and tendon of thumb at wrist and hand level |
| S66.10 | S66.100A | Unspecified injury of flexor muscle, fascia and tendon of other and unspecified finger at wristand hand level |
| S66.10 | S66.101A | Unspecified injury of flexor muscle, fascia and tendon of other and unspecified finger at wristand hand level |
| S66.10 | S66.102A | Unspecified injury of flexor muscle, fascia and tendon of other and unspecified finger at wristand hand level |
| S66.10 | S66.103A | Unspecified injury of flexor muscle, fascia and tendon of other and unspecified finger at wristand hand level |
| S66.10 | S66.104A | Unspecified injury of flexor muscle, fascia and tendon of other and unspecified finger at wristand hand level |
| S66.10 | S66.105A | Unspecified injury of flexor muscle, fascia and tendon of other and unspecified finger at wristand hand level |
| S66.10 | S66.106A | Unspecified injury of flexor muscle, fascia and tendon of other and unspecified finger at wristand hand level |
| S66.10 | S66.107A | Unspecified injury of flexor muscle, fascia and tendon of other and unspecified finger at wristand hand level |
| S66.10 | S66.108A | Unspecified injury of flexor muscle, fascia and tendon of other and unspecified finger at wristand hand level |
| S66.10 | S66.109A | Unspecified injury of flexor muscle, fascia and tendon of other and unspecified finger at wristand hand level |
| S66.11 | S66.110A | Strain of flexor muscle, fascia and tendon of other and unspecified finger at wrist and hand level |
| S66.11 | S66.111A | Strain of flexor muscle, fascia and tendon of other and unspecified finger at wrist and hand level |
| S66.11 | S66.112A | Strain of flexor muscle, fascia and tendon of other and unspecified finger at wrist and hand level |
| S66.11 | S66.113A | Strain of flexor muscle, fascia and tendon of other and unspecified finger at wrist and hand level |
| S66.11 | S66.114A | Strain of flexor muscle, fascia and tendon of other and unspecified finger at wrist and hand level |
| S66.11 | S66.115A | Strain of flexor muscle, fascia and tendon of other and unspecified finger at wrist and hand level |
| S66.11 | S66.116A | Strain of flexor muscle, fascia and tendon of other and unspecified finger at wrist and hand level |
| S66.11 | S66.117A | Strain of flexor muscle, fascia and tendon of other and unspecified finger at wrist and hand level |
| S66.11 | S66.118A | Strain of flexor muscle, fascia and tendon of other and unspecified finger at wrist and hand level |
| S66.11 | S66.119A | Strain of flexor muscle, fascia and tendon of other and unspecified finger at wrist and hand level |
| S66.19 | S66.190A | Other injury of flexor muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.19 | S66.191A | Other injury of flexor muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.19 | S66.192A | Other injury of flexor muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.19 | S66.193A | Other injury of flexor muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.19 | S66.194A | Other injury of flexor muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.19 | S66.195A | Other injury of flexor muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.19 | S66.196A | Other injury of flexor muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.19 | S66.197A | Other injury of flexor muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.19 | S66.198A | Other injury of flexor muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.19 | S66.199A | Other injury of flexor muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.20 | S66.201A | Unspecified injury of extensor muscle, fascia and tendon of thumb at wrist and hand level |
| S66.20 | S66.202A | Unspecified injury of extensor muscle, fascia and tendon of thumb at wrist and hand level |
| S66.21 | S66.211A | Strain of extensor muscle, fascia and tendon of thumb at wrist and hand level |
| S66.21 | S66.212A | Strain of extensor muscle, fascia and tendon of thumb at wrist and hand level |
| S66.21 | S66.219A | Strain of extensor muscle, fascia and tendon of thumb at wrist and hand level |
| S66.29 | S66.291A | Other specified injury of extensor muscle, fascia and tendon of thumb at wrist and hand level |
| S66.29 | S66.292A | Other specified injury of extensor muscle, fascia and tendon of thumb at wrist and hand level |
| S66.29 | S66.299A | Other specified injury of extensor muscle, fascia and tendon of thumb at wrist and hand level |
| S66.30 | S66.300A | Unspecified injury of extensor muscle, fascia and tendon of other and unspecified finger atwrist and hand level |
| S66.30 | S66.301A | Unspecified injury of extensor muscle, fascia and tendon of other and unspecified finger atwrist and hand level |
| S66.30 | S66.302A | Unspecified injury of extensor muscle, fascia and tendon of other and unspecified finger atwrist and hand level |
| S66.30 | S66.303A | Unspecified injury of extensor muscle, fascia and tendon of other and unspecified finger atwrist and hand level |
| S66.30 | S66.304A | Unspecified injury of extensor muscle, fascia and tendon of other and unspecified finger atwrist and hand level |
| S66.30 | S66.305A | Unspecified injury of extensor muscle, fascia and tendon of other and unspecified finger atwrist and hand level |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|--|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| S66.30 | S66.306A | Unspecified injury of extensor muscle, fascia and tendon of other and unspecified finger atwrist and hand level |
| S66.30 | S66.307A | Unspecified injury of extensor muscle, fascia and tendon of other and unspecified finger atwrist and hand level |
| S66.30 | S66.308A | Unspecified injury of extensor muscle, fascia and tendon of other and unspecified finger atwrist and hand level |
| S66.30 | S66.309A | Unspecified injury of extensor muscle, fascia and tendon of other and unspecified finger atwrist and hand level |
| S66.31 | S66.310A | Strain of extensor muscle, fascia and tendon of other and unspecified finger at wrist and handlevel |
| S66.31 | S66.311A | Strain of extensor muscle, fascia and tendon of other and unspecified finger at wrist and handlevel |
| S66.31 | S66.312A | Strain of extensor muscle, fascia and tendon of other and unspecified finger at wrist and handlevel |
| S66.31 | S66.313A | Strain of extensor muscle, fascia and tendon of other and unspecified finger at wrist and handlevel |
| S66.31 | S66.314A | Strain of extensor muscle, fascia and tendon of other and unspecified finger at wrist and handlevel |
| S66.31 | S66.315A | Strain of extensor muscle, fascia and tendon of other and unspecified finger at wrist and handlevel |
| S66.31 | S66.316A | Strain of extensor muscle, fascia and tendon of other and unspecified finger at wrist and handlevel |
| S66.31 | S66.317A | Strain of extensor muscle, fascia and tendon of other and unspecified finger at wrist and handlevel |
| S66.31 | S66.318A | Strain of extensor muscle, fascia and tendon of other and unspecified finger at wrist and handlevel |
| S66.31 | S66.319A | Strain of extensor muscle, fascia and tendon of other and unspecified finger at wrist and handlevel |
| S66.39 | S66.390A | Other injury of extensor muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.39 | S66.391A | Other injury of extensor muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.39 | S66.392A | Other injury of extensor muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.39 | S66.393A | Other injury of extensor muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.39 | S66.394A | Other injury of extensor muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.39 | S66.395A | Other injury of extensor muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.39 | S66.396A | Other injury of extensor muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.39 | S66.397A | Other injury of extensor muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.39 | S66.398A | Other injury of extensor muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.39 | S66.399A | Other injury of extensor muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.40 | S66.401A | Unspecified injury of intrinsic muscle, fascia and tendon of thumb at wrist and hand level |
| S66.40 | S66.402A | Unspecified injury of intrinsic muscle, fascia and tendon of thumb at wrist and hand level |
| S66.40 | S66.409A | Unspecified injury of intrinsic muscle, fascia and tendon of thumb at wrist and hand level |
| S66.41 | S66.411A | Strain of intrinsic muscle, fascia and tendon of thumb at wrist and hand level |
| S66.41 | S66.412A | Strain of intrinsic muscle, fascia and tendon of thumb at wrist and hand level |
| S66.41 | S66.419A | Strain of intrinsic muscle, fascia and tendon of thumb at wrist and hand level |
| S66.49 | S66.491A | Other specified injury of intrinsic muscle, fascia and tendon of thumb at wrist and hand level |
| S66.49 | S66.492A | Other specified injury of intrinsic muscle, fascia and tendon of thumb at wrist and hand level |
| S66.49 | S66.499A | Other specified injury of intrinsic muscle, fascia and tendon of thumb at wrist and hand level |
| S66.49 | S66.500A | Other specified injury of intrinsic muscle, fascia and tendon of thumb at wrist and hand level |
| S66.50 | S66.501A | Unspecified injury of intrinsic muscle, fascia and tendon of other and unspecified finger at wristand hand level |
| S66.50 | S66.502A | Unspecified injury of intrinsic muscle, fascia and tendon of other and unspecified finger at wristand hand level |
| S66.50 | S66.503A | Unspecified injury of intrinsic muscle, fascia and tendon of other and unspecified finger at wristand hand level |
| S66.50 | S66.504A | Unspecified injury of intrinsic muscle, fascia and tendon of other and unspecified finger at wristand hand level |
| S66.50 | S66.505A | Unspecified injury of intrinsic muscle, fascia and tendon of other and unspecified finger at wristand hand level |
| S66.50 | S66.506A | Unspecified injury of intrinsic muscle, fascia and tendon of other and unspecified finger at wristand hand level |
| S66.50 | S66.507A | Unspecified injury of intrinsic muscle, fascia and tendon of other and unspecified finger at wristand hand level |
| S66.50 | S66.508A | Unspecified injury of intrinsic muscle, fascia and tendon of other and unspecified finger at wristand hand level |
| S66.50 | S66.509A | Unspecified injury of intrinsic muscle, fascia and tendon of other and unspecified finger at wristand hand level |
| S66.51 | S66.510A | Strain of intrinsic muscle, fascia and tendon of other and unspecified finger at wrist and handlevel |
| S66.51 | S66.511A | Strain of intrinsic muscle, fascia and tendon of other and unspecified finger at wrist and handlevel |
| S66.51 | S66.512A | Strain of intrinsic muscle, fascia and tendon of other and unspecified finger at wrist and handlevel |
| S66.51 | S66.513A | Strain of intrinsic muscle, fascia and tendon of other and unspecified finger at wrist and handlevel |
| S66.51 | S66.514A | Strain of intrinsic muscle, fascia and tendon of other and unspecified finger at wrist and handlevel |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|-------------------------|--------------|--|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| , and the second second | Code | |
| S66.51 | S66.515A | Strain of intrinsic muscle, fascia and tendon of other and unspecified finger at wrist and handlevel |
| S66.51 | S66.516A | Strain of intrinsic muscle, fascia and tendon of other and unspecified finger at wrist and handlevel |
| S66.51 | S66.517A | Strain of intrinsic muscle, fascia and tendon of other and unspecified finger at wrist and handlevel |
| S66.51 | S66.518A | Strain of intrinsic muscle, fascia and tendon of other and unspecified finger at wrist and handlevel |
| S66.51 | S66.519A | Strain of intrinsic muscle, fascia and tendon of other and unspecified finger at wrist and handlevel |
| S66.529A | S66.529A | Laceration of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, initial encounter |
| S66.59 | S66.590A | Other injury of intrinsic muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.59 | S66.591A | Other injury of intrinsic muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.59 | S66.592A | Other injury of intrinsic muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.59 | S66.593A | Other injury of intrinsic muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.59 | S66.594A | Other injury of intrinsic muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.59 | S66.595A | Other injury of intrinsic muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.59 | S66.596A | Other injury of intrinsic muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.59 | S66.597A | Other injury of intrinsic muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.59 | S66.598A | Other injury of intrinsic muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.59 | S66.599A | Other injury of intrinsic muscle, fascia and tendon of other and unspecified finger at wrist andhand level |
| S66.80 | S66.801A | Unspecified injury of other specified muscles, fascia and tendons at wrist and hand level |
| S66.80 | S66.802A | Unspecified injury of other specified muscles, fascia and tendons at wrist and hand level |
| S66.80 | S66.809A | Unspecified injury of other specified muscles, fascia and tendons at wrist and hand level |
| S66.81 | S66.811A | Strain of other specified muscles, fascia and tendons at wrist and hand level |
| S66.81 | S66.812A | Strain of other specified muscles, fascia and tendons at wrist and hand level |
| S66.81 | S66.819A | Strain of other specified muscles, fascia and tendons at wrist and hand level |
| S66.89 | S66.891A | Other injury of other specified muscles, fascia and tendons at wrist and hand level |
| S66.89 | S66.892A | Other injury of other specified muscles, fascia and tendons at wrist and hand level |
| S66.89 | S66.899A | Other injury of other specified muscles, fascia and tendons at wrist and hand level |
| S66.90 | S66.901A | Unspecified injury of unspecified muscle, fascia and tendon at wrist and hand level |
| S66.90 | S66.902A | Unspecified injury of unspecified muscle, fascia and tendon at wrist and hand level |
| S66.90 | S66.909A | Unspecified injury of unspecified muscle, fascia and tendon at wrist and hand level |
| S66.911A | S66.911A | Strain of unspecified muscle, fascia and tendon at wrist and hand level, right hand, initial encounter |
| S66.912A | S66.912A | Strain of unspecified muscle, fascia and tendon at wrist and hand level, left hand, initial encounter |
| S66.919A | S66.919A | Strain of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, initial encounter |
| S66.991A | S66.991A | Other injury of unspecified muscle, fascia and tendon at wrist and hand level, right hand, initial encounter |
| S66.99 | S66.992A | Other injury of unspecified muscle, fascia and tendon at wrist and hand level |
| S66.99 | S66.999A | Other injury of unspecified muscle, fascia and tendon at wrist and hand level |
| S69 | S69.80XA | Other and unspecified injuries of wrist, hand and finger(s) |
| S69 | S69.81XA | Other and unspecified injuries of wrist, hand and finger(s) |
| S69 | S69.82XA | Other and unspecified injuries of wrist, hand and finger(s) |
| S69 | S69.90XA | Other and unspecified injuries of wrist, hand and finger(s) |
| S69 | S69.91XA | Other and unspecified injuries of wrist, hand and finger(s) |
| S69 | S69.92XA | Other and unspecified injuries of wrist, hand and finger(s) |
| S70.10XA | S70.10XA | Contusion of unspecified thigh, initial encounter |
| S70.2 | S70.211A | Other superficial injuries of hip |
| S70.2 | S70.212A | Other superficial injuries of hip |
| S70.2 | S70.219A | Other superficial injuries of hip |
| S70.2 | S70.261A | Other superficial injuries of hip |
| S70.2 | S70.262A | Other superficial injuries of hip |
| S70.2 | S70.269A | Other superficial injuries of hip |
| S70.3 | S70.311A | Other superficial injuries of thigh |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|--|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| S70.3 | S70.312A | Other superficial injuries of thigh |
| S70.3 | S70.319A | Other superficial injuries of thigh |
| S70.3 | S70.361A | Other superficial injuries of thigh |
| S70.3 | S70.362A | Other superficial injuries of thigh |
| S70.3 | S70.369A | Other superficial injuries of thigh |
| S73 | S73.101A | Dislocation and sprain of joint and ligaments of hip |
| S73 | S73.102A | Dislocation and sprain of joint and ligaments of hip |
| S73 | S73.109A | Dislocation and sprain of joint and ligaments of hip |
| S76 | S76.911A | Injury of muscle, fascia and tendon at hip and thigh level |
| S76 | S76.912A | Injury of muscle, fascia and tendon at hip and thigh level |
| S76 | S76.919A | Injury of muscle, fascia and tendon at hip and thigh level |
| S80.0 | S80.00XA | Contusion of knee |
| S80.0 | S80.01XA | Contusion of knee |
| S80.0 | S80.02XA | Contusion of knee |
| S80.1 | S80.10XA | Contusion of lower leg |
| S80.1 | S80.11XA | Contusion of lower leg |
| S80.1 | S80.12XA | Contusion of lower leg |
| S80.2 | S80.211A | Other superficial injuries of knee |
| S80.2 | S80.212A | Other superficial injuries of knee |
| S80.2 | S80.219A | Other superficial injuries of knee |
| S80.2 | S80.261A | Other superficial injuries of knee |
| S80.2 | S80.262A | Other superficial injuries of knee |
| S80.2 | S80.269A | Other superficial injuries of knee |
| S80.8 | S80.811A | Other superficial injuries of lower leg |
| S80.8 | S80.812A | Other superficial injuries of lower leg |
| S80.8 | S80.819A | Other superficial injuries of lower leg |
| S80.8 | S80.861A | Other superficial injuries of lower leg |
| S80.8 | S80.862A | Other superficial injuries of lower leg |
| S80.8 | S80.869A | Other superficial injuries of lower leg |
| S81 | S81.001A | Open wound of knee and lower leg |
| S81 | S81.002A | Open wound of knee and lower leg |
| S81 | S81.009A | Open wound of knee and lower leg |
| S81 | S81.011A | Open wound of knee and lower leg |
| S81 | S81.012A | Open wound of knee and lower leg |
| S81 | S81.019A | Open wound of knee and lower leg |
| S81 | S81.031A | Open wound of knee and lower leg |
| S81 | S81.032A | Open wound of knee and lower leg |
| S81 | S81.039A | Open wound of knee and lower leg |
| S81 | S81.051A | Open wound of knee and lower leg |
| S81 | S81.052A | Open wound of knee and lower leg |
| S81 | S81.059A | Open wound of knee and lower leg |
| S81 | S81.801A | Open wound of knee and lower leg |
| S81 | S81.802A | Open wound of knee and lower leg |
| S81 | S81.809A | Open wound of knee and lower leg |
| S81 | S81.811A | Open wound of knee and lower leg |
| S81 | S81.812A | Open wound of knee and lower leg |
| S81 | S81.819A | Open wound of knee and lower leg |
| S81 | S81.831A | Open wound of knee and lower leg |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|-------------------------|--------------|--|
| ICD-10 Group | ICD-10 | |
| Designation Designation | Invidividual | Group Description |
| | Code | |
| S81 | S81.832A | Open wound of knee and lower leg |
| S81 | S81.839A | Open wound of knee and lower leg |
| S81 | S81.851A | Open wound of knee and lower leg |
| S81 | S81.852A | Open wound of knee and lower leg |
| S81 | S81.859A | Open wound of knee and lower leg |
| S82 | S82.301A | Fracture of lower leg, including ankle |
| S82 | S82.302A | Fracture of lower leg, including ankle |
| S82 | S82.309A | Fracture of lower leg, including ankle |
| S82 | S82.391A | Fracture of lower leg, including ankle |
| S82 | S82.392A | Fracture of lower leg, including ankle |
| S82 | S82.399A | Fracture of lower leg, including ankle |
| S82 | S82.891A | Fracture of lower leg, including ankle |
| S82 | S82.892A | Fracture of lower leg, including ankle |
| S82 | S82.899A | Fracture of lower leg, including ankle |
| S83 | S83.90XA | Dislocation and sprain of joints and ligaments of knee |
| S83 | S83.91XA | Dislocation and sprain of joints and ligaments of knee |
| S83 | S83.92XA | Dislocation and sprain of joints and ligaments of knee |
| S86.00 | S86.001A | Unspecified injury of Achilles tendon |
| S86.00 | S86.002A | Unspecified injury of Achilles tendon |
| S86.00 | S86.009A | Unspecified injury of Achilles tendon |
| S86.01 | S86.011A | Strain of Achilles tendon |
| S86.01 | S86.012A | Strain of Achilles tendon |
| S86.01 | S86.019A | Strain of Achilles tendon |
| S86.09 | S86.091A | Other specified injury of Achilles tendon |
| S86.09 | S86.092A | Other specified injury of Achilles tendon |
| S86.09 | S86.099A | Other specified injury of Achilles tendon |
| S86.1 | S86.101A | Injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level |
| S86.1 | S86.102A | Injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level |
| S86.1 | S86.109A | Injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level |
| S86.1 | S86.191A | Injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level |
| S86.1 | S86.192A | Injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level |
| S86.1 | S86.199A | Injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level |
| S86.2 | S86.201A | Injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level |
| S86.2 | S86.202A | Injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level |
| S86.2 | S86.209A | Injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level |
| S86.2 | S86.291A | Injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level |
| S86.2 | S86.292A | Injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level |
| S86.2 | S86.299A | Injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level |
| S86.3 | S86.301A | Injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level |
| S86.3 | S86.302A | Injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level |
| S86.3 | S86.309A | Injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level |
| S86.3 | S86.391A | Injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level |
| S86.3 | S86.392A | Injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level |
| S86.3 | S86.399A | Injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level |
| S86.8 | S86.801A | Injury of other muscles and tendons at lower leg level |
| S86.8 | S86.802A | Injury of other muscles and tendons at lower leg level |
| S86.8 | S86.809A | Injury of other muscles and tendons at lower leg level |
| S86.8 | S86.891A | Injury of other muscles and tendons at lower leg level |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|--|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| Designation | Code | |
| S86.8 | S86.892A | Injury of other muscles and tendons at lower leg level |
| S86.8 | S86.899A | Injury of other muscles and tendons at lower leg level |
| S86.90 | S86.901A | Unspecified injury of unspecified muscle and tendon at lower leg level |
| S86.90 | S86.902A | Unspecified injury of unspecified muscle and tendon at lower leg level |
| S86.90 | S86.909A | Unspecified injury of unspecified muscle and tendon at lower leg level |
| S86.91 | S86.911A | Strain of unspecified muscle and tendon at lower leg level |
| S86.91 | S86.912A | Strain of unspecified muscle and tendon at lower leg level |
| S86.91 | S86.919A | Strain of unspecified muscle and tendon at lower leg level |
| S86.99 | S86.991A | Other injury of unspecified muscle and tendon at lower leg level |
| S86.99 | S86.992A | Other injury of unspecified muscle and tendon at lower leg level |
| S86.99 | S86.999A | Other injury of unspecified muscle and tendon at lower leg level |
| S89.1 | S89.101A | Physeal fracture of lower end of tibia |
| S89.1 | S89.102A | Physeal fracture of lower end of tibia |
| S89.1 | S89.109A | Physeal fracture of lower end of tibia |
| S89.1 | S89.111A | Physeal fracture of lower end of tibia |
| S89.1 | S89.112A | Physeal fracture of lower end of tibia |
| S89.1 | S89.119A | Physeal fracture of lower end of tibia |
| S89.1 | S89.121A | Physeal fracture of lower end of tibia |
| S89.1 | S89.122A | Physeal fracture of lower end of tibia |
| S89.1 | S89.129A | Physeal fracture of lower end of tibia |
| S89.1 | S89.131A | Physeal fracture of lower end of tibia |
| S89.1 | S89.132A | Physeal fracture of lower end of tibia |
| S89.1 | S89.139A | Physeal fracture of lower end of tibia |
| S89.1 | S89.141A | Physeal fracture of lower end of tibia |
| S89.1 | S89.142A | Physeal fracture of lower end of tibia |
| S89.1 | S89.149A | Physeal fracture of lower end of tibia |
| S89.1 | S89.191A | Physeal fracture of lower end of tibia |
| S89.1 | S89.192A | Physeal fracture of lower end of tibia |
| S89.1 | S89.199A | Physeal fracture of lower end of tibia |
| S89.3 | S89.301A | Physeal fracture of lower end of fibula |
| S89.3 | S89.302A | Physeal fracture of lower end of fibula |
| S89.3 | S89.309A | Physeal fracture of lower end of fibula |
| S89.3 | S89.311A | Physeal fracture of lower end of fibula |
| S89.3 | S89.312A | Physeal fracture of lower end of fibula |
| S89.3 | S89.319A | Physeal fracture of lower end of fibula |
| S89.3 | S89.321A | Physeal fracture of lower end of fibula |
| S89.3 | S89.322A | Physeal fracture of lower end of fibula |
| S89.3 | S89.329A | Physeal fracture of lower end of fibula |
| S89.3 | S89.391A | Physeal fracture of lower end of fibula |
| S89.3 | S89.392A | Physeal fracture of lower end of fibula |
| S89.3 | S89.399A | Physeal fracture of lower end of fibula |
| S89.8 | S89.80XA | Other specified injuries of lower leg |
| S89.8 | S89.81XA | Other specified injuries of lower leg |
| S89.8 | S89.82XA | Other specified injuries of lower leg |
| S89.9 | S89.90XA | Unspecified injury of lower leg |
| S89.9 | S89.91XA | Unspecified injury of lower leg |
| S89.9 | S89.92XA | Unspecified injury of lower leg |
| S90.3 | S90.30XA | Contusion of foot |
| | | |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| S90.3 | S90.31XA | Contusion of foot |
| S90.3 | S90.32XA | Contusion of foot |
| S90.5 | S90.511A | Other superficial injuries of ankle |
| S90.5 | S90.512A | Other superficial injuries of ankle |
| S90.5 | S90.519A | Other superficial injuries of ankle |
| S90.5 | S90.561A | Other superficial injuries of ankle |
| S90.5 | S90.562A | Other superficial injuries of ankle |
| S90.5 | S90.569A | Other superficial injuries of ankle |
| S91 | S91.001A | Open wound of ankle, foot and toes |
| S91 | S91.002A | Open wound of ankle, foot and toes |
| S91 | S91.009A | Open wound of ankle, foot and toes |
| S91 | S91.011A | Open wound of ankle, foot and toes |
| S91 | S91.012A | Open wound of ankle, foot and toes |
| S91 | S91.019A | Open wound of ankle, foot and toes |
| S91 | S91.031A | Open wound of ankle, foot and toes |
| S91 | S91.032A | Open wound of ankle, foot and toes |
| S91 | S91.039A | Open wound of ankle, foot and toes |
| S91 | S91.051A | Open wound of ankle, foot and toes |
| S91 | S91.052A | Open wound of ankle, foot and toes |
| S91 | S91.059A | Open wound of ankle, foot and toes |
| S91 | S91.301A | Open wound of ankle, foot and toes |
| S91 | S91.302A | Open wound of ankle, foot and toes |
| S91 | S91.309A | Open wound of ankle, foot and toes |
| S91 | S91.311A | Open wound of ankle, foot and toes |
| S91 | S91.312A | Open wound of ankle, foot and toes |
| S91 | S91.319A | Open wound of ankle, foot and toes |
| S91 | S91.331A | Open wound of ankle, foot and toes |
| S91 | S91.332A | Open wound of ankle, foot and toes |
| S91 | S91.339A | Open wound of ankle, foot and toes |
| S91 | S91.351A | Open wound of ankle, foot and toes |
| S91 | S91.352A | Open wound of ankle, foot and toes |
| S91 | S91.359A | Open wound of ankle, foot and toes |
| S92 | S92.301A | Fracture of foot and toe, except ankle |
| S92 | S92.302A | Fracture of foot and toe, except ankle |
| S92 | S92.309A | Fracture of foot and toe, except ankle |
| S92 | S92.311A | Fracture of foot and toe, except ankle |
| S92 | S92.312A | Fracture of foot and toe, except ankle |
| S92 | S92.313A | Fracture of foot and toe, except ankle |
| S92 | S92.314A | Fracture of foot and toe, except ankle |
| S92 | S92.315A | Fracture of foot and toe, except ankle |
| S92 | S92.316A | Fracture of foot and toe, except ankle |
| S92 | S92.321A | Fracture of foot and toe, except ankle |
| S92 | S92.322A | Fracture of foot and toe, except ankle |
| S92 | S92.323A | Fracture of foot and toe, except ankle |
| S92 | S92.324A | Fracture of foot and toe, except ankle |
| S92 | S92.325A | Fracture of foot and toe, except ankle |
| S92 | S92.326A | Fracture of foot and toe, except ankle |
| S92 | S92.331A | Fracture of foot and toe, except ankle |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|--------------|----------------------|---|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| S92 | S92.332A | Fracture of foot and toe, except ankle |
| S92 | S92.333A | Fracture of foot and toe, except ankle |
| S92 | S92.334A | Fracture of foot and toe, except ankle |
| S92 | S92.335A | Fracture of foot and toe, except ankle |
| S92 | S92.336A | Fracture of foot and toe, except ankle |
| S92 | S92.341A | Fracture of foot and toe, except ankle |
| S92 | S92.342A | Fracture of foot and toe, except ankle |
| S92 | S92.343A | Fracture of foot and toe, except ankle |
| S92 | S92.344A | Fracture of foot and toe, except ankle |
| S92 | S92.345A | Fracture of foot and toe, except ankle |
| S92 | S92.346A | Fracture of foot and toe, except ankle |
| S92 | S92.351A | Fracture of foot and toe, except ankle |
| S92 | S92.352A | Fracture of foot and toe, except ankle |
| S92 | S92.353A | Fracture of foot and toe, except ankle |
| S92 | S92.354A | Fracture of foot and toe, except ankle |
| S92 | S92.355A | Fracture of foot and toe, except ankle |
| S92 | S92.356A | Fracture of foot and toe, except ankle |
| S92 | S92.401A | Fracture of foot and toe, except ankle |
| S92 | S92.402A | Fracture of foot and toe, except ankle |
| S92 | S92.403A | Fracture of foot and toe, except ankle |
| S92 | S92.404A | Fracture of foot and toe, except ankle |
| S92 | S92.405A | Fracture of foot and toe, except ankle |
| S92 | S92.406A | Fracture of foot and toe, except ankle |
| S92 | S92.411A | Fracture of foot and toe, except ankle |
| S92 | S92.412A | Fracture of foot and toe, except ankle |
| S92 | S92.413A | Fracture of foot and toe, except ankle |
| S92 | S92.414A | Fracture of foot and toe, except ankle |
| S92 | S92.415A | Fracture of foot and toe, except ankle |
| S92 | S92.416A | Fracture of foot and toe, except ankle |
| S92 | S92.421A | Fracture of foot and toe, except ankle |
| S92 | S92.422A | Fracture of foot and toe, except ankle |
| S92 | S92.423A | Fracture of foot and toe, except ankle |
| S92 | S92.424A | Fracture of foot and toe, except ankle |
| S92 | S92.425A | Fracture of foot and toe, except ankle |
| S92 | S92.426A | Fracture of foot and toe, except ankle |
| S92 | S92.491A S92.492A | Fracture of foot and toe, except ankle |
| S92 | | Fracture of foot and toe, except ankle |
| S92 | S92.499A | Fracture of foot and toe, except ankle |
| S92 | S92.501A | Fracture of foot and toe, except ankle |
| S92 | S92.502A | Fracture of foot and toe, except ankle |
| S92 | S92.503A | Fracture of foot and toe, except ankle |
| S92 | S92.504A S92.505A | Fracture of foot and toe, except ankle |
| S92 | | Fracture of foot and toe, except ankle Fracture of foot and toe, except ankle |
| S92 | S92.506A | , I |
| S92 S92 | S92.511A S92.512A | Fracture of foot and toe, except ankle Fracture of foot and toe, except ankle |
| S92 S92 | S92.512A S92.513A | · |
| S92 S92 | | Fracture of foot and too, except ankle |
| 392 | S92.514A | Fracture of foot and toe, except ankle |



| | | Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List |
|-------------------------|--------------|---|
| ICD-10 Group | ICD-10 | |
| Designation Designation | Invidividual | Group Description |
| | Code | |
| S92 | S92.515A | Fracture of foot and toe, except ankle |
| S92 | S92.516A | Fracture of foot and toe, except ankle |
| S92 | S92.521A | Fracture of foot and toe, except ankle |
| S92 | S92.522A | Fracture of foot and toe, except ankle |
| S92 | S92.523A | Fracture of foot and toe, except ankle |
| S92 | S92.524A | Fracture of foot and toe, except ankle |
| S92 | S92.525A | Fracture of foot and toe, except ankle |
| S92 | S92.526A | Fracture of foot and toe, except ankle |
| S92 | S92.531A | Fracture of foot and toe, except ankle |
| S92 | S92.532A | Fracture of foot and toe, except ankle |
| S92 | S92.533A | Fracture of foot and toe, except ankle |
| S92 | S92.534A | Fracture of foot and toe, except ankle |
| S92 | S92.535A | Fracture of foot and toe, except ankle |
| S92 | S92.536A | Fracture of foot and toe, except ankle |
| S92 | S92.591A | Fracture of foot and toe, except ankle |
| S92 | S92.592A | Fracture of foot and toe, except ankle |
| S92 | S92.599A | Fracture of foot and toe, except ankle |
| S92 | S92.901A | Fracture of foot and toe, except ankle |
| S92 | S92.902A | Fracture of foot and toe, except ankle |
| S92 | S92.909A | Fracture of foot and toe, except ankle |
| S92 | S92.911A | Fracture of foot and toe, except ankle |
| S92 | S92.912A | Fracture of foot and toe, except ankle |
| S92 | S92.919A | Fracture of foot and toe, except ankle |
| S93.40 | S93.401A | Sprain of unspecified ligament of ankle |
| S93.40 | S93.402A | Sprain of unspecified ligament of ankle |
| S93.40 | S93.409A | Sprain of unspecified ligament of ankle |
| S93.49 | S93.491A | Sprain of other ligament of ankle |
| S93.49 | S93.492A | Sprain of other ligament of ankle |
| S93.49 | S93.499A | Sprain of other ligament of ankle |
| S93.6 | S93.601A | Sprain of foot |
| S93.6 | S93.602A | Sprain of foot |
| S93.6 | S93.609A | Sprain of foot |
| S96.00 | S96.001A | Unspecified injury of muscle and tendon of long flexor muscle of toe at ankle and foot level |
| S96.00 | S96.002A | Unspecified injury of muscle and tendon of long flexor muscle of toe at ankle and foot level |
| S96.00 | S96.009A | Unspecified injury of muscle and tendon of long flexor muscle of toe at ankle and foot level |
| S96.01 | S96.011A | Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level |
| S96.01 | S96.012A | Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level |
| S96.01 | S96.019A | Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level |
| S96.09 | S96.091A | Other injury of muscle and tendon of long flexor muscle of toe at ankle and foot level |
| S96.09 | S96.092A | Other injury of muscle and tendon of long flexor muscle of toe at ankle and foot level |
| S96.09 | S96.099A | Other injury of muscle and tendon of long flexor muscle of toe at ankle and foot level |
| S96.10 | S96.101A | Unspecified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level |
| S96.10 | S96.102A | Unspecified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level |
| S96.10 | S96.109A | Unspecified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level |
| S96.11 | S96.111A | Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level |
| S96.11 | S96.112A | Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level |
| S96.11 | S96.119A | Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level |
| S96.19 | S96.191A | Other specified injury of muscle and tendon of long extensor muscle of toe at ankle and footlevel |
| 000110 | 1000.1017 | Sales speciment injury of madele and tendent or long officered interest and tendered |



| Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List | | |
|---|--------------|--|
| CD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| S96.19 | S96.192A | Other specified injury of muscle and tendon of long extensor muscle of toe at ankle and footlevel |
| S96.19 | S96.199A | Other specified injury of muscle and tendon of long extensor muscle of toe at ankle and footlevel |
| S96.20 | S96.201A | Unspecified injury of intrinsic muscle and tendon at ankle and foot level |
| S96.20 | S96.202A | Unspecified injury of intrinsic muscle and tendon at ankle and foot level |
| S96.20 | S96.209A | Unspecified injury of intrinsic muscle and tendon at ankle and foot level |
| S96.21 | S96.211A | Strain of intrinsic muscle and tendon at ankle and foot level |
| S96.21 | S96.212A | Strain of intrinsic muscle and tendon at ankle and foot level |
| S96.21 | S96.219A | Strain of intrinsic muscle and tendon at ankle and foot level |
| S96.29 | S96.291A | Other specified injury of intrinsic muscle and tendon at ankle and foot level |
| S96.29 | S96.292A | Other specified injury of intrinsic muscle and tendon at ankle and foot level |
| S96.29 | S96.299A | Other specified injury of intrinsic muscle and tendon at ankle and foot level |
| S96.80 | S96.801A | Unspecified injury of other specified muscles and tendons at ankle and foot level |
| S96.80 | S96.802A | Unspecified injury of other specified muscles and tendons at ankle and foot level |
| S96.80 | S96.809A | Unspecified injury of other specified muscles and tendons at ankle and foot level |
| S96.81 | S96.811A | Strain of other specified muscles and tendons at ankle and foot level |
| S96.81 | S96.812A | Strain of other specified muscles and tendons at ankle and foot level |
| S96.81 | S96.819A | Strain of other specified muscles and tendons at ankle and foot level |
| S96.89 | S96.891A | Other specified injury of other specified muscles and tendons at ankle and foot level |
| S96.89 | S96.892A | Other specified injury of other specified muscles and tendons at ankle and foot level |
| S96.89 | S96.899A | Other specified injury of other specified muscles and tendons at ankle and foot level |
| S96.90 | S96.901A | Unspecified injury of unspecified muscle and tendon at ankle and foot level |
| S96.90 | S96.902A | Unspecified injury of unspecified muscle and tendon at ankle and foot level |
| S96.90 | S96.909A | Unspecified injury of unspecified muscle and tendon at ankle and foot level |
| S96.911A | S96.911A | Strain of unspecified muscle and tendon at ankle and foot level, right foot, initial encounter |
| S96.912A | S96.912A | Strain of unspecified muscle and tendon at ankle and foot level, left foot, initial encounter |
| S96.919A | S96.919A | Strain of unspecified muscle and tendon at ankle and foot level, unspecified foot, initial encounter |
| S96.99 | S96.991A | Other specified injury of unspecified muscle and tendon at ankle and foot level |
| S96.99 | S96.992A | Other specified injury of unspecified muscle and tendon at ankle and foot level |
| S96.99 | S96.999A | Other specified injury of unspecified muscle and tendon at ankle and foot level |
| S99 | S99.811A | Other and unspecified injuries of ankle and foot |
| S99 | S99.812A | Other and unspecified injuries of ankle and foot |
| S99 | S99.819A | Other and unspecified injuries of ankle and foot |
| S99 | S99.821A | Other and unspecified injuries of ankle and foot |
| S99 | S99.822A | Other and unspecified injuries of ankle and foot |
| S99 | S99.829A | Other and unspecified injuries of ankle and foot |
| S99 | S99.911A | Other and unspecified injuries of ankle and foot |
| S99 | S99.912A | Other and unspecified injuries of ankle and foot |
| S99 | S99.919A | Other and unspecified injuries of ankle and foot |
| S99 | S99.921A | Other and unspecified injuries of ankle and foot |
| S99 | S99.922A | Other and unspecified injuries of ankle and foot |
| S99 | S99.929A | Other and unspecified injuries of ankle and foot |
| T07. | T07 | Unspecified multiple injuries |
| T07. | T07.XXXA | Unspecified multiple injuries |
| T07. | T07.XXXD | Unspecified multiple injuries |
| T07. | T07.XXXS | Unspecified multiple injuries |
| T14.8 | T14.8 | Other injury of unspecified body region |
| T14.8 | T14.8XXA | Other injury of unspecified body region |
| T14.8 | T14.8XXD | Other injury of unspecified body region |



| Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List | | |
|---|--------------|--|
| ICD-10 Group | ICD-10 | |
| Designation | Invidividual | Group Description |
| | Code | |
| T14.8 | T14.8XXS | Other injury of unspecified body region |
| T14.90 | T14.90 | Injury, unspecified |
| T14.90 | T14.90XA | Injury, unspecified |
| T14.90 | T14.90XD | Injury, unspecified |
| T14.90 | T14.90XS | Injury, unspecified |
| T14.91 | T14.91 | Suicide attempt |
| T14.91 | T14.91XA | Suicide attempt |
| T14.91 | T14.91XD | Suicide attempt |
| T14.91 | T14.91XS | Suicide attempt |
| T16 | T16.1XXA | Foreign body in ear |
| T16 | T16.2XXA | Foreign body in ear |
| T16 | T16.9XXA | Foreign body in ear |
| T17 | T17.0XXA | Foreign body in respiratory tract |
| T17 | T17.1XXA | Foreign body in respiratory tract |
| T78 | T78.40XA | Adverse effects, not elsewhere classified |
| T78 | T78.49XA | Adverse effects, not elsewhere classified |
| T81.4 | T81.40XA | Infection following a procedure |
| T81.4 | T81.40XD | Infection following a procedure |
| T81.4 | T81.40XS | Infection following a procedure |
| T81.4 | T81.41XA | Infection following a procedure |
| T81.4 | T81.41XD | Infection following a procedure |
| T81.4 | T81.41XS | Infection following a procedure |
| T81.4 | T81.42XA | Infection following a procedure |
| T81.4 | T81.42XD | Infection following a procedure |
| T81.4 | T81.42XS | Infection following a procedure |
| T81.4 | T81.43XA | Infection following a procedure |
| T81.4 | T81.43XD | Infection following a procedure |
| T81.4 | T81.43XS | Infection following a procedure |
| T81.4 | T81.44XA | Infection following a procedure |
| T81.4 | T81.44XD | Infection following a procedure |
| T81.4 | T81.44XS | Infection following a procedure |
| T81.4 | T81.49XA | Infection following a procedure |
| T81.4 | T81.49XD | Infection following a procedure |
| T81.4 | T81.49XS | Infection following a procedure |
| Z00 | Z00.00 | Encounter for general examination without complaint, suspected or reported diagnosis |
| Z00 | Z00.121 | Encounter for general examination without complaint, suspected or reported diagnosis |
| Z00 | Z00.129 | Encounter for general examination without complaint, suspected or reported diagnosis |
| Z00 | Z01.00 | Encounter for general examination without complaint, suspected or reported diagnosis |
| Z01 | Z01.01 | Encounter for other special examination without complaint, suspected or reported diagnosis |
| Z01 | Z01.10 | Encounter for other special examination without complaint, suspected or reported diagnosis |
| Z01 | Z01.118 | Encounter for other special examination without complaint, suspected or reported diagnosis |
| Z08. | Z08 | Encounter for follow-up examination after completed treatment for malignant neoplasm |
| Z09. | Z09 | Encounter for follow-up examination after completed treatment for conditions other than malignant neoplasm |
| Z20.2 | Z20.2 | Contact with and (suspected) exposure to infections with a predominantly sexual mode of transmission |
| Z33.1 | Z33.1 | Pregnant state, incidental |
| Z34 | Z34.80 | Encounter for supervision of normal pregnancy |
| Z34 | Z34.81 | Encounter for supervision of normal pregnancy |
| Z34 | Z34.82 | Encounter for supervision of normal pregnancy |
| | | , |



| Low Acuity Non-Emergent (LANE) ICD-10 Diagnosis Code List | | |
|---|--------------------------------|---|
| ICD-10 Group Designation | ICD-10 Invidividual Code | Group Description |
| Z34 | Z34.83 | Encounter for supervision of normal pregnancy |
| Z34 | Z34.90 | Encounter for supervision of normal pregnancy |
| Z34 | Z34.91 | Encounter for supervision of normal pregnancy |
| Z34 | Z34.92 | Encounter for supervision of normal pregnancy |
| Z34 | Z34.93 | Encounter for supervision of normal pregnancy |
| Z48.00 | Z48.00 | Encounter for change or removal of nonsurgical wound dressing |
| Z48.01 | Z48.01 | Encounter for change or removal of surgical wound dressing |
| Z48.02 | Z48.02 | Encounter for removal of sutures |
| Z76.0 | Z76.0 | Encounter for issue of repeat prescription |





Mercer Health & Benefits LLC 2325 East Camelback Road, Suite 600 Phoenix, AZ 85016 www.mercer-government.mercer.com

Services provided by Mercer Health & Benefits LLC.

Copyright © 2023 Mercer Health & Benefits LLC. All rights reserved.