



*Report Concerning the Evaluation
Results of ES&S Electronic Poll Book
ExpressPoll 7.2.8.0*

Issued By:

A handwritten signature in blue ink, appearing to read "Al Schmidt", is placed over a horizontal line.

Al Schmidt

Secretary of the Commonwealth

February 2, 2026

www.dos.pa.gov



Contents

I.	Introduction.....	4
II.	The ExpressPoll 7.2.8.0 Electronic Poll Book.....	5
A.	ExpressPoll 7.2.8.0 Application and Polling Place Device	5
B.	ExpressPoll Hardware.....	5
C.	ExpressVote Printer	5
D.	Thermal Receipt Printer(s).....	6
E.	Networking Configuration	6
III.	Evaluation Approach	7
	System Demonstration	7
	Documentation Review	7
IV.	Examination Processes and Procedures	8
	System Demonstration	8
	Documentation Review	8
V.	Examination Results	9
	System Demonstration Results	9
	Conformance to statutory requirements	9
	Review of system capabilities	9
	Level of compliance with Commonwealth IT policies	9
	Documentation Review Results	10
VI.	Observations	11
VII.	Conditions for Certification	12
VIII.	Recommendations.....	19
IX.	Conclusion	20
X.	Attachment A – Statutory Requirements	21

XI.	Attachment B - EPB Functionalities.....	25
	Specific “check-in”/voter handling scenarios demonstrated.....	25
	Usability/User Interface	25
	Security and Chain of Custody	26
XII.	Attachment C – Commonwealth IT Policies	27
XIII.	Attachment D – Supported Peripherals.....	32
XIV.	Attachment E – Sure Voter History Update Format.....	34

I. Introduction

Pennsylvania's voter registration law, 25 Pa.C.S. § 1101, et seq. ("the law"), requires that the poll book or district register "shall be in a form prescribed and approved by the Secretary" for both paper and electronic poll books. 25 Pa.C.S. §1402(b)(2). Pursuant to a request from Election Systems and Software (ES&S), the Pennsylvania Department of State (Department) evaluated the ExpressPoll 7.2.8.0 Electronic Poll Book (EPB) system, including the ExpressPoll Connect software that displays and tracks data sent to the ExpressPoll Connect server from ExpressPoll electronic pollbook devices during an election in near-real time. This evaluation was undertaken to ensure that the system complies with all the applicable requirements of the law, including the regulations implementing the law, 4 Pa. Code §§ 183.1 *et seq.*, and the Pennsylvania Election Code, 25 P.S. § 2601, *et seq.*, and therefore can be used in Pennsylvania elections. The changes between ExpressPoll 7.2.6.1, the previous version of the EPB system, and ExpressPoll 7.2.8.0 include the introduction of the Microsoft Surface Go 4, Windows 11 Enterprise 2024, and a variety of improvements to security, additional functionality, and quality of life features.

The demonstration occurred on Thursday, July 10th, 2025, and was led by, TJ Burns, Senior State Certification Manager representing Election Systems & Software. In attendance during the evaluation were the following additional persons:

- Tim Hallett, Vice President of Certification, representing Election Systems & Software;
- Jonathan Marks, Deputy Secretary for Elections and Commissions, representing the Secretary of the Commonwealth;
- Sindhu Ramachandran, Chief of the Division of Election Security and Technology, representing the Secretary of the Commonwealth;
- Casey Brady, Voting Systems Analyst, representing the Secretary of the Commonwealth;
- Brandon McCulloch, Elections Analyst, representing the Secretary of the Commonwealth; and
- Various stakeholders from Philadelphia County Election Office

II. The ExpressPoll 7.2.8.0 Electronic Poll Book

The ExpressPoll 7.2.8.0 EPB demonstrated for use in Pennsylvania included the following components as identified in the documentation submitted by ES&S:

A. ExpressPoll 7.2.8.0 Application and Polling Place Device

The electronic pollbook software is pre-loaded on a Microsoft Surface Go/Go 2/Go 3/Go 4 tablets with the applicable poll book software version for the jurisdiction. It is used to display voter registration data in an electronic format to perform voter search, verification, and ballot issuance during an election event.

B. ExpressPoll Hardware

The ExpressPoll hardware includes two options, which integrate all necessary peripheral devices into the stand and securely house the tablet in the selected enclosure. Once the tablets are installed into the stands, no additional setup or configuration is required to use all features of the ExpressPoll electronic pollbook. The ExpressPoll Terminal includes two external USB-A ports and an integrated infrared barcode scanner.

The ExpressPoll Flip Stand includes one USB-A and one USB-C external port and uses the tablet rear camera to read barcodes. When either ExpressPoll Terminal or Flip stand is connected to power the tablet's internal battery will charge, and power will be supplied to the tablet (and if using the Terminal, to the integrated barcode scanner). When disconnected from power, the tablet's internal battery will provide up to four hours of power to the tablet and, if using the ExpressPoll Terminal, four hours to the integrated barcode scanner.

C. ExpressVote Printer

Optional printer connected to the Microsoft Surface Go/Go 2/Go 3/Go 4 tablet via USB to generate ExpressVote Activation Cards directly from the ExpressPoll.

D. Thermal Receipt Printer(s)

Optional thermal printer used to generate reports and/or receipts as required by the jurisdiction. The printer uses continuous feed thermal paper. Refer to Attachment D: Pollbook Components for specific printer model information.

E. Networking Configuration

After review of the changes to wireless communications methodologies between the 7.2.6.1 and 7.2.8.0 releases of the ExpressPoll EPB, the Department determined that conclusions drawn from 7.2.4.0 and 7.2.6.1 could be applied to the current release under test.

The ExpressPoll 7.2.8.0 system presented for evaluation provides the following operational communication structure configurations:

- Standalone Electronic Pollbook: Single unit, with no communication among devices within the polling location or across polling locations within the jurisdiction.
- Local Area Network Communication (Peer to Peer): Multiple units (up to six on a single wireless router) in a single location communicating via a connection to a secured wireless router device.
- Wide Area Network Communication (Host-Server Connected): Multiple units (up to 15 on a single MiFi device) in a single location and/or across a jurisdiction communicating to Host Server via a connection to a secured wireless modem and router device with an external internet connection.

The initial configuration of ExpressPoll 7.2.4.0/7.2.6.1/7.2.8.0 presented for evaluation was identified as a Wide Area Network Communication. The Department is still in the process of evaluating the connectivity options that can be allowed securely for electronic poll books and will continue engaging ES&S as these evaluations continue. Hence, the ExpressPoll 7.2.8.0 approval in this report is limited to Local Area Network Communication (Peer to Peer) where multiple ExpressPoll 7.2.8.0 EPB units in the polling place communicate with each other via a secured wireless router device.

III. Evaluation Approach

To evaluate whether ExpressPoll 7.2.8.0 can be successfully used for elections in the Commonwealth of Pennsylvania and meets all the requirements mandated by the law and the Pennsylvania Election Code, the following approach was used: (1) System Demonstration; and (2) Documentation Review.

ExpressPoll 7.2.8.0 is an update to ExpressPoll 7.2.6.1, which is approved for use in Pennsylvania. The enhancements included were represented in the approval application. The Department leveraged details from the approval of ExpressPoll 7.2.6.1 where applicable.

System Demonstration

The Department requires a System Demonstration on a field-ready system to examine and confirm that the EPB satisfies all the statutory requirements. The demonstration also allows the Department to gain a broad understanding of the system capabilities.

Documentation Review

The Department requested the following documentation from ES&S for review.

1. System Specifications;
2. Hardware/Software/Peripherals/Additional Equipment Requirements;
3. Technical Data Sheet;
4. User Manual;
5. System Maintenance Manual;
6. Usability Reports;
7. Languages Supported;
8. System Change Notes;
9. Security Content Automation Protocol (SCAP) Report; and
10. Usability Test Report from Voting System Test Lab.

Department staff completed a thorough review of the documentation provided by ES&S.

IV. Examination Processes and Procedures

System Demonstration

An ES&S representative demonstrated the ExpressPoll 7.2.8.0 system on July 10th, 2024. The demonstration included an end-to-end set up and capability walkthrough of the submitted EPB configuration. ES&S used test data supplied by the Department to configure the electronic poll book system for the demonstration. The purposes of the demonstration were to:

- a) validate that the system complies with Pennsylvania's statutory requirements for poll books;
- b) discuss the overall capabilities of the system; and
- c) to evaluate the system security posture and level of compliance with the Commonwealth Information Technology Policies (ITPs) outlined in Attachment C of this report.

Documentation Review

The Documentation Review consisted of analyzing the system specifications, user manuals, and third-party test reports pertaining to the ExpressPoll 7.2.8.0 system. EPBs are highly configurable distributed systems, typically consisting of networked tablets or laptops used at polling places to check-in voters. They work in conjunction with a central server performing the management functions, which include preparing the election data and preparing voter history data updates. The Documentation Review was conducted to confirm that the system can be efficiently used for elections in the Commonwealth of Pennsylvania and to aid in deciding whether the EPB connectivity configuration should be approved for use in Pennsylvania.

V. Examination Results

System Demonstration Results

Below is a summary of the Department's findings from the evaluation of the ExpressPoll 7.2.8.0 with regard to statutory requirements, necessary system capabilities, and Commonwealth IT policies.

Conformance to statutory requirements

The vendor successfully demonstrated that the EPB system conforms to the statutory requirements outlined in Pennsylvania law. The demonstration performed of ExpressPoll 7.2.8.0 proved that the system can be configured to meet the statutory requirements. See Attachment A for the list of statutory requirements discussed and validated during the demonstration.

Review of system capabilities

The Department reviewed the overall functional and nonfunctional capabilities of the system during the demonstration and documentation review. See Attachment B for the list of system functional and nonfunctional capabilities discussed during the demonstration and a brief overview of the discussion points.

Level of compliance with Commonwealth IT policies

The Department provided ES&S with a copy of the Commonwealth of Pennsylvania IT policies relating to the security of distributed systems and system connectivity. The Department also provided ES&S with a questionnaire which they completed and submitted as part of the examination request. The Department set aside time during the demonstrations to discuss the security architecture of the system. The written response to the questionnaire and the security discussion with the ES&S technical team during the demonstrations allowed Department staff to evaluate the system's level of compliance with Commonwealth IT policies and to understand the security features of the system.

See Attachment C for the specific policies and submission summary discussed during the demonstration.

Documentation Review Results

Department staff analyzed the documentation provided by ES&S to understand the system capabilities in detail. The review of the documentation allowed the Department to understand in depth the functionality of the system and further assess the security and accessibility properties of the EPB system.

The demonstration and documentation review determined that ExpressPoll 7.2.8.0 consists of Microsoft Surface GO tablets (Tablet) configured as ExpressPoll terminal kiosks to perform voter check-in activity at the polling place. The ExpressPoll terminal integrates all necessary and optional peripheral devices into the stand. The data from the Statewide Uniform Registry of Electors (SURE) system needs to be prepared by the ES&S data conversion team, and the encrypted election data needs to be loaded onto the tablets.

The system configuration presented for evaluation is represented as Local Area Network Communication (Peer to Peer), where multiple units in a single location or polling place are communicating via connection to a secured wireless router device.

VI. Observations

Department staff noted the following as part of the demonstration and documentation review:

- A) ExpressPoll 7.2.8.0 uses software configuration features to determine the final functional behavior of the system. Even though the demonstration and subsequent evaluation showed that the system can be configured to satisfy all the statutory requirements, the Department will need assurance that the system setup complies with the approved configuration after purchase.
- B) The deployed system security posture will depend on the parameters selected during setup. This will necessitate validating the configuration during and after the setup activity to ensure that the system is configured in a secure manner.
- C) ExpressPoll 7.2.8.0 election setup requires the involvement of an ES&S data conversion team to prepare the data to be loaded onto the tablets. The data extracted from the SURE system is transferred via secure file transfer to ES&S for conversion services. The ES&S team prepares the data, and the converted data is then transferred back to the county to be loaded onto the emulator and then the tablets. To avoid data compromise, the data transfer and conversion services that occur outside of county IT offices will require strict monitoring and access control policies, as well as documentation of compliance with those policies. All of these transfers must use encrypted processes.

VII. Conditions for Certification

Based on the evaluation, the Secretary of the Commonwealth of Pennsylvania approves ExpressPoll 7.2.8.0 subject to the following conditions:

- A. The tablets in operation at a polling place can communicate among each other to synchronize voter check-in data during polling hours. Any data transfer required between the Express Poll Connect and tablets must happen outside of polling hours. Therefore, the tablets must be configured to prevent communication with the Express Poll Connect server during polling hours.
- B. The tablets at an individual polling place communicating with each other must be configured and managed so they always meet and maintain secure data management and transfer standards, including those contained in Commonwealth ITP policies, and must never connect to a publicly accessible network. The network at the polling place must be a “closed network,” allowing only components of the EPB system to connect, and encryption must be enabled and used. The security settings must prevent other devices from detecting and connecting to the network at the polling place.
- C. Any components which are/were part of the EPB system, including removable media, must not be connected to the Electronic Voting system. This includes, but is not limited to: Voter Access Cards encoded on the EPB systems; USBs; SD cards; printers; CDs; etc.
- D. Jurisdictions implementing the ExpressPoll 7.2.8.0 system must not use a driver’s license or ID card barcode scanning capability to check in voters. This is to avoid voters being asked for an ID when presentation of identification is not required by law. Counties must implement the system with the barcode scanning option disabled. The system must not present poll workers the option of checking in voters by scanning an identification card with barcode.
- E. Jurisdictions printing barcodes at check-in to activate ballot-marking devices must ensure that the specific integration details are demonstrated and technical documentation about the integration is submitted for evaluation to the Department of State. Only ExpressVote integration is approved for use with this report. Any additional integrations to voting system ballot-marking devices must be submitted for approval separately.

- F. Jurisdictions implementing the use of barcodes to activate the ExpressVote must ensure that poll worker training emphasizes the need to double-check the accuracy of the ballot style activated.
- G. Jurisdictions must ensure that during the Logic and Accuracy testing, all ballot-style activations are tested if integration with ballot marking devices is being utilized.
- H. ES&S must work with implementing jurisdictions to ensure that jurisdictions have a process to provide vote history data for updates to the SURE system in a timely manner, and not later than the Thursday after the election. The process must allow counties to gather check-in information from polling place devices and create an extract in the format required by the SURE system. The existing system extract format is listed in Attachment E. Counties purchasing ExpressPoll 7.2.8.0 must work with the Department's Bureau of Elections ("Bureau") to finalize the process of voter history updates during each election cycle. ES&S must be able to adhere to the extract format and timing of the update suggested by SURE system administrators.
- I. ES&S must work with implementing jurisdictions to ensure that there is a defined plan to load voter data and prepare the poll books for use on Election Day. The plan must ensure that counties can capture all the voter poll book data updates required for use on Election Day. The plan must be reviewed and approved by the Bureau to ensure that the extracts can be generated from the SURE system on the required dates.
- J. Jurisdictions implementing ExpressPoll 7.2.8.0 must work with ES&S to check and validate data loaded onto pollbooks as part of pre-election testing to ensure all correct voter and configuration data has been captured for the current election. The following data points should be reconciled before deploying the electronic poll book system:
 - a. Number of precincts, polling places and ballot styles (if applicable);
 - b. Total voters loaded by precinct and any flags required for displaying appropriate check-in messages and instructions for poll workers;
 - c. If the pre-election data load process includes multiple updates to voter data, data must be reconciled each time an update to voter data is provided; and
 - d. All required check-in scenarios for election day are appropriately configured.
- K. Jurisdictions implementing ExpressPoll 7.2.8.0 must implement a post-election reconciliation process that includes the following points of comparison:

- a. Reconciling check-in data from the poll books at each polling place with the number of ballots cast at the polling place; and
 - b. Reconciling the voter history update file generated by electronic poll book system with the total number of check-ins at the polling place.
- L. Counties purchasing or leasing the ExpressPoll 7.2.8.0 system must work with Bureau to decide what portion of the data from the SURE system can be shared with the vendor for use in electronic poll books. The counties shall not allow the vendor to run any data extraction utilities against the SURE database/system. Any data transfer must happen via a file extract and secure file transfer process and must be encrypted. The extract must not contain any additional data elements other than what was shared during the evaluation, and the data elements and sharing mechanism must be approved by the Department's Bureau of Elections. Counties must ensure the accuracy of data loaded onto the EPB system and maintain appropriate reports as necessary for auditability.
- M. Any data transfer required during the process of election setup and voter history updates between the county and ES&S data conversion services must happen via secure file transfer processes. The file transfer and download must be tracked and audited to make sure that data has not been accessed by unauthorized personnel.
- N. Portable media used to transfer files between any components of the EPB system must be new, unmodified and not refurbished. Alternatively, removable media that is being reused must be reformatted before each election. All removable media used for elections must be managed with proper chain of custody and administrative safeguards to protect against disclosure, theft, loss or damage.
- O. Jurisdictions must ensure that the system does not capture poll workers' Social Security Numbers or any poll worker personally identifiable information ("PII") as part of the "add poll worker" workflow, or any other process. Counties must consult with the Department on any questions concerning what data can be captured.
- P. Any unused ports in tablets used at polling places must be sealed with tamper-evident seals, and practices prescribed for and followed by poll workers must ensure the frequent checking of the tamper-evident seals and documentation of anomalies, including actions if tampering is discovered. Jurisdictions must configure the tablets and transport cases

with tamper-evident and tamper-proof seals and locks as applicable to ensure physical security.

Q. Counties purchasing or leasing the ExpressPoll 7.2.8.0 EPB system must work with ES&S and the Department's Bureau of Elections to do the following:

- a. Implement ExpressPoll 7.2.8.0 EPB system in a manner that satisfies all statutory requirements outlined in the law, its regulations, and the Pennsylvania Election Code. The parameter configurations and the text of informational messages must be approved by the Bureau of Elections;
- b. Implement ExpressPoll 7.2.8.0 EPB system in a secure manner that complies with applicable county and Commonwealth IT policies and any best practices published by the Bureau of Elections. The system configuration, connectivity setup, password configuration and password management policies must be approved by Bureau of Elections; and
- c. Implement ExpressPoll 7.2.8.0 EPB system with sound administrative practices and proper chain of custody in the same manner as counties deploy electronic voting systems.

R. Counties implementing ExpressPoll 7.2.8.0 must change all default passwords during implementation. County election officials must implement processes to confirm and maintain records that default passwords were changed before fielding the system. The proof must be documented using export of the system log files whenever possible. A screenshot of the password change action performed at the county elections office or otherwise documenting the password change during acceptance testing can meet this condition. County election officials with administrative access on ExpressPoll Connect server must take proper precautions for password management and protection. The passwords and permissions management must, at a minimum, comply with the password requirements outlined in NIST 800-63-4. This publication can be accessed at <https://pages.nist.gov/800-63-4/>.

S. Counties must have a contingency plan to ensure that an election will not be affected should any component (including connectivity and power supply) of the EPB system fail, or any or all tablets in use at a polling place malfunction on Election Day. The contingency plan must ensure that no “check-in” information is lost. The contingency

plan must be reviewed and approved by the Department's Bureau of Elections. At a minimum, the contingency plan must ensure the availability of a full voter list and a process for maintaining and reproducing a list of voters who have already checked in if the EPB fails during voting hours.

- T. ES&S must notify the Department of State of any changes made to the ExpressPoll 7.2.8.0 EPB system. This includes any changes to the software and to the environment of the EPB system, including but not limited to ES&S's development locations, cloud service vendors, or data center locations, for example.
- U. ES&S must escrow a copy of the code, trusted build, any verification/identification software used, and installation instructions for safekeeping to the Commonwealth of Pennsylvania; add the Commonwealth as a beneficiary to any escrow accounts they have for safekeeping the ExpressPoll 7.2.8.0 code; and provide written notification of this status to the Department, with an update on any successor escrow parties.
- V. ES&S must provide fully prepared and version-controlled system manuals for counties purchasing or leasing the EPB. The manuals must clearly identify each user-configurable parameter. Final user manuals must be submitted to the Department before the sale or lease of the product or delivery in Pennsylvania.
- W. Counties must perform a thorough evaluation and user acceptance test of the EPB system before purchase or lease. This test should include all expected activities occurring as part of the election including interactions with the SURE system. This approval report is based on a demonstration done by the vendor and a documentation review.
Demonstration by the vendor cannot be considered equivalent to testing.
- X. Jurisdictions implementing the ExpressPoll 7.2.8.0 system must keep an inventory of all the device identifiers deployed in the county. The systems must be audited at the beginning of the Election cycle for any required maintenance. Any devices decommissioned, returned or otherwise disposed of at the end of a lease or end of useful life must be permanently erased of any software and voter data. Counties must implement processes to ensure that the "clean wipe" is validated, documented, and maintained for audit purposes. Best practices on equipment sanitization are documented in publication NIST SP 800-88r2 and can be accessed at

<https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-88r2.pdf>.

- Y. The counties must work with ES&S to define and implement policies on data retention and archiving on all parts of the EPB system including external servers and removable media. Any election data stored on devices outside of the county network must be deleted and/or archived to physical media with access control as soon as it is no longer required, or no later than ninety (90) days after Election Day. Voter data shared with the vendor must be tracked and deleted to avoid data breaches. Counties must retain, as required by law, archived copies of data sent and received from the vendor for audit purposes. ES&S must maintain and retain audit logs of every data access event and make those audit logs available for inspection to the counties or the Department's Bureau of Elections upon request.
- Z. All jurisdictions implementing the ExpressPoll 7.2.8.0 must carry out full logic and accuracy testing on each device prior to every election in which the ExpressPoll 7.2.8.0 will be used and must maintain records of that logic and accuracy testing. The Department recommends creating a county-specific plan for logic and accuracy testing that includes all peripherals and anticipated check-in scenarios on Election Day. The vendor supplied logic and accuracy checklist should be used as a reference but must not be accepted in lieu of a county-specific plan.

AA. ES&S must provide audit log specification documentation to the Department's Bureau of Elections and counties purchasing or leasing the ExpressPoll 7.2.8.0 system. County election officials and IT personnel must work with ES&S to understand the system logging capabilities. The county must be able to identify and gather logs that provide an audit trail of the transactions at the polling place, and application suite audit logs or operating system logs that aid in identifying and managing security incidents, fraudulent activity, and operational problems. Processes must be implemented to harvest and safekeep the logs after every election for future analysis and review.

BB. Counties using the EPB must implement reconciliation processes at the close of polls to avoid any discrepancies between ballots and voter check-ins recorded on the EPB. Checklists should be developed for poll workers to ensure compliance with all requirements and reduce the chance of human error. Counties should also work with ES&S to produce quick reference cards for use by poll workers at the polling place on Election Day.

CC. Any COTS components of certified EPB systems must be hardened with only the required software for the EPB system. No additional software applications or utilities shall be installed on the equipment being used at the polling place.

DD. Counties must work with certified EPB vendor to ensure that the electronic poll books are configured in such a way that poll worker access to the system is restricted to performing check in activities required at the polling place only. The system must preclude the poll workers from accessing any other utilities and operating system files.

VIII. Recommendations

The Secretary makes the following recommendations to the counties purchasing or leasing the ExpressPoll 7.2.8.0 EPB system:

- A. Counties should consider using the EPB in pilot mode during the first use in an election. This allows counties to ensure that all appropriate checks and balances are in place before using the EPB system in full production mode. Larger counties should also consider implementing the EPB in a phased approach to mitigate any unforeseen issues that may arise during implementation.
- B. The Secretary urges counties to ensure that all poll workers and election officials receive appropriate training and are comfortable using the EPB. The training activities should include, but not be limited to hands-on training on devices to perform election set up and operations at a polling place and cyber hygiene practices and procedures for detecting cyber-attacks. The training should ensure that poll workers and election officials can detect any warnings that signal cyber-attacks and immediately respond to it. Involvement of poll workers during the implementation project from start to finish, with onsite trainings at the polling place, is recommended. Annual training for all poll workers and local election district personnel is also recommended, with documentation of training content and attendees. ES&S must work with counties to ensure that all training materials are updated as required and maintained for training activity before each election.
- C. The Secretary recommends that counties purchasing the ExpressPoll 7.2.8.0 EPB system perform proof of concept testing onsite at all polling places to ensure peer-to-peer connectivity and power supply availability. The Secretary further recommends that the test is conducted with a test system using components of the same make, model and configuration as that being used on Election Day.
- D. Counties using the ExpressPoll 7.2.8.0 EPB system should develop a disaster recovery plan that includes the possibility of a data breach or cyberattack on the EPB. Such a plan must identify the means of continuing the election in case a disaster occurs during the election.

IX. Conclusion

Based on the demonstration, documentation review, and consultation with Department staff, the Secretary of the Commonwealth concludes that the ES&S ExpressPoll 7.2.8.0 EPB meets all applicable requirements set forth in the law, its regulations, and the Pennsylvania Election Code, and can be used for checking in voters during elections, provided that all the conditions listed in Section VII of this report are met.

X. Attachment A – Statutory Requirements

Statutory Requirement	Demonstrated (Yes/No)
<p>The computer list shall be in a form prescribed and approved by the Secretary. (25 Pa. C.S. §1402(b)(2)).</p>	Yes
<p>Form of the Electronic Poll Book:</p> <p>Each screen of the EPB shall contain the name of the county. (25 Pa.C.S. § 1402(b)(2))</p>	Yes
<p>Each screen of the EPB shall contain the election district. (25 Pa.C.S. § 1402(b)(2)).</p>	Yes
<p>Each screen of the EPB shall contain the date of the election. (25 Pa.C.S. § 1402(b)(2)).</p>	Yes
<p>Each screen of the EPB shall contain the date and time the list was prepared. (25 Pa. C.S. § 1402(b)(2)).</p>	Yes
<p>Content of the List:</p> <p>For each election district, the EPB shall contain an accurate list of the names of the registered electors- alphabetically by last name. (25 Pa.C.S. §1402(b)(2) and 1402(c)).</p>	Yes
<p>Poll workers must have access to the list at all times so that voters can be checked in without interruption. The electronic poll book should provide for the following relating to data recovery and adequate contingencies should one or more elements of the electronic poll book fail:</p> <ul style="list-style-type: none"> • Memory Redundancy • Internal • External • Data Preservation <p>If the contingency for electronic poll book failure is the printing of paper poll books/precinct lists from the EPB, the EPB must provide for the printing of a</p>	Yes

paper poll book AND a copy of the list of registered voters within the precinct.

Demonstration Comments: EPB keeps the data during operation on the hard disk of the tablet and a removable micro- SD card to ensure that data is always preserved. The system allows a capability to connect printers and configure reports. Reports can be exported and saved to preserve data at any point in time.

Demonstration Comments: The system demonstration showed that the system identifies an attempt to check in an already checked-in voter. The EPB displays an indication of the original check in. In an environment where there are multiple filed systems that are connected, data syncing between the devices must be functioning to ensure multiple “check ins” are prevented on different devices.

A legible digitized signature for each registered elector.
(25 Pa.C.S. § 1402(b)(2)).

The official digitized signature for each registered elector must be obtained from the Statewide Uniform Registry of Electors (SURE) and it must be displayed in such a manner as only the poll worker can see the official signature at the time a voter is signing the EPB.

Yes

Street address of each registered elector.
(25 Pa.C.S. § 1402(b)(2)).

Yes

Political party designation of each registered elector.
(25 Pa.C.S. § 1402(b)(2)).

Yes

Suitable space for insertion of the signature of the registered elector.
(25 P.S. § 3050(a.3); 25 Pa.C.S. § 1402(b)(2)).

Yes

Suitable space for insertion by the proper election official of the number and letter of the stub of the ballot issued to the registered elector or the registered elector's number in the order of admission to the voting systems. (25 P.S. § 3050(a.3); 25 Pa.C.S. § 1402(b)(2)).	Yes
Suitable space for insertion of the initials of the election official who enters the record of voting in the district register. (25 P.S. § 3050(a.3); 25 Pa.C.S. § 1402(b)(2)).	
If the EPB is designed in such a manner as it provides for unique login credentials for each election official, this requirement can be satisfied by a system-generated audit report that identifies by unique election official ID which voters were checked in by that election official. Demonstration Comments: The application has a “Poll Worker Initial” box that captures the initials of the poll worker performing the check in.	Yes
Indication of whether the elector needs assistance to vote and, if so, the nature of the disability. (25 Pa.C.S. § 1402(b)(2)).	Yes
The date of birth of the registrant. (4 Pa. Code § 183.11(b)(4)).	Yes
The SURE registration number of the registrant. (4 Pa. Code § 183.11(b)(5)).	Yes
The following elector's affirmation must appear above the signature area: “I hereby certify that I am qualified to vote in this election.” (25 P.S. § 3043)	Yes
An identification of whether the registrant's status is active or inactive. (25 Pa.C.S. § 1901(c); 4 Pa. Code § 183.11(b)(6)).	Yes
Voter Status Flags Required by the SURE System	
For voters who are “inactive,” affirmation is required.	Yes

(25 Pa.C.S. § 1901(c) and (d)(3); 4 Pa. Code § 183.11).	
“ID Required”- Identification of whether the elector needs to present voter identification. An elector who appears to vote in an election district for the first time must present valid voter identification. (25 P.S. § 3050(a)).	Yes
“Absentee or Mail-in Ballot”- An elector who received an absentee or mail-in ballot is ineligible to vote in the municipality on Election Day, although he or she may vote by provisional ballot if the district register does not show that the elector voted the absentee or mail-in ballot. The elector may vote by regular ballot if the mail ballot and envelope are remitted, and the voter signs the required declaration. (25 P.S. § 3146.6(b) and § 3150.16(b))	Yes

XI. Attachment B - EPB Functionalities

Voter Check-in Processes

The following “check-in”/voter handling scenarios were demonstrated:

- a) Provisional Ballot: The process for issue of a provisional ballot.
- b) Voter who was issued an Absentee /Mail-in Ballot: The workflow configuration capabilities on the EPB when voter is issued an absentee/mail-in ballot, using the test data supplied by Department.
- c) Cancel Check in: The process for cancelling an incorrect check-in and the requirement for elevated access privileges for the function.
- d) Reissue Ballot: The process of re-issue of a ballot for a spoiled ballot.
- e) Inactive Voter Check in: The EPB system was configured with the appropriate workflow that allows the poll worker to identify an Inactive voter and handle the affirmation requirements.
- f) Redirecting a voter to the correct polling place: The system capabilities for redirecting a voter to the correct polling place.
- g) Search/Lookup voter Capabilities of the EPB: The EPB system voter lookup capabilities and usability.
- h) Identifying a Duplicate check-in: The system prevented the same voter from checking in multiple times.

Usability/User Interface

The following capabilities/functions of the EPB system were demonstrated:

- a) Set up and Procedures for setting up the field system/poll pad.
- b) Set up and Procedures for setting up the field system/poll pad.
- c) Screen navigation capabilities.
- d) Languages Supported by the system.
- e) System power up and shutdown procedures.
- f) System help availability.

Security and Chain of Custody

The following security features/functions of the EPB system were demonstrated:

- a) Password configuration on tablet: The password configuration capabilities of the EPB system were discussed.
- b) Voter Signature pad information: The information displayed to the voter on the signature pad for the voter to sign using the stylus was displayed and demonstrated. The demonstration showed that the voter will not be able to see the signature on file when signing on to the EPB.

XII. Attachment C – Commonwealth IT Policies

- A) ITP-SEC001 – Policy that governs Commonwealth’s antivirus agent, host intrusion prevention agent (host-based intrusion prevention system), incident response servlet and patch management agent for all servers.

Submission Summary: The submission suggests that the tablets in use at the polling place use a hardened operating system image with Windows defender. The hardened Windows image is built specially where all unnecessary services are restricted or disabled altogether to allow the ExpressPoll application to run in kiosk mode with a poll worker login. Service packs and required security updates are applied on an as-needed basis, based on risk analyses performed by ES&S personnel, and will be pushed to customer systems by way of Mobile Device Management (MDM) in partnership with county customers. The electronic pollbook utilizes USB drives for the purpose of loading data, but does not support the auto-run feature, and any executables on USB drives will not execute. Additionally, the ExpressPoll application on the tablet runs as an unprivileged user, not able to install software of any kind onto the tablet. Any data loaded onto the ExpressPoll must conform to a pre-determined format, and the data must be AES256 encrypted, providing the decryption key in order to import data. Any other files presented on USB drive are ignored. ES&S also represented that they have escalation processes for any suspected incident through their vice president of system security in accordance with company security and disclosure policies. The host server if used also utilizes third party antivirus and host-based intrusion prevention and detection software.

- B) ITP -SEC004 - Establishes policy and enterprise-wide standards for commonwealth agencies on web application firewalls.

Submission Summary: The ExpressPoll system supports WPA2 and WPA2-Enterprise (PEAP-TLS, EAP-TLS) wireless protocols, is capable of supporting MAC address filtering, and includes the Windows Defender anti-virus and threat protection

system by default, allowing only the ExpressPoll system to run successfully.

C) ITP-NET001 – Establishes enterprise-wide standards for Wireless Area Network (LAN) technologies and their secure usage in production environments by assurance of information security to protect confidentiality, integrity, and appropriate access to information.

Submission Summary: ES&S responded with wireless networking diagrams showcasing the network configuration used in a single polling location using Wi-Fi via securely configured wireless router.

D) ITP-SEC019 and ITP -SEC016 – Establishes policies and procedures to protect commonwealth electronic data.

Submission Summary: ES&S responded with the name and designation of the contact for security coordination. ES&S participates in the U.S. Department of Homeland Security's (DHS) Cyber Hygiene Program, and its servers and infrastructure that provide pollbook services are regularly scanned by DHS and other third parties.

E) ITP-SEC020 - Establishes policy and standards for encryption of data at rest.

Submission Summary: The data on the ExpressPoll tablet is AES 256-encrypted at the operating system level. Additionally, the database with voter data is encrypted, and a valid encryption/decryption value must be provided by the end-user before the application can decrypt the underlying databases and use them.

F) ITP-SEC024 – Establishes policies, procedures and standards related to reporting and managing of cyber security incidents.

Submission Summary: ES&S represented that they have a defined process in responding to cybersecurity incidents coordinated and escalated through an enterprise-wide contact following any industry and internal best practices for reporting and incident management.

G) ITP-SEC025 – Establishes guidelines for the proper electronic use and disclosure of Personally Identifiable Information.

Submission Summary: ES&S represented that data in the poll book system is protected by encryption of data. It was also explained that the company involves tooling such as Open Worldwide Application Security Project (OWASP). Threat modeling and threat identification are a normal part of the software development lifecycle process and are utilized before, during, and after development exercises.

H) ITP-SEC029 - Establishes policy and procedures for commonwealth agencies for physical security of IT resources.

Submission Summary: ES&S represented that their organization follows policies to avoid unauthorized access to their facility, including using access restrictions and monitoring the facilities by cameras installed on premises. The restricted access records are audited regularly. Physical access to IT-related media including backup tapes is controlled to avoid unauthorized data access. The physical security of the tablet is ensured by using tamper-proof locks and seals to seal any unused ports. The system at the polling place consists of a tablet, integrated stand and micro-SD card. The tablet can be affixed into the stand, which includes a lock to prevent any type of removal. The microSD card is inserted into the tablet, and a seal is placed over the opening, preventing the user from easily removing the micro-SD card and making it obvious if the seal is broken. The system can be placed in a protective case with the data loaded, the micro-SD card inserted, and the tablet locked to the stand. The case can also be sealed to reveal the system may have been compromised if the seal is

broken.

I) ITP-SEC031 - Establishes policy and standards for encryption of data in transit to improve the confidentiality and integrity of data.

Submission Summary: ES&S represented that the poll book system involves encryptions and secure transmission protocols. The application supports https /TLS 1.2/AES256

Data Transfer	Encryption Method
Data Transferred from ExpressPoll Connect to ExpressPoll EPB	All data is encrypted with AES 256 encryption using TLS 1.2 connection.
Data transferred from ExpressPoll to ExpressPoll EPB	All data is encrypted with AES 256 encryption using TLS 1.2 connection.
Data transferred from ExpressPoll EPB via approved Wi-Fi networks	All data is encrypted using WPA2 protection.

J) ITP-SEC032 - Establishes compliance standards for enterprise Data Loss Prevention (DLP).

Submission Summary: The policy refers compliance to the below mentioned policies.

- 1) ITP-SEC019 - Policy and Procedures for Protecting Commonwealth Electronic Data Refer to Item C above.
- 2) ITP-SEC020 - Encryption Standards for Data at Rest. Refer to Item D above.
- 3) ITP-SEC031 - Encryption Standards for Data in Transit. Refer Item H above
- 4) ITP-SEC017 - CoPA Policy on Credit Card Use for e-Government Applications (if applicable). Not applicable.

K) ITP-SEC035 - This information technology policy establishes policies, responsibilities, and procedures for connecting and using mobile communication devices to access commonwealth IT resources.

Submission Summary: The discussion represents that the EPB solution utilizes a tablet for the voter-facing display and signature capture. The tablet uses a hardened Windows image and the ExpressPoll application. The Windows image is built specifically to allow the ExpressPoll application to run in kiosk mode. The Windows image also will not receive automatic patch updates, which prevents unexpected downloads to the system. ES&S will monitor all security patches and recommend image updates after testing if a patch is required.

L) ITP-SEC007 - This Information Technology Policy establishes minimum standards for the implementation and administration of users, systems, networks, devices, application account IDs, passwords, and requirements around multi-factor authentication.

Submission Summary: The tablet with ExpressPoll 7.2.8.0 supports options that enable the creation of county-defined poll worker and supervisor passwords. The passwords are specific to each individual number/polling place. The maintenance PIN on the tablet also can be changed by county personnel. The system comes with default passwords, and ES&S recommends that counties follow the best practice of changing the default passwords after receipt and regularly thereafter.

The ES&S ExpressPoll Connect System is used when EPBs are connected in wide area network communication to sync voter check-in information across the entire jurisdiction. The system allows administrators to add new users and allows existing users to change passwords by an email weblink with an expiring token. ExpressPoll Connect can be configured to limit reauthentication attempts and to allow users to be configured with Multi Factor Authentication. Wide area network configuration implementation is not approved for use in Pennsylvania.

XIII. Attachment D – Supported Peripherals

Below is a list of peripheral devices that are included in testing of the ExpressPoll Application 7.2.8.0 for the Microsoft Surface Go, Go 2, Go 3, and Go 4 tablets. The list is from Attachment 2 of the ES&S ExpressPoll_7.2.8.0_SystemOverview.pdf.document submitted with the Technical Data Package for ES&S 7.2.8.0.

Peripheral Devices			
Device Name	Model #	Interface	Notes
ExpressPoll Premium Stand	97-10025-00	Wi-Fi/USB	The ExpressPoll stand ships assembled with tablet as an optional configuration.
ExpressPoll Flip Stand	97-10037-00	Wi-Fi/USB	The ExpressPoll stand ships assembled with tablet in default configuration.
ExpressVote Activation Card Printer	4200	USB	The ExpressVote printer is used to print activation cards
BOD9310 Printer	HL-L9310CDW	USB	For complete specifications, click the following link: Brother-usa.com
BOD6400 Printer	HL-L6400DW	USB	For complete specifications, click the following link: Brother-usa.com
BODEX415 Printer	HL-EX415DW	USB	For complete specifications, click the following link: Brother-usa.com
TM-T20III Receipt Printer	M267D	USB	For complete specifications, click the following link: Epson.com

TSP650 Receipt Printer	TSP650II	USB	For complete specifications, click the following link: starmicronics.com
Label Printer	SLP 650	USB	For complete specifications, click the following link: SeikoInstruments.com
Printer Bag	98-00007-64	N/A	Printer case for storage and transport
AC750 Router	TL-WR902AC	Wi-Fi	For complete specifications, click the following link: TP-Link.com
USB Flash Drives	N/A	USB	Storage Device

XIV. Attachment E – Sure Voter History Update Format



(All fields are required)