



*Report Concerning the Evaluation
Results of KNOWiNK Electronic Poll Book
Poll Pad 4.2.1*

Issued By:

A handwritten signature in blue ink, appearing to read 'Al Schmidt', written over a horizontal line.

Al Schmidt

Secretary of the Commonwealth

August 25th, 2026

www.dos.pa.gov



Contents

I.	Introduction.....	4
II.	The Poll Pad 4.2.1 Electronic Poll Book	5
A.	Poll Pad 4.2.1 Application and Polling Place Device	5
B.	Poll Pad Hardware	5
C.	ePulse EPB Management Platform.....	5
D.	Poll Pad Accessories	6
E.	Networking Configuration.....	6
III.	Evaluation Approach	8
	System Demonstration	8
	Documentation Review	8
IV.	Examination Processes and Procedures	9
	System Demonstration	9
	Documentation Review	9
V.	Examination Results	10
	System Demonstration Results	10
	Conformance to statutory requirements	10
	Review of system capabilities	10
	Level of compliance with Commonwealth IT policies	10
	Documentation Review Results	11
VI.	Observations	12
VII.	Conditions for Certification	14
VIII.	Recommendations.....	21
IX.	Conclusion	22
X.	Attachment A – Statutory Requirements	23

XI.	Attachment B - EPB Functionalities.....	27
	Voter Check-in Processes.....	27
	Usability/User Interface	27
	Security and Chain of Custody	28
XII.	Attachment C – Commonwealth IT Policies	29
XIII.	Attachment D – Supported Peripherals.....	34
XIV.	Attachment E – Sure Voter History Update Format.....	36

I. Introduction

Pennsylvania's voter registration law, 25 Pa.C.S. § 1101, *et seq.* ("the law"), requires that the poll book or district register "shall be in a form prescribed and approved by the Secretary" for both paper and electronic poll books. 25 Pa.C.S. § 1402(b)(2). Pursuant to a request from KNOWiNK, the Pennsylvania Department of State (Department) evaluated the Poll Pad 4.2.1 Electronic Poll Book (EPB) system, including the ePulse software that displays and tracks data sent to the electronic pollbook devices during an election in near-real time. This evaluation was undertaken to ensure that the system complies with all the applicable requirements of the law, including the regulations implementing the law, 4 Pa. Code §§ 183.1 *et seq.*, and the Pennsylvania Election Code, 25 P.S. § 2601, *et seq.*, and therefore can be used in Pennsylvania elections. The changes between Poll Pad 3.5.1, the previous version of the EPB system, and Poll Pad 4.2.1 include performance and security upgrades, maintenance, functionality and quality updates.

The demonstration occurred on Tuesday, March 24th, 2026, and was led by Krystle Ransom, Senior State Certification Manager representing KNOWiNK. In attendance during the evaluation were the following employees of the Commonwealth, representing the Secretary of the Commonwealth:

- Sindhu Ramachandran, Election Technology;
- Casey Brady, Voting Systems Analyst;
- Brandon McCulloch, Elections Analyst;
- Matt Potvin, Chief Information Security Officer, Office of Administration; and
- Andy Ritter, Chief Information Security Officer;

II. The Poll Pad 4.2.1 Electronic Poll Book

The Poll Pad 4.2.1 EPB demonstrated for use in Pennsylvania included the following components as identified in the documentation submitted by KNOWiNK:

A. Poll Pad 4.2.1 Application and Polling Place Device

Poll Pads are iPads configured for use at the polling place to perform voter check-in activities. The Poll Pad 4.2.1 software application installed on iPad allows poll workers to perform the polling place activities typically performed using a printed paper poll book. The Poll Pads work in kiosk mode, allowing the poll workers to access only the poll pad application. It is used to display voter registration data in an electronic format to perform voter search, verification, and ballot issuance during an election event.

B. Poll Pad Hardware

The Poll Pad hardware includes an Apple iPad with a custom stand which securely houses the integrated thermal printer in the enclosure. Once the tablets and printers are installed into the stands, no additional setup or configuration is required to use the features of the Poll Pad except connection the iPad and thermal printer units to power.

Poll Pad includes one USB-C charging port that will charge the iPad tablet's internal battery while connected to power. When disconnected from power, the tablet's internal battery will provide up to ten hours of power to the tablet to allow for uninterrupted voter check-in. Thermal printer models Star Micronics TSP650ii, TPS700ii, and mC-Print3 require power from outlets to function and connect to the iPad via secure Bluetooth connection.

C. ePulse EPB Management Platform

ePulse is a web-based platform that supports the management functions of the EPB system. ePulse allows the county election officials to prepare the voter and precinct data for use on Poll Pads. It also, when permitted, can provide an Election Day monitoring platform that connects election officials to polling places, but this function can also be inactivated. The system, when activated, can facilitate managing Election Day operations by providing

functionalities like monitoring polling place status, hardware health, and system operational status. Monitoring functionalities can allow election officials to address potential issues and have better control of polling places on Election Day. The system also allows election officials to prepare customizable reports for analysis.

D. Poll Pad Accessories

Refer to Attachment D for a list of all the items in the Poll Pad EPB system case.

E. Networking Configuration

After reviewing the changes to wireless communications methodologies between the 3.5.1 and 4.2.1 releases of the Poll Pad EPB, the Department determined that conclusions drawn from 3.5.1 could be applied to the current release under test.

The Poll Pad 4.2.1 system presented for evaluation provides the following operational communication structure configurations:

- Standalone Electronic Pollbook: Single unit, with no communication among devices within the polling location or across polling locations within the jurisdiction.
- Local Area Network Communication (Peer to Peer): Multiple units (up to six on a single wireless router) in a single location communicating via an encrypted peer to peer connection.
- Wide Area Network Communication (Host-Server Connected): Multiple units in a single location and/or across a jurisdiction communicating to Host Server via a connection to a secured wireless modem and router device with an external internet connection.

The initial configuration of Poll Pad 3.5.1/4.2.1 presented for evaluation was identified as a Wide Area Network Communication. The Department is still in the process of evaluating the connectivity options that can be allowed securely for electronic poll books and will continue engaging KNOWiNK as these evaluations continue. Hence, the Poll Pad 4.2.1 approval in this report is limited to Local Area Network Communication (Peer to Peer) where multiple Poll Pad

4.2.1 EPB units in the polling place communicate with each other via an encrypted peer to peer connection.

III. Evaluation Approach

To evaluate whether Poll Pad 4.2.1 can be successfully used for elections in the Commonwealth of Pennsylvania and meets all the requirements mandated by the law and the Pennsylvania Election Code, the following approach was used: (1) System Demonstration; and (2) Documentation Review.

Poll Pad 4.2.1 is an update to Poll Pad 3.5.1, which is approved for use in Pennsylvania. The Department leveraged details from the approval of Poll Pad 3.5.1 where applicable.

System Demonstration

The Department requires a System Demonstration on a field-ready system to examine and confirm that the EPB satisfies all the statutory requirements. The demonstration also allows the Department to gain a broad understanding of the system capabilities.

Documentation Review

The Department requested the following documentation from KNOWiNK for review.

1. System Specifications;
2. Hardware/Software/Peripherals/Additional Equipment Requirements;
3. Technical Data Sheet;
4. User Manual;
5. System Maintenance Manual;
6. Usability Reports;
7. Languages Supported;
8. System Change Notes;
9. Accessibility and Usability Test Report from Voting System Test Lab.

Department staff completed a thorough review of the documentation provided by KNOWiNK.

IV. Examination Processes and Procedures

System Demonstration

A KNOWiNK representative demonstrated the Poll Pad 4.2.1 system on March 24th, 2026. The demonstration included an end-to-end set up and capability walkthrough of the submitted EPB configuration. KNOWiNK used test data supplied by the Department to configure the electronic poll book system for the demonstration. The purposes of the demonstration were to:

- a) validate that the system complies with Pennsylvania’s statutory requirements for poll books;
- b) discuss the overall capabilities of the system; and
- c) to evaluate the system security posture and level of compliance with the Commonwealth Information Technology Policies (ITPs) outlined in Attachment C of this report.

Documentation Review

The Documentation Review consisted of analyzing the system specifications, user manuals, and third-party test reports pertaining to the Poll Pad 4.2.1 system. EPBs are highly configurable distributed systems, typically consisting of networked tablets or laptops used at polling places to check-in voters. They work in conjunction with a central server performing the management functions, which include preparing the election data and preparing voter history data updates. The Documentation Review was conducted to confirm that the system can be efficiently used for elections in the Commonwealth of Pennsylvania and to aid in deciding whether the EPB connectivity configuration should be approved for use in Pennsylvania.

V. Examination Results

System Demonstration Results

Below is a summary of the Department's findings from the evaluation of the Poll Pad 4.2.1 with regard to statutory requirements, necessary system capabilities, and Commonwealth IT policies.

Conformance to statutory requirements

The vendor successfully demonstrated that the EPB system conforms to the statutory requirements outlined in Pennsylvania law. The demonstration performed of Poll Pad 4.2.1 proved that the system can be configured to meet the statutory requirements. See Attachment A for the list of statutory requirements discussed and validated during the demonstration.

Review of system capabilities

The Department reviewed the overall functional and nonfunctional capabilities of the system during the demonstration and documentation review. See Attachment B for the list of system functional and nonfunctional capabilities discussed during the demonstration and a brief overview of the discussion points.

Level of compliance with Commonwealth IT policies

The Department provided KNOWiNK with a copy of the Commonwealth of Pennsylvania IT policies relating to the security of distributed systems and system connectivity. The Department also provided KNOWiNK with a questionnaire which they completed and submitted as part of the examination request. The Department set aside time during the demonstrations to discuss the security architecture of the system. The written response to the questionnaire and the security discussion with the KNOWiNK technical team during the demonstrations allowed Department staff to evaluate the system's level of compliance with Commonwealth IT policies and to understand the security features of the system.

See Attachment C for the specific policies and submission summary discussed during the demonstration.

Documentation Review Results

Department staff analyzed the documentation provided by KNOWiNK to understand the system capabilities in detail. The review of the documentation allowed the Department to understand the functionality of the system in depth and further assess the security and accessibility properties of the EPB system.

The demonstration and documentation review determined that Poll Pad 4.2.1 consists of Apple iPad tablets (Tablet) configured as Poll Pad application kiosks to perform voter lookup and check-in activity at the polling place. The Poll Pad terminal integrates all necessary and optional peripheral devices into the stand. The data from the Statewide Uniform Registry of Electors (SURE) system needs to be prepared by the KNOWiNK data conversion team, and the encrypted election data needs to be loaded onto the tablets.

The final system configuration presented for evaluation is represented as Local Area Network Communication (Peer to Peer), where multiple units in a single location or polling place are communicating via connection to a secured wireless router device.

VI. Observations

Department staff noted the following as part of the demonstration and documentation review:

- A) Poll Pad 4.2.1 uses software configuration features to determine the final functional behavior of the system. Even though the demonstration and subsequent evaluation showed that the system can be configured to satisfy all the statutory requirements, the Department will need assurance that the system setup complies with the approved configuration after implementation.
- B) Poll Pad 4.2.1 includes configurable functionalities in system executables that can be added to satisfy certain jurisdictional specific requests.
- C) The deployed system security posture will depend on the parameters selected during setup. This will necessitate validating the configuration during and after the setup activity to ensure that the system is configured in a secure manner.
- D) Poll Pad 4.2.1 when deployed in live (fully connected) and restricted server communication mode can communicate with the cloud server located outside of the polling place and transmit transactional and operational data throughout Election Day to the ePulse server. The live (fully connected) and restricted communication mode maintain a communication channel between the polling place and cloud server for the entire time the polls are open on Election Day. These can be disconnected, which is the only approved setting during polling hours in Pennsylvania.
- E) Poll Pad 4.2.1 election setup requires the involvement of a KNOWiNK data conversion team to prepare the data to be loaded onto the Poll Pads. The data extracted from the SURE system is transferred via secure file transfer to KNOWiNK for conversion services. The KNOWiNK team prepares the data, and the converted data is then transferred back to the county to be loaded onto the tablets. To avoid data compromise, the data transfer and conversion services that occur outside of county IT offices will require strict monitoring and access control policies, as well as documentation of compliance with those policies. All these transfers must use

encrypted processes and will need to be validated for accuracy and completeness after loading data to poll pads to avoid data inconsistencies on Election Day.

VII. Conditions for Certification

Based on the evaluation, the Secretary of the Commonwealth of Pennsylvania approves Poll Pad 4.2.1 subject to the following conditions:

- A. The tablets in operation at a polling place can communicate among each other to synchronize voter check-in data during polling hours. Any data transfer required between ePulse and tablets must happen outside of polling hours. Therefore, the tablets must be configured to prevent communication with the ePulse server during polling hours.
- B. The tablets at an individual polling place communicating with each other must be configured and managed so they always meet and maintain secure data management and transfer standards, including those contained in Commonwealth ITP policies, and must never connect to a publicly accessible network. The network at the polling place must be a “closed network,” allowing only components of the EPB system to connect, and encryption must be enabled and used. The security settings must prevent other devices from detecting and connecting to the network at the polling place.
- C. Any components which are/were part of the EPB system, including removable media, must not be connected to the Electronic Voting system. This includes, but is not limited to: Voter Access Cards encoded on the EPB systems; USBs; SD cards; printers; CDs; etc.
- D. Jurisdictions implementing the Poll Pad 4.2.1 system must not use a driver’s license or ID card barcode scanning capability to check in voters. This is to avoid voters being asked for an ID when presentation of identification is not required by law. Counties must implement the system with the barcode scanning option disabled. The system must not present poll workers the option of checking in voters by scanning an identification card with barcode.
- E. Jurisdictions printing barcodes at check-in to activate ballot-marking devices must ensure that the specific integration details are demonstrated and technical documentation about the integration is submitted for evaluation to the Department of State. Only Freedom Vote Tablet (FVT) integration is approved for use with this report. Any

additional integrations to voting system ballot marking devices must be submitted for approval separately.

- F. Jurisdictions implementing the use of barcodes to activate the FVT must ensure that poll worker training emphasizes the need to double-check the accuracy of the ballot style activated.
- G. Jurisdictions must ensure that during the Logic and Accuracy testing, all ballot-style activations are tested if integration with ballot marking devices is being utilized.
- H. KNOWiNK must work with implementing jurisdictions to ensure that jurisdictions have a process to provide vote history data for updates to the SURE system in a timely manner, and not later than the Thursday after the election. The process must allow counties to gather check-in information from polling place devices and create an extract in the format required by the SURE system. The existing system extract format is listed in Attachment E. Counties purchasing Poll Pad 4.2.1 must work with the Department's Bureau of Elections ("Bureau") to finalize the process of voter history updates during each election cycle. KNOWiNK must be able to adhere to the extract format and timing of the update suggested by SURE system administrators.
- I. KNOWiNK must work with implementing jurisdictions to ensure that there is a defined plan to load voter data and prepare the poll books for use on Election Day. The plan must ensure that counties can capture all the voter poll book data updates required for use on Election Day. The plan must be reviewed and approved by the Bureau to ensure that the extracts can be generated from the SURE system on the required dates.
- J. Jurisdictions implementing Poll Pad 4.2.1 must work with KNOWiNK to check and validate data loaded onto pollbooks as part of pre-election testing to ensure all correct voter and configuration data has been captured for the current election. The following data points should be reconciled before deploying the electronic poll book system:
 - i. Number of precincts, polling places and ballot styles (if applicable);
 - ii. Total voters loaded by precinct and any flags required for displaying appropriate check-in messages and instructions for poll workers;
 - iii. If the pre-election data load process includes multiple updates to voter data, data must be reconciled each time an update to voter data is provided; and
 - iv. All required check-in scenarios for election day are appropriately configured.

- K. Jurisdictions implementing Poll Pad 4.2.1 must implement a post-election reconciliation process that includes the following points of comparison:
- i. Reconciling check-in data from the poll books at each polling place with the number of ballots cast at the polling place; and
 - ii. Reconciling the voter history update file generated by electronic poll book system with the total number of check-ins at the polling place.
- L. Counties purchasing or leasing the Poll Pad 4.2.1 system must work with Bureau to decide what portion of the data from the SURE system can be shared with the vendor for use in electronic poll books. The counties shall not allow the vendor to run any data extraction utilities against the SURE database/system. Any data transfer must happen via a file extract and secure file transfer process and must be encrypted. The extract must not contain any additional data elements other than what was shared during the evaluation, and the data elements and sharing mechanism must be approved by the Department's Bureau of Elections. Counties must ensure the accuracy of data loaded onto the EPB system and maintain appropriate reports as necessary for auditability.
- M. Any data transfer required during the process of election setup and voter history updates between the county and KNOWiNK data conversion services must happen via secure file transfer processes. The file transfer and download must be tracked and audited to make sure that data has not been accessed by unauthorized personnel.
- N. Portable media used to transfer files between any components of the EPB system must be new, unmodified and not refurbished. Alternatively, removable media that is being reused must be reformatted before each election. All removable media used for elections must be managed with proper chain of custody and administrative safeguards to protect against disclosure, theft, loss or damage.
- O. Jurisdictions must ensure that the system does not capture poll workers' Social Security Numbers or any poll worker personally identifiable information ("PII") as part of the "add poll worker" workflow, or any other process. Counties must consult with the Department on any questions concerning what data can be captured.
- P. Any unused ports in tablets used at polling places must be sealed with tamper-evident seals, and practices prescribed for and followed by poll workers must ensure the frequent checking of the tamper-evident seals and documentation of anomalies, including

actions if tampering is discovered. Jurisdictions must configure the tablets and transport cases with tamper-evident and tamper-proof seals and locks as applicable to ensure physical security.

- Q. Counties purchasing or leasing the Poll Pad 4.2.1 EPB system must work with KNOWiNK and the Department's Bureau of Elections to do the following:
- i. Implement Poll Pad 4.2.1 EPB system in a manner that satisfies all statutory requirements outlined in the law, its regulations, and the Pennsylvania Election Code. The parameter configurations and the text of informational messages must be approved by the Bureau of Elections;
 - ii. Implement Poll Pad 4.2.1 EPB system in a secure manner that complies with applicable county and Commonwealth IT policies and any best practices published by the Bureau of Elections. The system configuration, connectivity setup, password configuration and password management policies must be approved by Bureau of Elections; and
 - iii. Implement Poll Pad 4.2.1 EPB system with sound administrative practices and proper chain of custody in the same manner as counties deploy electronic voting systems.
- R. Counties implementing Poll Pad 4.2.1 must change all default passwords during implementation. County election officials must implement processes to confirm and maintain records that default passwords were changed before fielding the system. The proof must be documented using export of the system log files whenever possible. A screenshot of the password change action performed at the county elections office or otherwise documenting the password change during acceptance testing can meet this condition. County election officials with administrative access on the ePulse server must take proper precautions for password management and protection. The passwords and permissions management must, at a minimum, comply with the password requirements outlined in NIST 800-63-4. This publication can be accessed at <https://pages.nist.gov/800-63-4/>.
- S. Counties must have a contingency plan to ensure that an election will not be affected should any component (including connectivity and power supply) of the EPB system fail, or any or all tablets in use at a polling place malfunction on Election Day.

The contingency plan must ensure that no “check-in” information is lost. The contingency plan must be reviewed and approved by the Department’s Bureau of Elections. At a minimum, the contingency plan must ensure the availability of a full voter list and a process for maintaining and reproducing a list of voters who have already checked in if the EPB fails during voting hours.

- T. KNOWiNK must notify the Department of State of any changes made to the Poll Pad 4.2.1 EPB system. This includes any changes to the software and to the environment of the EPB system, including but not limited to KNOWiNK’s development locations, cloud service vendors, or data center locations, for example.
- U. KNOWiNK must escrow a copy of the code, trusted build, any verification/identification software used, and installation instructions for safekeeping to the Commonwealth of Pennsylvania; add the Commonwealth as a beneficiary to any escrow accounts they have for safekeeping the Poll Pad 4.2.1 code; and provide written notification of this status to the Department, with an update on any successor escrow parties.
- V. KNOWiNK must provide fully prepared and version-controlled system manuals for counties purchasing or leasing the EPB. The manuals must clearly identify each user-configurable parameter. Final user manuals must be submitted to the Department before the sale or lease of the product or delivery in Pennsylvania.
- W. Counties must perform a thorough evaluation and user acceptance test of the EPB system before purchase or lease. This test should include all expected activities occurring as part of the election including interactions with the SURE system. This approval report is based on a demonstration done by the vendor and a documentation review.
Demonstration by the vendor cannot be considered equivalent to testing.
- X. Jurisdictions implementing the Poll Pad 4.2.1 system must keep an inventory of all the device identifiers deployed in the county. The systems must be audited at the beginning of the Election cycle for any required maintenance. Any devices decommissioned, returned or otherwise disposed of at the end of a lease or end of useful life must be permanently erased of any software and voter data. Counties must implement processes to ensure that the “clean wipe” is validated, documented, and maintained for audit purposes. Best practices on equipment sanitization are documented in publication

NIST SP 800-88r2 and can be accessed at

<https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-88r2.pdf>.

- Y. The counties must work with KNOWiNK to define and implement policies on data retention and archiving on all parts of the EPB system including external servers and removable media. Any election data stored on devices outside of the county network must be deleted and/or archived to physical media with access control as soon as it is no longer required, or no later than ninety (90) days after Election Day. Voter data shared with the vendor must be tracked and deleted to avoid data breaches. Counties must retain, as required by law, archived copies of data sent and received from the vendor for audit purposes. KNOWiNK must maintain and retain audit logs of every data access event and make those audit logs available for inspection to the counties or the Department's Bureau of Elections upon request.
- Z. All jurisdictions implementing the Poll Pad 4.2.1 must carry out full logic and accuracy testing on each device prior to every election in which the Poll Pad 4.2.1 will be used and must maintain records of that logic and accuracy testing. The Department recommends creating a county-specific plan for logic and accuracy testing that includes all peripherals and anticipated check-in scenarios on Election Day. The vendor supplied logic and accuracy checklist should be used as a reference but must not be accepted in lieu of a county-specific plan.
- AA. KNOWiNK must provide audit log specification documentation to the Department's Bureau of Elections and counties purchasing or leasing the Poll Pad 4.2.1 system. County election officials and IT personnel must work with KNOWiNK to understand the system logging capabilities. The county must be able to identify and gather logs that provide an audit trail of the transactions at the polling place, and application suite audit logs or operating system logs that aid in identifying and managing security incidents, fraudulent activity, and operational problems. Processes must be implemented to harvest and safekeep the logs after every election for future analysis and review.
- BB. Counties using the EPB must implement reconciliation processes at the close of polls to avoid any discrepancies between ballots and voter check-ins recorded on the EPB. Checklists should be developed for poll workers to ensure compliance with all

requirements and reduce the chance of human error. Counties should also work with KNOWiNK to produce quick reference cards for use by poll workers at the polling place on Election Day.

CC. Any Commercial-Off-The-Shelf components of certified EPB systems must be hardened with only the required software for the EPB system. No additional software applications or utilities shall be installed on the equipment being used at the polling place.

DD. Counties must work with certified EPB vendor to ensure that the electronic poll books are configured in such a way that poll worker access to the system is restricted to performing check in activities required at the polling place only. The system must preclude the poll workers from accessing any other utilities and operating system files.

VIII. Recommendations

The Secretary makes the following recommendations to the counties purchasing or leasing the KNOWiNK Poll Pad 4.2.1 EPB system:

- A. Counties should consider using the EPB in pilot mode during the first use in an election. This allows counties to ensure that all appropriate checks and balances are in place before using the EPB system in full production mode. Larger counties should also consider implementing the EPB in a phased approach to mitigate any unforeseen issues that may arise during implementation.
- B. The Secretary urges counties to ensure that all poll workers and election officials receive appropriate training and are comfortable using the EPB. The training activities should include, but not be limited to: hands-on training on devices to perform election set up and operations at a polling place and cyber hygiene practices and procedures for detecting cyber-attacks. The training should ensure that poll workers and election officials can detect any warnings that signal cyber-attacks and immediately respond to it. Involvement of poll workers during the implementation project from start to finish, with onsite trainings at the polling place, is recommended. Annual training for all poll workers and local election district personnel is also recommended, with documentation of training content and attendees. KNOWiNK must work with counties to ensure that all training materials are updated as required and maintained for training activity before each election.
- C. The Secretary recommends that counties purchasing the KNOWiNK Poll Pad 4.2.1 EPB system perform proof of concept testing onsite at all polling places to ensure peer-to-peer connectivity and power supply availability. The Secretary further recommends that the test is conducted with a test system using components of the same make, model and configuration as that being used on Election Day.
- D. Counties using the KNOWiNK Poll Pad 4.2.1 EPB system should develop a disaster recovery plan that includes the possibility of a data breach or cyberattack on the EPB. Such a plan must identify the means of continuing the election in case a disaster occurs during the election.

IX. Conclusion

Based on the demonstration, documentation review, and consultation with Department staff, the Secretary of the Commonwealth concludes that the KNOWiNK Poll Pad 4.2.1 electronic poll book meets all applicable requirements set forth in the law, its regulations, and the Pennsylvania Election Code, and can be used for checking in voters during elections, provided that all the conditions listed in Section VII of this report are met.

X. Attachment A – Statutory Requirements

Statutory Requirement	Demonstrated (Yes/No)
The computer list shall be in a form prescribed and approved by the Secretary. (25 Pa. C.S. §1402(b)(2)).	Yes
Form of the Electronic Poll Book:	
Each screen of the EPB shall contain the name of the county. (25 Pa.C.S. § 1402(b)(2))	Yes
Each screen of the EPB shall contain the election district. (25 Pa.C.S. § 1402(b)(2)).	Yes
Each screen of the EPB shall contain the date of the election. (25 Pa.C.S. § 1402(b)(2)).	Yes
Each screen of the EPB shall contain the date and time the list was prepared. (25 Pa. C.S. § 1402(b)(2)).	Yes
Content of the List:	
For each election district, the EPB shall contain an accurate list of the names of the registered electors- alphabetically by last name. (25 Pa.C.S. §1402(b)(2) and 1402(c)).	Yes
Poll workers must have access to the list at all times so that voters can be checked in without interruption. The electronic poll book should provide for the following relating to data recovery and adequate contingencies should one or more elements of the electronic poll book fail: • Memory Redundancy • Internal • External • Data Preservation • If the contingency for electronic poll book failure is the printing of paper poll books/precinct lists from the EPB, the EPB must	Yes

provide for the printing of a paper poll book AND a copy of the list of registered voters within the precinct. Demonstration Comments: EPB system keeps the data during operation on the hard disk of the Poll Pad. Data redundancy at a polling place can be maintained by having multiple Poll Pads in a polling place, having the check in data synchronized between them and also using the iSync drives. Reports can be configured, exported, and saved to preserve data at any point in time. • The EPB must prevent multiple “check-ins” by the same voter. Demonstration Comments: The system identifies an attempt to check in an already checked in voter. The Poll Pad displays an indication of the original check-in. The system can be configured for the poll worker to take additional actions like cancelling the check in, reprinting the voter slip, etc. In an environment where there are multiple Poll Pads connected, data syncing between the devices must be functioning to ensure multiple “check ins” are prevented on different devices.	
A legible digitized signature for each registered elector. (25 Pa.C.S. § 1402(b)(2)). The official digitized signature for each registered elector must be obtained from the Statewide Uniform Registry of Electors (SURE) and it must be displayed in such a manner as only the poll worker can see the official signature at the time a voter is signing the EPB.	Yes
Street address of each registered elector. (25 Pa.C.S. § 1402(b)(2)).	Yes
Political party designation of each registered elector. (25 Pa.C.S. § 1402(b)(2)).	Yes
Suitable space for insertion of the signature of the registered elector.	Yes

(25 P.S. § 3050(a.3); 25 Pa.C.S. § 1402(b)(2)).	
Suitable space for insertion by the proper election official of the number and letter of the stub of the ballot issued to the registered elector or the registered elector's number in the order of admission to the voting systems. (25 P.S. § 3050(a.3); 25 Pa.C.S. § 1402(b)(2)).	Yes
Suitable space for insertion of the initials of the election official who enters the record of voting in the district register. (25 P.S. § 3050(a.3); 25 Pa.C.S. § 1402(b)(2)). Demonstration Comments: The application has a "Poll Worker Initial" box that captures the initials of the poll worker performing the check in.	Yes
Indication of whether the elector needs assistance to vote and, if so, the nature of the disability. (25 Pa.C.S. § 1402(b)(2)).	Yes
The date of birth of the registrant. (4 Pa. Code § 183.11(b)(4)).	Yes
The SURE registration number of the registrant. (4 Pa. Code § 183.11(b)(5)).	Yes
The following elector's affirmation must appear above the signature area: "I hereby certify that I am qualified to vote in this election." (25 P.S. § 3043)	Yes
An identification of whether the registrant's status is active or inactive. (25 Pa.C.S. § 1901(c); 4 Pa. Code § 183.11(b)(6)).	Yes
Voter Status Flags Required by the SURE System	
For voters who are "inactive," affirmation is required. (25 Pa.C.S. § 1901(c) and (d)(3); 4 Pa. Code § 183.11).	Yes
"ID Required"- Identification of whether the elector needs to present voter identification. An elector who appears to vote in an election district for the first time must present valid voter identification.	Yes

(25 P.S. § 3050(a)).	
“Absentee or Mail-in Ballot”- An elector who received an absentee or mail-in ballot is ineligible to vote in the municipality on Election Day, although he or she may vote by provisional ballot if the district register does not show that the elector voted the absentee or mail-in ballot. The elector may vote by regular ballot if the mail ballot and envelope are remitted, and the voter signs the required declaration. (25 P.S. § 3146.6(b) and § 3150.16(b))	Yes

XI. Attachment B - EPB Functionalities

Voter Check-in Processes

The following “check-in”/voter handling scenarios were demonstrated:

- a) Provisional Ballot: The process for issue of a provisional ballot.
- b) Voter who was issued an Absentee /Mail-in Ballot: The workflow configuration capabilities on the EPB when voter is issued an absentee/mail-in ballot, using the test data supplied by Department.
- c) Cancel Check in: The process for cancelling an incorrect check-in and the requirement for elevated access privileges for the function.
- d) Reissue Ballot: The process of re-issue of a ballot for a spoiled ballot.
- e) Inactive Voter Check in: The EPB system was configured with the appropriate workflow that allows the poll worker to identify an Inactive voter and handle the affirmation requirements.
- f) Redirecting a voter to the correct polling place: The system capabilities for redirecting a voter to the correct polling place.
- g) Search/Lookup voter Capabilities of the EPB: The EPB system voter lookup capabilities and usability.
- h) Identifying a Duplicate check-in: The system prevented the same voter from checking in multiple times.

Usability/User Interface

The following capabilities/functions of the EPB system were demonstrated:

- a) Set up and Procedures for setting up the field system/poll pad.
- b) Set up and Procedures for setting up the field system/poll pad.
- c) Screen navigation capabilities.
- d) Languages Supported by the system.
- e) System power up and shutdown procedures.
- f) System support availability.

Security and Chain of Custody

The following security features/functions of the EPB system were demonstrated:

- a) Password configuration on tablet: The password configuration capabilities of the EPB system were discussed.
- b) Voter Signature pad information: The information displayed to the voter on the signature pad for the voter to sign using the stylus was displayed and demonstrated. The demonstration showed that the voter will not be able to see the signature on file when signing on to the EPB.

XII. Attachment C – Commonwealth IT Policies

- A) ITP-SEC001 – Policy that governs Commonwealth’s antivirus agent, host intrusion prevention agent (host-based intrusion prevention system), incident response servlet and patch management agent for all servers.

Submission Summary: The Poll Pad is equipped with Apple iOS encryption and is combined with the Amazon Web Services (AWS) Gov Cloud hosting system. It was represented that, iOS also achieves a reduced-attack surface by limiting listening ports and removing unnecessary network utilities such as telnet, shells, or a web server. KNOWiNK uses tools such as Amazon Web Services (AWS) Web Application Firewall (WAF) configured with security rules to mitigate common OWASP vulnerabilities as well as AWS Guard Duty which analyzes log files to alert system administrators of any suspicious activity. The Poll Pads run in kiosk mode where only the required software is installed and available for use. KNOWiNK also represented that all systems are monitored using AWS Cloudwatch and AWS Guard Duty for any suspicious behavior. The engineering team is available to respond to any threats that may occur.

- B) ITP -SEC004 - Establishes policy and enterprise-wide standards for commonwealth agencies on web application firewalls.

Submission Summary: The submitted software architecture document suggests that the Poll Pad and ePulse systems maintain multiple levels of security to ensure confidentiality and integrity of all devices, communications, data, and systems. Poll Pads use iOS and ePulse is cloud-hosted. The ePulse system uses many defenses to keep the system both secure and available during peak periods, like an election. Traffic is encrypted and the database resources are isolated from the public Internet. Traffic is distributed using application load balancer to maintain high availability and scalability of internal resources. Application servers are hosted on different availability zones. ePulse follows best practices for access control and provides

detailed audit trails of transactions.

- C) ITP-NET001 – Establishes enterprise-wide standards for Wireless Area Network (LAN) technologies and their secure usage in production environments by assurance of information security to protect confidentiality, integrity, and appropriate access to information.

Submission Summary: KNOWiNK responded with wireless networking diagrams showcasing the network configuration used in a single polling location in both the live (fully connected) configuration and peer-to-peer mode where the Poll Pads communicate with each other without any connection to the ePulse cloud server.

- D) ITP-SEC019 and ITP -SEC016 – Establishes policies and procedures to protect commonwealth electronic data.

Submission Summary: KNOWiNK represented that they have an appointed contact for security coordination who adheres to the company's Information Security Policy for handling security-related duties. All data on the Poll Pad is encrypted in transit and at rest. All files are uploaded to the secure storage solution provided by AWS. KNOWiNK noted the process they undertake to ensure that data is accessed only by authorized users. It was also represented that the Poll Pad can be physically secured to avoid compromise of data once they are prepared for elections

- E) ITP-SEC020 - Establishes policy and standards for encryption of data at rest.

Submission Summary: KNOWiNK represented that all data is encrypted at rest using FIPS 140-2 level encryption

- F) ITP-SEC024 – Establishes policies, procedures and standards related to reporting and managing of cyber security incidents.

Submission Summary: KNOWiNK supplied their incident management policy which suggests defined processes exist for responding to security incidents. KNOWiNK also represented that it performs periodic security reviews as part of its certification procedures with all states. The entire system is reviewed for security at multiple points during the year.

- G) ITP-SEC025 – Establishes guidelines for the proper electronic use and disclosure of Personally Identifiable Information.

Submission Summary: KNOWiNK provided the company Information Security Policy which governs the use of sensitive data. It was represented that they have not had a breach and have never had a client that suffered a data breach for implementing the EPB solution.

- H) ITP-SEC029 - Establishes policy and procedures for commonwealth agencies for physical security of IT resources.

Submission Summary: The Poll Pad device and peripheral components including printers, ID scanning trays, stylus, charging cables and stand are locked in the weatherproof/shockproof cases provided as part of the solution. Authentication requirements will prevent access to the Poll Pad and ePulse application. External hardware connection capability is limited to the Apple-approved, proprietary KNOWiNK iSync drive and printers. Poll Pads contain a “decommission” feature which allows all election data to be wiped from the device. KNOWiNK would recommend jurisdictions use the same level of protection for all voting equipment such as voting machines as the electronic poll books.

- I) ITP-SEC031 - Establishes policy and standards for encryption of data in transit to improve the confidentiality and integrity of data.

Submission Summary: KNOWiNK representation suggests that the poll book system

involves encryptions and secure transmission protocols. All data in transit is encrypted to standards as mentioned below:

Data Transfer	Encryption Method
Data Transferred from ePulse to Poll Pad	All data is encrypted with AES 256 encryption using TLS 1.2 connection.
Data transferred from Poll Pad to Poll Pad	All data is encrypted with AES 256 level encryption
Data transferred from Poll Pad EPB via approved Wi-Fi networks	All data is encrypted using WPA2 protection.
Data Transferred via iSync	All data placed on iSync devices is encrypted with AES 256 level encryption.

- J) ITP-SEC032 - Establishes compliance standards for enterprise Data Loss Prevention (DLP).

Submission Summary: The information security policy suggests that KNOWiNK enforces secure coding guidelines. The policy refers to compliance to the below-mentioned policies.

- 1) ITP-SEC019 - Policy and Procedures for Protecting Commonwealth Electronic Data Refer to Item C above.
- 2) ITP-SEC020 - Encryption Standards for Data at Rest. Refer to Item D above.
- 3) ITP-SEC031 - Encryption Standards for Data in Transit. Refer Item H above
- 4) ITP-SEC017 - CoPA Policy on Credit Card Use for e-Government Applications (if applicable). Not applicable.

- K) ITP-SEC035 - This information technology policy establishes policies, responsibilities, and procedures for connecting and using mobile communication devices to access commonwealth IT resources.

Submission Summary: The submission represents that the EPB solution utilizes a tablet for the voter-facing display and signature capture. The tablet uses Apple iPads configured with only the Poll Pad application, which is launched into automatically in kiosk mode/guided access mode.

- L) ITP-SEC007 - This Information Technology Policy establishes minimum standards for the implementation and administration of users, systems, networks, devices, application account IDs, passwords, and requirements around multi-factor authentication.

Submission Summary: The field system can be configured to require username/passwords from one or multiple poll workers to access. The management system requires credentials from election authorities and supports Multi Factor Authentication. All users are added to ePulse by the administrator user(s). New users will receive an email prompting them to create a password for their account. User logins are stored in ePulse and all activities are monitored and logged. ePulse user access levels may also be customized and restricted to certain modules and functions.

XIII. Attachment D – Supported Peripherals

Below is a list of peripheral devices that are included in testing of the Poll Pad 4.2.1 for the Apple iPad tablets. The list is from the System Hardware Specifications document submitted with the Technical Data Package for KNOWiNK Poll Pad 4.2.1.

Peripheral Devices			
Device Name	Manufacturer	Model #	Notes
iSync Drive	KNOWiNK	iSD-110	KNOWiNK's secure proprietary removable memory device, the iSync flash drives.
Stand for iPad	AI Data	i360	Stand for Poll Pad
Flip Stand for iPad	KNOWiNK	65101	Flip Stand for Poll Pad and Star mC-Print3 printer
Styluses	AI Data	ISP-1010-KNO	Poll workers and voters may use the styluses or their finger for the iPad's capacitive touch screen.
Carrying case	Nanuk	910 and 920	Shockproof weatherproof foam-fitted case.
Thermal printer	Star Micronics	TSP650ii	The Star Micronics printer is the original printer used with KNOWiNK's system. This printer requires AC power.
Thermal Label printer	Star Micronics	TSP700ii	The Star Micronics thermal label printer is used to generate labels. This printer requires AC power.

Thermal Printer	Star Micronics	mC-Print3	New Star Micronics Thermal Receipt printer for printing voter receipt tickets
Poll Pair cord	KNOWiNK	PPCCv1	KNOWiNK's proprietary connector to the ES&S ExpressVote activation printer.

XIV. Attachment E – Sure Voter History Update Format



E-Pollbook VH
Example.csv

(All fields are required)