



Pennsylvania  
**Department of Health**

# **Pennsylvania School Immunization and Reporting Requirements Manual**

**January 2026**

# TABLE OF CONTENTS

Introduction.....	3
Summary of Regulations.....	3
Immunization Requirements.....	3
Titers.....	5
Special Immunization Requirements for 7 <sup>th</sup> and 12 <sup>th</sup> Grade.....	5
Grace Period.....	6
Early Education.....	6
Exemptions.....	6
Responsibilities of Schools and School Administrators.....	7
Immunization Documentation .....	7
Student Admittance .....	7
Provisional Admittance .....	8
Homeless, Foster Care, or Transferred School Students.....	9
School Reporting.....	9
School Immunization Law Report (SILR) Information.....	10
Homeschooled Children.....	10
Childcare Facilities With an AUN.....	10
Intermediate Units and Vocational Technical Schools.....	10
SILR Training.....	11
SILR and Vaccination Frequently Asked Questions.....	11
Certificate of Immunization.....	13
Medical Plan Certificate.....	14
Appendix A: Certificate of Immunization.....	15
Appendix B: Medical Certificate.....	16
Resource 1: Vaccine Identification Resource.....	17
Resource 2: PA Department of Health State Health Centers.....	19
Resource 3: County-Municipal Health Departments.....	20

# INTRODUCTION

This manual is intended to assist school nurses, school administrators, and other relevant school personnel in understanding Pennsylvania (PA) child immunization requirements for school attendance and provide guidance regarding the school immunization reporting process through the PA Department of Health (DOH). These requirements are found in PA DOH regulations [28 Pa. Code, Chapter 23, Subchapter C. Immunization](#) and were adopted to make certain that school children are immunized against diseases that spread easily in schools which may result in an interruption of learning or be a severe detriment to their health.

Despite changes to the federal childhood vaccine schedule announced by the CDC in January 2026, there are no changes in vaccine recommendations and availability in Pennsylvania, including those for children to attend school.

On October 1, 2025, Governor Shapiro signed [Executive Order](#) 2025-02 that ensures every Pennsylvanian has access to safe, effective vaccines and the freedom to make informed health care decisions in consultation with their doctors. Part of that executive order requires state agencies to align vaccine guidance with trusted medical experts that include the American Academy of Pediatrics (AAP), American Academy of Family Physicians (AAFP), and the American College of Obstetricians and Gynecologists (ACOG). Therefore, the DOH recommends that the most recent [AAP Immunization Recommendations](#) are followed as well as [ACOG Vaccine Recommendations](#) and [AAFP Immunization Schedules](#). For additional information regarding the executive order and general immunization guidance, visit [pa.gov/vaccines](https://pa.gov/vaccines).

The PA DOH recommends that if a copy of this manual is printed out, the [28 Pa. Code, Chapter 23, Subchapter C. Immunization](#) and the AAP Immunization Schedule [AAP-Immunization-Schedule.pdf](#) also be printed to accompany this manual.

## SUMMARY OF PA CODE - IMMUNIZATION REGULATIONS

### § 23.82. Definitions.

While all definitions can be found and should be reviewed in the PA Code - Immunization Regulations, one to highlight is “*Attendance at School.*” This definition applies to children who attend a grade or special class from kindergarten through 12<sup>th</sup> grade in any of the following types of schools:

- public, private, parochial, charter, and vocational schools;
- intermediate units;
- home education (parent-lead education); and;
- cyber schools (online education).

### § 23.83. Immunization requirements.

This section outlines the immunizations that are required prior to a child's admission to any of the schools listed in § 23.82; and lists who is responsible for ensuring that each child has met these requirements prior to their admission.

Those listed as a person responsible for ensuring each child meets immunization requirements include:

- school director;
- superintendent;
- principal; or;
- other person in charge of the types of schools listed in § 23.82. This could include a Bishop or Headmaster of a school.

Each school should identify a knowledgeable person responsible for ensuring each child has met all immunization requirements prior to their admission to the school for the first time.

Additional information regarding the responsibilities of schools and school administrators as well as other special circumstances related to immunization documentation and attendance can be found in § 23.85.

#### List of required immunizations:

1. ***Diphtheria, tetanus and pertussis.*** Four or more properly spaced doses administered in a combination form (diphtheria and tetanus toxoids and acellular pertussis (DTaP)).
  - The fourth dose shall be administered on or after the 4th birthday and at least 6 months after the 3rd dose.
2. ***Poliomyelitis.*** Four properly spaced doses of inactivated polio vaccine (IPV), which may be administered as a single antigen vaccine or in a combination form.
  - The fourth dose shall be administered on or after the fourth birthday.
  - Three doses are considered up to date if the third dose was after the fourth birthday and six months after the second dose.
3. ***Measles (rubeola), mumps and rubella (German measles).*** One of the following:
  - *Multiple antigens.* Two properly spaced doses of live attenuated measles, mumps, rubella combination vaccine, the first dose administered at 12 months of age or older.
  - *Evidence of immunity.* Evidence of immunity may be shown by:
    - a history measles and rubella immunity proved by laboratory testing by a laboratory with the appropriate certification; and;
    - a written statement of a history of mumps disease from a physician, certified registered nurse practitioner or physician assistant. A titer for mumps is not acceptable.

4. **Hepatitis B.** Three properly spaced doses of hepatitis B vaccine, unless a child has a history of hepatitis B immunity proven by laboratory testing. Hepatitis B vaccine may be administered as a single antigen vaccine or in a combination form.
5. **Varicella (chickenpox).** One of the following:
  - *Varicella vaccine:* Two properly spaced doses of varicella vaccine, the first dose administered at 12 months of age or older. Varicella vaccine may be administered as a single antigen vaccine or in a combination form.
  - *Evidence of immunity.* Evidence of immunity may be shown by either one of the following:
    - Laboratory evidence of immunity or laboratory confirmation of disease; or
    - A written statement of a history of chickenpox disease from a parent, guardian, physician, certified registered nurse practitioner or physician assistant.

#### **Titers for disease Immunity**

- Varicella can be titered for proof of immunization.
- Hepatitis B can be titered for proof of vaccination or disease presence through a three-test panel for interpretation of results.
- All other titers are with combination vaccines that have at least one component that cannot be titered. For example, the mumps titer of the MMR vaccine is not acceptable for non-vaccination.

**Special immunization requirements** for tetanus and diphtheria toxoids and acellular pertussis vaccine (Tdap) and meningococcal conjugate vaccine ACWY (MCV4).

1. *Required for entry into seventh grade.* In addition to the required immunizations listed above, the following immunizations are required prior to students entering the seventh grade or, in an ungraded class, for students in the school year that the student is 12 years of age:
  - *Tdap.* One dose of Tdap in a combination form to be given at ages 11 through 12.
  - *MCV.* One dose of MCV4 to be given at ages 11 through 12.
    - MenB is a different vaccine and is not a substitution.

If a student does not receive the required immunizations for entry into seventh grade and does not have an exemption as permitted by § 23.84, they may be excluded in that school year and each school year following that the child fails to obtain the required immunizations.

2. *Required for entry into 12<sup>th</sup> grade.* In addition to the required immunizations listed above, the following immunization is required prior to students entering the 12<sup>th</sup> grade or, in an ungraded class, for students in the school year that the student is 18 years of age.
  - *MCV.* One dose of MCV4.

- A dose of MCV4 received at 16 years of age or older shall count as the 12<sup>th</sup> grade dose.
- If a child receives only one dose of MCV4 at or after the age of 16 years, they are considered up to date.

**Grace period.** A vaccine dose administered within the 4-day period prior to the minimum age for the vaccination or prior to the end of the minimum interval between doses shall be considered a valid dose of the vaccine.

- A dose administered greater than 4 days prior to minimum age or interval for a dose is invalid for purposes of this regulation and shall be repeated with proper spacing per the AAP childhood immunization schedule.
- The grace period may not be used with the 28-day minimum interval between two-live vaccines such as Varicella and MMR.

**Early Education.** Children attending a child care setting, PreK programs, early intervention early childhood special education classrooms, and private academic preschools must meet immunization requirements in [28 Pa. Code § 27.77 \(relating to immunization requirements for children in child care group settings\)](#).

### **§ 23.84. Exemption from immunization.**

Although there are only two types of immunization exemptions outlined in the PA School Code regulations, medical and religious, the PA DOH has identified three types of exemptions that can be accepted.

1. *Medical exemption.* Signed, written statement from a licensed Medical Doctor (MD), Doctor of Osteopathy (DO), Certified Registered Nurse Practitioner (CRNP), or their designee that the immunization(s) may be detrimental to the health of the child.
  - A medical exemption for a specific antigen(s) should be documented in the statement of exemption. All other immunizations are still required.
  - If the reason for the medical exemption is temporary, a follow-up on when the medical condition allows for immunization should occur.
  - Medical exemptions from chiropractors, psychiatrists, and dentists are not acceptable.
2. *Religious exemption.* Signed, written statement from a parent, guardian, or emancipated child stating they do not want to be immunized based on their religious beliefs regarding immunizations. This exemption does not need to be renewed yearly.
3. *Strong Moral or Ethical exemption.* Signed, written statement from a parent, guardian, or emancipated child stating that they do not want to be immunized based on their strong moral, ethical, or philosophical beliefs regarding immunizations. This exemption does not need to be renewed yearly.

School officials should review exemptions to ensure they are completed accurately and provide

all required information. However, any decisions made are the responsibility of the school official. It is suggested that school officials consult with their legal counsel prior to making a final decision regarding a questionable exemption.

### **§ 23.85. Responsibilities of schools and school administrators.**

This section provides information on the responsibilities of the school and school administrator.

The school administrator in charge of a school will appoint a knowledgeable person to perform all of the following responsibilities.

1. Inform parent, guardian, or emancipated child about the immunization requirements in PA State Code regulations 28 Pa. Code, Chapter 23, Subchapter C, at or prior to school registration.
2. Confirm with the parent, guardian, or emancipated child the immunization status of a child prior to school admittance or continued attendance at school. This can occur in two ways:
  - A completed Certificate of Immunization is provided.
    - The month, day and year of all immunization as well as the child's date of birth must be provided to document that the vaccines were administered with proper spacing.
  - A record or history of immunizations is provided that includes the month, day, and year each immunization was given.
    - This information should be recorded on a Certificate of Immunization and signed by the school administrator or designee or stored in the school computer database.

The birth date is required on the Certificate of Immunization to verify that immunizations were given at the appropriate age.

3. If a child is missing an immunization(s), the school administrator or the designee should inform the parent, guardian, or emancipated child of the specific immunization(s) that is missing and advise them to see their primary care provider or closest public clinic to receive the needed immunization(s).
4. Maintain a written or electronic copy of enrolled children's Certificates of Immunization.
  - A copy of a child's Certificate of Immunization shall be returned to the parent, guardian, or emancipated child when a child withdraws, transfers, is promoted, graduates, or otherwise leaves the school.
5. Admit for the first time, or allow continued attendance of, a child whose immunization status cannot be ascertained if one of the following requirements exist:
  - A completed Certificate of Immunization or immunization record is presented to the school administrator or an appointed, knowledgeable designee;

- A signed, written exemption is presented to the school administrator or an appointed, knowledgeable designee; or;
- A provisional admittance requirement is met.

If one of these requirements is not met, the child may not be admitted to school.

**Provisional admittance requirements** include:

- *Single dose vaccine.* If a child has not received a vaccine that only a single dose is required on the child's first day of attendance for that school year, the child may not be admitted to school.
- *Multidose vaccines.* A child must have at least one dose of each required vaccine by the first day of their attendance of a school year and one of the following:
  - The child receives the final dose of a multidose dose vaccine within five days of the child's first day of attendance and the Certificate of Immunization is provided on or before the fifth day of school.
  - If additional doses are needed and are medically appropriate, the child must have the next appropriate dose needed to complete the series within five days of the child's first day of attendance. In addition, a written medical plan certificate must be provided on or before the fifth day of school that includes the schedule for additional doses, including necessary spacing required to be up to date.
  - If additional doses are needed but are not medically appropriate during the first five days of the child's first day of attendance, a written medical plan certificate must be provided on or before the fifth day of school. The medical plan certificate must include the schedule for those doses with the necessary spacing required to be up to date.
    - All medical plan certificates should include dates when the doses are due and signed by a doctor, CRNP, Physician Assistant, or PA DOH State Health Center Registered Nurse.
    - School administrators or an appointed, knowledgeable designee is required to review the medical plan certificate every 30 days to ensure that the child is in compliance with immunization requirements. A school is to maintain the medical plan certificate until the child's official school immunization record is completed to ensure accuracy of immunization records.

**6. Admit students who are not fully vaccinated or do not have proof of being vaccinated if one of the following circumstances exists:**

- A student is experiencing homelessness as defined under the McKinney-Vento Homeless Education Assistance Improvements Act of 2001, 42 U.S.C.A. §§ 111431-11435:
  - If a student is not fully immunized or is unable to provide immunization records due to homelessness, the school cannot exclude the child. However, this does not mean that the student does not need required immunizations. The school should be proactive in helping these



students to obtain all needed vaccines as soon as possible.

- Every school has a McKinney-Vento Liaison who should be working directly with the school nurse, student, and family to help obtain needed immunizations.
- A student is moving or transferring into a school within the Commonwealth:
  - When students are transferring into a school in the Commonwealth and the parents or guardians have difficulties obtaining the vaccine records from a previous school or physician's office, there is a 30-day time period to obtain vaccination records per requirements described in §23.83.
    - If the student is unable to provide the necessary immunization record, medical certification, or exemption within the 30-day time period, they may be excluded from attending school.
    - When immunization records are received, the requirements in §23.83 must be followed.
- A student is in foster care:
  - If a student is unable to provide immunization records on the first day of attendance for the school year due to being in foster care, the school shall comply with any and all federal laws pertaining to the educational rights of children in foster care, including the Fostering Connections to Success and Increasing Adoptions Act of 2008.
  - The child's foster parent has 30-days to provide immunization records per requirements described in § 23.83.
    - If the student is unable to provide the necessary immunization record, medical certification, or exemption within the 30-day time period, they may be excluded from attending school.
- A temporary waiver is issued:
  - The Secretary of Health may issue a temporary waiver of the immunization requirements if any of the following occurs:
    - The Centers for Disease Control and Prevention, United States Department of Health and Human Services, recognizes a nationwide shortage of supply for a particular vaccine; or;
    - A disaster occurs impacting the ability of children transferring into a school to provide immunization records.

### **§ 23.86. School reporting.**

In Pennsylvania, public, private, parochial or nonpublic schools, including vocational schools, intermediate units, special education and home education programs, and cyber and charter schools are required to report immunization data electronically each year by December 31 through the Department's School Immunization Law Report (SILR) website

<https://apps.health.pa.gov/silr/>.

# School Immunization Law Report (SILR) Information

The SILR is a database created by the PA DOH for schools to electronically report immunization data for Kindergarten, 7<sup>th</sup>, and 12<sup>th</sup> grade students. The SILR is open each year for schools to report their immunization data from December 1 through December 31. It is recommended that schools complete their reporting earlier in the month, if possible.

## Key Points about SILR Reporting:

- All schools identified in § 23.86 must complete an immunization report or an exclusion in the SILR yearly.
  - Schools that do not have Kindergarten, 7<sup>th</sup>, or 12<sup>th</sup> grade at their building need to complete the exclusion section in the SILR every year.
- A Certificate of Immunization must be on file at the school where a student attends. The Certificate of Immunization may be recorded and maintained electronically in a computer database program.
- Homeschool children are educated by their parents.
  - Home schooling is not cyber, charter, or home-based education provided by the school district.
  - Homeschool immunization records must be reviewed and reported yearly in the SILR by the school in which the child would normally attend.
- Child care facilities or programs, such as preschools, that are listed with the Pennsylvania Department of Education as having, or potentially having, a kindergarten and have an Administrative Unit Number (AUN) must report kindergarten immunization data yearly. If no Kindergarten students are enrolled, then the child care facility should complete the exclusion section in the SILR for that year and every year that has no kindergarten enrollments.
- Intermediate Units (IUs) are responsible for immunizations and SILR reporting for all students under their educational care.
- Full-time Vocational-Technical schools/Career Technology Centers (CTC) need to report immunization data in the SILR for students who start and end their school day at the Vocational-Technical school/CTC.
  - Communication with the home school should occur to prevent double reporting.
- Part-time Vocational-Technical schools/CTC need to report their school as an exclusion in the SILR.
  - The home school must obtain, review for up-to-date status, and report the immunization data of the students in the SILR.
  - The vocational school is encouraged to have an updated copy of all student's immunization records for situations of outbreaks of disease.

- Communicate with the home school for updated immunization records and reporting confirmation.
- SILR training is available in various ways:
- On the SILR website, in the blue banner, under *SILR Instructional Packet* <https://apps.health.pa.gov/silr/>
  - On the TrainPa website <https://www.train.org/pa/welcome> using the keyword, *SILR*.
  - Attend the yearly virtual webinar training provided by the PA DOH. A link to this training can be found on the SILR website each year in November.

## **SILR and Vaccination Frequently Asked Questions**

1. **How do you report a child who had one dose of the varicella vaccine but acquired the varicella disease.** When completing the SILR reporting, the child should only be counted in the Varicella Had Disease column. Do not include this child in any other varicella column.
2. **Which students would be reported under the Provisional Admittance column?**  
Students described above in the Provisional admittance requirements section as well as students identified as homeless under the McKinney-Vento Act, newly enrolled students who are in foster care, and students transferring from another school in PA. Please review these sections above for more detailed information.
3. **If a child received the Tdap inadvertently or as part of a catch-up series between the ages of 7–9 years, can that dose count as the dose needed to enter 7<sup>th</sup> grade?** No. Children should receive the routine Tdap dose at 11–12 years of age. Although 11-12 years is the preferred age for the adolescent dose of Tdap, children who receive the vaccine at age 10, but not younger, do not need to repeat the dose at age 11-12.
4. **Can the oral polio vaccine (OPV) be accepted as a valid polio vaccine?** It depends on when the vaccine was given. Oral polio administered on or after April 1, 2016 **is not** accepted in the United States as it would be monovalent (mOPV) or bivalent (bOPV). Oral polio given during an eradication prior to April 1, 2016 is also not accepted as it was probably mOPV or bOPV. Only trivalent (tOPV) could be counted toward the vaccine requirements if given **prior** to May 2016. tOPV was terminated from use worldwide in May of 2016 due to disease caused by the tincture to non-immunized people. [OPV Cessation - GPEI](#)
5. **What are the vaccine recommendations for the polio vaccine and new students who are over the age of 18?** Students who are over the age of 18 are required to have three properly spaced, and valid doses of polio vaccine to attend school.

6. **For religious exemptions, is a clergy members signature alone acceptable?** No. A clergy member does not sign an exemption for a child. Only the parent, guardian, or emancipated minor's signature is accepted.
7. **Can a child be given multiple vaccines at the same time?** Yes. Multiple vaccines can and should be given at the same time, if indicated. Most vaccines required for school attendance may be administered simultaneously with separate injection sites.
8. **Does a delay in the recommended schedule of a multidose vaccine need to be restarted?** No. Vaccines are not less effective if subsequent doses are delayed. There is no need to restart a series, regardless of the time elapsed between doses.
9. **Are subsequent doses given earlier than the recommended minimal interval considered valid?** No. Doses administered at less than the recommended minimal intervals may not have the immune response to prevent the disease and should not be considered as a valid dose. The child should be revaccinated with proper spacing per the AAP childhood immunization schedule.
10. **Can two live parenteral vaccines such as MMR and varicella be given at the same visit?** Yes. If they cannot be administered at the same visit, they must be separated by at least 28 days with no grace period.
11. **Can you receive live virus vaccines when you are pregnant?** No. According to the American College of Obstetricians and Gynecologists, live virus vaccines such as MMR (measles-mumps-rubella) and varicella (chickenpox) should not be given during pregnancy. Additional guidance on pregnancy and vaccines can be viewed at [Vaccine Safety During Pregnancy | ACOG](#).

# CERTIFICATE OF IMMUNIZATION

(See example in Appendix A)

The Certificate of Immunization form can be found at the Department's website at [School Immunizations | Department of Health | Commonwealth of Pennsylvania](#) under *Certificate of Immunization*. The Department no longer has hard copies of this form available to mail out to schools.

## Key Points about the Certificate of Immunization:

- The paper form of the Certificate is not required to be kept if records are kept electronically.
  - It is suggested that the paper copy of the original Certificate of Immunizations be maintained at the school in case the electronic version is unable to be accessed. For more information about maintaining health records in schools, review the following: [28 Pa. Code § 23.55. Maintenance of health records.](#)
- Electronic records must be maintained in a way that the PA DOH personnel can access them for immunization review purposes, while ensuring confidentiality of the remainder of the student's record. They should be easily accessible for checking exemptions in the event of a disease outbreak and for tabulation and reporting purposes.
- If the records are kept electronically, and there is an exemption from immunization received, the original copy of the exemption must be kept in the child's health record.
- The Certificate of Immunization must be filled out and signed or electronically produced by a health care provider, public health official, school nurse, or their designee.

## **MEDICAL PLAN CERTIFICATE**

(See example in Appendix B)

The Medical Plan Certificate is an official form available on the Department's website at [School Immunizations | Department of Health | Commonwealth of Pennsylvania](#) under *Medical Certificate*. It outlines the immunization plan for a student who is not fully immunized but is medically up to date with all appropriate vaccines.

### **Key Points about the Medical Plan Certificate:**

- It is to be filled out and signed by a physician or designee, such as a CRNP, Physician Assistant, Registered Nurse, or PA DOH State Health Center nurse, and identify immunization dates for the next doses due.
- A complete and signed Medical Plan Certificate should be given to the student's school as proof that the student is medically up to date and is scheduled to complete the required immunization. A school must maintain the Medical Plan Certificate until the official school immunization record is completed.
- It must be reviewed every 30 days by the school administrator or their designee.
  - Subsequent immunization shall be entered on the certificate of immunization or in the school's computer database.
- If the immunization requirements described in § 23.83 are not met in accordance with the Medical Plan Certificate, the school administrator or their designee may exclude the child from school.

Certificate of Immunizations (School Immunization Card - One Page)

15

# APPENDIX B

## MEDICAL CERTIFICATE

### PENNSYLVANIA DEPARTMENT OF HEALTH – MEDICAL CERTIFICATE

Name \_\_\_\_\_ Birthdate \_\_\_\_\_  
 Address \_\_\_\_\_ Parent or Guardian \_\_\_\_\_  
 Telephone \_\_\_\_\_

Please circle present grade: K 1 2 3 4 5 6 7 8 9 10 11 12 Other \_\_\_\_\_

VACCINE Circle appropriate item	Enter month, day and year each immunization will be given DOSES				
Diphtheria, tetanus and acellular pertussis (DTaP, DTP, Td or DT)	1 / /	2 / /	3 / /	4 / /	5 / /
Tetanus, diphtheria and acellular pertussis (Tdap)	1 / /	2 / /	3 / /	4 / /	5 / /
Polio (OPV or IPV)	1 / /	2 / /	3 / /	4 / /	5 / /
Hepatitis B	1 / /	2 / /	3 / /	4 / /	5 / /
Measles - mumps - rubella (MMR)	1 / /	2 / /	or measles serology	Date	Titer
Varicella	1 / /	2 / /	Rubella serology	Date	Titer
Meningococcal (MCV)	1 / /	2 / /			
Other	1 / /	2 / /	Mumps disease diagnosed by a physician: Date		

Attach EHR of vaccines already given.

X \_\_\_\_\_  
 Signature (PLEASE CIRCLE - physician, certified registered nurse practitioner, physician assistant, local health department)

H502.320 3/17



# RESOURCE 1



Pennsylvania  
Department of Health

## Vaccine Identification

<u>VACCINE</u>	<u>DIFFERENT BRANDS and ABBREVIATIONS</u>
Diphtheria, Tetanus, Acellular Pertussis	<p>Daptacel - DTaP      DTaP</p> <p>Infanrix - DTaP</p> <p>Pediarix (DTaP with Hepatitis B and IPV (polio))</p> <p>Pentacel (DTaP with IPV and Hib)</p> <p>Kinrix (DTaP with IPV)</p> <p>Quadracel (DTaP with IPV)</p> <p>Vaxelis (combined DTaP-IPV-Hib-Hep B)</p>
Tetanus (reduced) diphtheria	Tenivac - TD      Td
Tetanus, Diphtheria, Acellular Pertussis	<p>Adacel - (Tdap)      Tdap</p> <p>Boostrix - (Tdap)</p>
Haemophilus influenzae type b (Hib)	<p>ActHIB - (Hib)      Hib</p> <p>Hiberix - (Hib)</p> <p>PedvaxHIB - (Hib)</p> <p>Pentacel (combined with IPV and DTaP)</p> <p>Vaxelis (combined with DTaP- IPV-Hib- HepB)</p>
Hepatitis A	<p>Havrix - (Hep A)      Hep A</p> <p>Vaqa - (Hep A)</p> <p>Twinrix (combined with Hepatitis B)</p>
Hepatitis B	<p>Engerix-B - (Hep B)      Hep B</p> <p>Recombivax-HB - (Hep B)</p> <p>Heplisav-B - (Hep B)</p> <p>Vaxelis (combined with DTaP- IPV-Hib- HepB)</p> <p>Pediarix (combined with polio and DTaP)</p> <p>Twinrix (Hepatitis B with Hepatitis A)</p>
Hep A/Hep B	Twinrix (Hep A and Hep B combined)
Human Papilloma Virus	HPV    Gardasil    Cervarix

May 2025



Influenza	FluMist Fluzone Flucelvax	Flucevax Flublok FluLaval	Afluria Fluarix Fluad
Measles, Mumps, Rubella	M-M-R II - (MMR) Priorix - (MMR) MMR-V (measles, mumps, rubella combined with varicella) ProQuad (measles, mumps, rubella (MMR) with varicella)		
Measles, Mumps, Rubella, Varicella	ProQuad (measles, mumps, rubella combined with varicella) to be given in children younger than age 12 years. MMR-V		
Meningococcal A, C, W and Y (State required vaccine)	Menactra (MenACWY-D) Menveo (MenACWY-CRM)		
Meningococcal B (Recommended, but not required)	Trumenba - (Men B) Bexsero - (Men B)		
Pneumococcal	Pneumovax 23		
Polio	IPol - (IPV) tOPV (trivalent oral polio) - only available 2016 and before. OPV (oral polio) - Not accepted in U.S. other than tOPV given before 2016 Pediarix (IPV with Hepatitis B and DTaP) Kinrix (IPV with DTaP) Pentacel (IPV with DTaP and Hib) Quadracel (IPV with DTaP)		
RSV (Respiratory Syncytial Virus) (RSV-mAb)	Beyfortus - Nirsevimab (monoclonal antibody)		
Rotavirus	RotaTeq (RV1) Rotarix (RV5)		
Varicella (Chickenpox)	Varivax - (Varicella) MMR-V (varicella combined with measles, mumps, rubella) ProQuad (varicella combined with measles, mumps, rubella) VZV (varicella zoster virus)		
Herpes Zoster (Shingles)	Shingrix - for 50 years+		

May 2025

## RESOURCE 2

### PA DOH State Health Centers Immunization Contacts

<b>Northeastern District</b>	<b>Counties</b>	
Immunization Coordinators School Health Consultant 100 Lackawanna Avenue, Rm. 316 Scranton, PA 18503 Phone: 570-892-4080	Carbon Lackawanna Lehigh Luzerne Monroe	Northampton Pike Susquehanna Wayne Wyoming
<b>Southeastern District</b>	<b>Counties</b>	
Immunization Coordinators Reading State Office Building 625 Cherry St., Room 442 Reading, PA 19602-1187 Phone: 610-378-4352	Berks Bucks Chester Delaware	Lancaster Montgomery Schuylkill
<b>Northcentral District</b>	<b>Counties</b>	
Immunization Coordinators Water Tower Square 1000 Commerce Park Drive, St. 109 Williamsport, PA 17701-5996 Phone: 570-327-3400	Bradford Centre Clinton Columbia Lycoming Montour	Northumberland Potter Snyder Sullivan Tioga Union
<b>Southcentral District</b>	<b>Counties</b>	
Immunization Coordinators School Health Consultant 2433 Jefferson Street Harrisburg, PA 17110 Phone: 717-787-8092	Adams Bedford Blair Cumberland Dauphin	Huntingdon Juniata Lebanon Mifflin York Perry Fulton Franklin
<b>Northwestern District</b>	<b>Counties</b>	
Immunization Coordinators School Health Consultant 19 McQuiston Drive Jackson Center, PA 16133 Phone: 724-662-6068	Cameron Clarion Clearfield Crawford Forest	Jefferson Lawrence McKean Mercer Venango Elk Erie Warren
<b>Southwestern District</b>	<b>Counties</b>	
Immunization Coordinators 233 West Otterman St. Greensburg, PA 15601-2305 Phone: 724-830-2701	Allegheny Armstrong Beaver Butler Cambria Fayette	Greene Indiana Somerset Washington Westmoreland

### RESOURCE 3

#### County and Municipal Health Departments

Allegheny County Health Department Administrative Offices 542 Fourth Avenue Pittsburg, PA 15219 412-687-2243	Erie County Department of Health Erie County Courthouse 140 West Sixth Street Erie, PA 16501 814-451-6000
Allentown Bureau of Health 245 N. 6 <sup>th</sup> Street Allentown, PA 18102 610-437-7760	Montgomery County Health Department 1430 DeKalb Street PO Box 311 Norristown, PA 19404-0311 610-278-5117
Bethlehem Bureau of Health 10 East Church Street Bethlehem, PA 18018 610-865-7087/7083	Wilkes-Barre City Health Department 40 East Market Street Wilkes-Barre, PA 18711 570-208-4268
Bucks County Department of Health Neshaminy Manor Center 1282 Almshouse Road 2nd Floor Doylestown PA 18901 215-345-3318	York City Bureau of Health 101 S. George Street York, PA 17401 717-849-2299
Chester County Health Department 601 Westtown Road, Suite 295 West Chester, PA, 19380-0990 610-344-6225	Philadelphia Department of Health 1101 Market Street, 13 <sup>th</sup> Floor Philadelphia, PA 19107 215-686-5200
Delaware County Health Department 201 West Front Street Media, PA 19063 610-891-4000	