

Commonwealth of Pennsylvania - Department of Health
Division of Health Informatics

Resident Live Births by Age of Mother and Smoking Status Prior to and During Pregnancy
Counties and Pennsylvania, 2018-2022

| County | Age of Mother | Total Births | Smoked 3 Months Prior to Pregnancy | Smoking Status During Pregnancy | | | Unknown* Smoking Status |
|--------------|---------------|--------------|---------------------------------------|---|--|---|----------------------------|
| | | | | Smoked During First 3 Months of Pregnancy | Smoked During Second 3 Months of Pregnancy | Smoked During Third 3 Months of Pregnancy | |
| Pennsylvania | <15 | 282 | 14 | 8 | 6 | 4 | 12 |
| | 15-17 | 6,270 | 487 | 327 | 253 | 231 | 226 |
| | 18-19 | 18,371 | 2,475 | 1,705 | 1,360 | 1,259 | 604 |
| | 20-24 | 108,597 | 16,826 | 11,810 | 9,839 | 9,272 | 3,401 |
| | 25-29 | 187,602 | 23,726 | 17,261 | 14,879 | 14,241 | 5,372 |
| | 30-34 | 214,377 | 18,895 | 13,844 | 12,071 | 11,702 | 5,834 |
| | 35-39 | 106,077 | 8,814 | 6,615 | 5,839 | 5,637 | 2,968 |
| | 40-44 | 20,326 | 1,674 | 1,311 | 1,151 | 1,127 | 672 |
| | 45+ | 1,676 | 168 | 140 | 130 | 132 | 90 |
| | Unknown | 98 | 7 | 7 | 5 | 5 | 19 |
| All Ages | 663,676 | 73,086 | 53,028 | 45,533 | 43,610 | 19,198 | |
| Adams | <15 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 35 | 6 | 4 | 2 | 2 | 0 |
| | 18-19 | 135 | 25 | 19 | 12 | 12 | 1 |
| | 20-24 | 856 | 155 | 96 | 79 | 77 | 22 |
| | 25-29 | 1,580 | 214 | 147 | 124 | 119 | 91 |
| | 30-34 | 1,363 | 131 | 91 | 71 | 71 | 59 |
| | 35-39 | 564 | 50 | 35 | 31 | 27 | 44 |
| | 40-44 | 115 | 13 | 10 | 8 | 8 | 6 |
| | 45+ | 10 | 1 | 1 | 1 | 1 | 1 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 4,658 | 595 | 403 | 328 | 317 | 224 | |
| Allegheny | <15 | 19 | 1 | 1 | 1 | 1 | 0 |
| | 15-17 | 434 | 22 | 16 | 15 | 15 | 10 |
| | 18-19 | 1,143 | 96 | 80 | 69 | 64 | 30 |
| | 20-24 | 7,145 | 977 | 762 | 681 | 648 | 144 |
| | 25-29 | 15,705 | 1,691 | 1,330 | 1,216 | 1,202 | 219 |
| | 30-34 | 23,551 | 1,491 | 1,213 | 1,133 | 1,115 | 234 |
| | 35-39 | 12,096 | 840 | 692 | 640 | 617 | 130 |
| | 40-44 | 1,984 | 143 | 119 | 112 | 110 | 29 |
| | 45+ | 136 | 14 | 12 | 12 | 12 | 3 |
| | Unknown | 4 | 0 | 0 | 0 | 0 | 3 |
| All Ages | 62,217 | 5,275 | 4,225 | 3,879 | 3,784 | 802 | |
| Armstrong | <15 | 2 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 24 | 8 | 7 | 5 | 5 | 1 |
| | 18-19 | 90 | 23 | 15 | 15 | 13 | 0 |
| | 20-24 | 640 | 152 | 117 | 103 | 101 | 4 |
| | 25-29 | 995 | 206 | 168 | 151 | 147 | 8 |
| | 30-34 | 725 | 134 | 113 | 101 | 99 | 6 |
| | 35-39 | 302 | 56 | 49 | 46 | 43 | 3 |
| | 40-44 | 57 | 9 | 6 | 6 | 6 | 0 |
| | 45+ | 3 | 1 | 1 | 1 | 1 | 0 |
| | Unknown | 1 | 1 | 1 | 1 | 1 | 0 |
| All Ages | 2,839 | 590 | 477 | 429 | 416 | 22 | |
| Beaver | <15 | 2 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 73 | 10 | 6 | 5 | 4 | 2 |
| | 18-19 | 214 | 56 | 39 | 29 | 28 | 14 |
| | 20-24 | 1,206 | 320 | 221 | 195 | 188 | 31 |
| | 25-29 | 2,411 | 409 | 301 | 259 | 255 | 50 |
| | 30-34 | 2,539 | 362 | 262 | 230 | 224 | 41 |
| | 35-39 | 1,067 | 136 | 105 | 99 | 94 | 16 |
| | 40-44 | 178 | 27 | 21 | 19 | 18 | 2 |
| | 45+ | 11 | 1 | 2 | 1 | 1 | 0 |
| | Unknown | 1 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 7,702 | 1,321 | 957 | 837 | 812 | 156 | |

*Unknown smoking status during first, second, and last three months of pregnancy.

Note: Smoking status is defined as cigarette use.

Commonwealth of Pennsylvania - Department of Health
Division of Health Informatics

Resident Live Births by Age of Mother and Smoking Status Prior to and During Pregnancy
Counties and Pennsylvania, 2018-2022

| County | Age of Mother | Total Births | Smoked 3 Months Prior to Pregnancy | Smoking Status During Pregnancy | | | Unknown* Smoking Status |
|----------|---------------|--------------|---------------------------------------|---|--|---|----------------------------|
| | | | | Smoked During First 3 Months of Pregnancy | Smoked During Second 3 Months of Pregnancy | Smoked During Third 3 Months of Pregnancy | |
| Bedford | <15 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 17 | 4 | 2 | 3 | 3 | 0 |
| | 18-19 | 83 | 19 | 15 | 14 | 11 | 2 |
| | 20-24 | 557 | 111 | 73 | 62 | 58 | 23 |
| | 25-29 | 830 | 115 | 87 | 76 | 75 | 32 |
| | 30-34 | 555 | 83 | 73 | 65 | 65 | 33 |
| | 35-39 | 244 | 40 | 30 | 25 | 26 | 6 |
| | 40-44 | 53 | 4 | 3 | 3 | 3 | 0 |
| | 45+ | 2 | 0 | 0 | 0 | 0 | 0 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 2,341 | 376 | 283 | 248 | 241 | 96 | |
| Berks | <15 | 15 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 330 | 5 | 4 | 3 | 3 | 2 |
| | 18-19 | 905 | 49 | 24 | 16 | 13 | 8 |
| | 20-24 | 4,462 | 477 | 270 | 207 | 199 | 65 |
| | 25-29 | 7,084 | 735 | 469 | 372 | 345 | 61 |
| | 30-34 | 6,409 | 582 | 357 | 287 | 278 | 50 |
| | 35-39 | 2,960 | 287 | 197 | 154 | 144 | 24 |
| | 40-44 | 608 | 54 | 39 | 32 | 30 | 7 |
| | 45+ | 73 | 8 | 8 | 6 | 6 | 2 |
| | Unknown | 2 | 0 | 0 | 0 | 0 | 1 |
| All Ages | 22,848 | 2,197 | 1,368 | 1,077 | 1,018 | 220 | |
| Blair | <15 | 6 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 66 | 11 | 7 | 7 | 7 | 0 |
| | 18-19 | 234 | 63 | 43 | 37 | 31 | 1 |
| | 20-24 | 1,314 | 328 | 246 | 211 | 200 | 2 |
| | 25-29 | 1,980 | 398 | 310 | 278 | 267 | 7 |
| | 30-34 | 1,540 | 271 | 205 | 192 | 187 | 8 |
| | 35-39 | 635 | 118 | 98 | 83 | 87 | 4 |
| | 40-44 | 120 | 20 | 20 | 15 | 15 | 2 |
| | 45+ | 20 | 4 | 3 | 2 | 3 | 1 |
| | Unknown | 2 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 5,917 | 1,213 | 932 | 825 | 797 | 25 | |
| Bradford | <15 | 1 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 36 | 5 | 5 | 3 | 3 | 0 |
| | 18-19 | 157 | 32 | 27 | 21 | 20 | 7 |
| | 20-24 | 852 | 177 | 138 | 116 | 115 | 50 |
| | 25-29 | 1,046 | 198 | 165 | 149 | 141 | 91 |
| | 30-34 | 743 | 111 | 90 | 77 | 71 | 76 |
| | 35-39 | 279 | 60 | 57 | 54 | 53 | 30 |
| | 40-44 | 56 | 13 | 12 | 12 | 12 | 6 |
| | 45+ | 3 | 2 | 2 | 2 | 2 | 1 |
| | Unknown | 1 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 3,174 | 598 | 496 | 434 | 417 | 261 | |
| Bucks | <15 | 2 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 83 | 13 | 6 | 2 | 2 | 4 |
| | 18-19 | 303 | 28 | 12 | 6 | 5 | 22 |
| | 20-24 | 2,336 | 303 | 174 | 131 | 119 | 138 |
| | 25-29 | 6,652 | 638 | 427 | 325 | 308 | 516 |
| | 30-34 | 11,400 | 703 | 464 | 382 | 359 | 1,054 |
| | 35-39 | 6,140 | 351 | 212 | 187 | 175 | 593 |
| | 40-44 | 1,174 | 69 | 47 | 36 | 35 | 124 |
| | 45+ | 87 | 9 | 8 | 7 | 7 | 8 |
| | Unknown | 5 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 28,182 | 2,114 | 1,350 | 1,076 | 1,010 | 2,459 | |

*Unknown smoking status during first, second, and last three months of pregnancy.

Note: Smoking status is defined as cigarette use.

Commonwealth of Pennsylvania - Department of Health
Division of Health Informatics

Resident Live Births by Age of Mother and Smoking Status Prior to and During Pregnancy
Counties and Pennsylvania, 2018-2022

| County | Age of Mother | Total Births | Smoked 3 Months Prior to Pregnancy | Smoking Status During Pregnancy | | | Unknown* Smoking Status |
|----------|---------------|--------------|---------------------------------------|---|--|---|----------------------------|
| | | | | Smoked During First 3 Months of Pregnancy | Smoked During Second 3 Months of Pregnancy | Smoked During Third 3 Months of Pregnancy | |
| Butler | <15 | 1 | 1 | 0 | 0 | 0 | 0 |
| | 15-17 | 41 | 6 | 3 | 2 | 2 | 0 |
| | 18-19 | 144 | 38 | 28 | 21 | 20 | 2 |
| | 20-24 | 933 | 247 | 193 | 166 | 150 | 16 |
| | 25-29 | 2,417 | 326 | 245 | 215 | 209 | 21 |
| | 30-34 | 3,218 | 245 | 190 | 178 | 173 | 25 |
| | 35-39 | 1,457 | 102 | 84 | 78 | 76 | 13 |
| | 40-44 | 212 | 14 | 13 | 10 | 10 | 1 |
| | 45+ | 26 | 4 | 4 | 4 | 4 | 1 |
| | Unknown | 3 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 8,452 | 983 | 760 | 674 | 644 | 79 | |
| Cambria | <15 | 4 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 91 | 15 | 7 | 7 | 7 | 0 |
| | 18-19 | 226 | 55 | 42 | 34 | 32 | 4 |
| | 20-24 | 1,250 | 319 | 256 | 202 | 185 | 9 |
| | 25-29 | 1,986 | 427 | 346 | 308 | 294 | 14 |
| | 30-34 | 1,640 | 268 | 210 | 192 | 189 | 11 |
| | 35-39 | 648 | 134 | 113 | 98 | 93 | 9 |
| | 40-44 | 106 | 27 | 21 | 18 | 19 | 0 |
| | 45+ | 7 | 4 | 3 | 3 | 3 | 0 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 5,958 | 1,249 | 998 | 862 | 822 | 47 | |
| Cameron | <15 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 2 | 0 | 0 | 0 | 0 | 0 |
| | 18-19 | 6 | 3 | 3 | 2 | 2 | 0 |
| | 20-24 | 45 | 17 | 14 | 12 | 12 | 2 |
| | 25-29 | 48 | 15 | 12 | 11 | 11 | 2 |
| | 30-34 | 36 | 10 | 7 | 5 | 5 | 0 |
| | 35-39 | 13 | 3 | 3 | 3 | 3 | 1 |
| | 40-44 | 1 | 1 | 1 | 1 | 1 | 0 |
| | 45+ | 0 | 0 | 0 | 0 | 0 | 0 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 151 | 49 | 40 | 34 | 34 | 5 | |
| Carbon | <15 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 29 | 7 | 5 | 5 | 5 | 0 |
| | 18-19 | 91 | 21 | 15 | 13 | 11 | 2 |
| | 20-24 | 528 | 151 | 103 | 86 | 86 | 3 |
| | 25-29 | 918 | 208 | 154 | 134 | 129 | 5 |
| | 30-34 | 793 | 174 | 140 | 120 | 111 | 7 |
| | 35-39 | 358 | 61 | 52 | 49 | 47 | 2 |
| | 40-44 | 73 | 14 | 14 | 12 | 11 | 0 |
| | 45+ | 4 | 1 | 1 | 1 | 1 | 0 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 2,794 | 637 | 484 | 420 | 401 | 19 | |
| Centre | <15 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 13 | 2 | 2 | 2 | 2 | 0 |
| | 18-19 | 79 | 15 | 6 | 7 | 6 | 1 |
| | 20-24 | 686 | 113 | 78 | 63 | 61 | 14 |
| | 25-29 | 1,616 | 177 | 118 | 103 | 97 | 15 |
| | 30-34 | 2,029 | 118 | 85 | 78 | 74 | 23 |
| | 35-39 | 977 | 68 | 51 | 41 | 41 | 13 |
| | 40-44 | 159 | 10 | 10 | 9 | 8 | 2 |
| | 45+ | 10 | 1 | 1 | 1 | 1 | 0 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 5,569 | 504 | 351 | 304 | 290 | 68 | |

*Unknown smoking status during first, second, and last three months of pregnancy.

Note: Smoking status is defined as cigarette use.

Commonwealth of Pennsylvania - Department of Health
Division of Health Informatics

Resident Live Births by Age of Mother and Smoking Status Prior to and During Pregnancy
Counties and Pennsylvania, 2018-2022

| County | Age of Mother | Total Births | Smoked 3 Months Prior to Pregnancy | Smoking Status During Pregnancy | | | Unknown* Smoking Status |
|------------|---------------|--------------|---------------------------------------|---|--|---|----------------------------|
| | | | | Smoked During First 3 Months of Pregnancy | Smoked During Second 3 Months of Pregnancy | Smoked During Third 3 Months of Pregnancy | |
| Chester | <15 | 8 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 100 | 4 | 3 | 3 | 3 | 5 |
| | 18-19 | 319 | 16 | 12 | 6 | 3 | 9 |
| | 20-24 | 2,330 | 214 | 148 | 112 | 102 | 67 |
| | 25-29 | 5,877 | 364 | 266 | 231 | 209 | 167 |
| | 30-34 | 11,127 | 379 | 246 | 216 | 206 | 322 |
| | 35-39 | 6,273 | 202 | 138 | 123 | 117 | 191 |
| | 40-44 | 1,093 | 38 | 26 | 23 | 21 | 37 |
| | 45+ | 83 | 3 | 1 | 1 | 1 | 2 |
| | Unknown | 4 | 0 | 0 | 0 | 0 | 1 |
| All Ages | 27,214 | 1,220 | 840 | 715 | 662 | 801 | |
| Clarion | <15 | 5 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 16 | 1 | 1 | 1 | 1 | 0 |
| | 18-19 | 51 | 18 | 12 | 7 | 8 | 0 |
| | 20-24 | 438 | 100 | 70 | 62 | 63 | 3 |
| | 25-29 | 623 | 116 | 82 | 70 | 70 | 9 |
| | 30-34 | 484 | 66 | 55 | 54 | 52 | 10 |
| | 35-39 | 186 | 18 | 15 | 13 | 13 | 3 |
| | 40-44 | 37 | 4 | 4 | 4 | 4 | 0 |
| | 45+ | 4 | 0 | 0 | 0 | 0 | 0 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 1,844 | 323 | 239 | 211 | 211 | 25 | |
| Clearfield | <15 | 1 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 37 | 16 | 12 | 12 | 10 | 1 |
| | 18-19 | 105 | 33 | 23 | 19 | 18 | 0 |
| | 20-24 | 820 | 240 | 181 | 156 | 147 | 8 |
| | 25-29 | 1,165 | 257 | 207 | 189 | 181 | 5 |
| | 30-34 | 906 | 196 | 151 | 140 | 140 | 2 |
| | 35-39 | 364 | 91 | 80 | 74 | 70 | 1 |
| | 40-44 | 56 | 9 | 7 | 5 | 6 | 2 |
| | 45+ | 4 | 2 | 2 | 2 | 2 | 0 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 3,458 | 844 | 663 | 597 | 574 | 19 | |
| Clinton | <15 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 17 | 4 | 1 | 0 | 0 | 0 |
| | 18-19 | 64 | 14 | 10 | 10 | 11 | 1 |
| | 20-24 | 561 | 116 | 83 | 67 | 61 | 7 |
| | 25-29 | 692 | 135 | 104 | 93 | 93 | 10 |
| | 30-34 | 473 | 75 | 65 | 58 | 57 | 7 |
| | 35-39 | 200 | 33 | 25 | 25 | 25 | 2 |
| | 40-44 | 44 | 9 | 7 | 4 | 4 | 1 |
| | 45+ | 9 | 1 | 1 | 1 | 1 | 0 |
| | Unknown | 1 | 0 | 0 | 0 | 0 | 1 |
| All Ages | 2,061 | 387 | 296 | 258 | 252 | 29 | |
| Columbia | <15 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 15 | 2 | 1 | 1 | 1 | 1 |
| | 18-19 | 87 | 31 | 21 | 16 | 12 | 3 |
| | 20-24 | 575 | 136 | 98 | 88 | 84 | 15 |
| | 25-29 | 877 | 162 | 109 | 100 | 95 | 12 |
| | 30-34 | 795 | 113 | 87 | 78 | 76 | 11 |
| | 35-39 | 348 | 45 | 39 | 36 | 30 | 3 |
| | 40-44 | 60 | 10 | 7 | 7 | 7 | 0 |
| | 45+ | 5 | 1 | 1 | 1 | 1 | 1 |
| | Unknown | 3 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 2,765 | 500 | 363 | 327 | 306 | 46 | |

*Unknown smoking status during first, second, and last three months of pregnancy.

Note: Smoking status is defined as cigarette use.

Commonwealth of Pennsylvania - Department of Health
Division of Health Informatics

**Resident Live Births by Age of Mother and Smoking Status Prior to and During Pregnancy
Counties and Pennsylvania, 2018-2022**

| County | Age of Mother | Total Births | Smoked 3 Months Prior to Pregnancy | Smoking Status During Pregnancy | | | Unknown* Smoking Status |
|------------|---------------|--------------|---------------------------------------|---|--|---|----------------------------|
| | | | | Smoked During First 3 Months of Pregnancy | Smoked During Second 3 Months of Pregnancy | Smoked During Third 3 Months of Pregnancy | |
| Crawford | <15 | 2 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 44 | 14 | 11 | 9 | 8 | 0 |
| | 18-19 | 209 | 64 | 58 | 53 | 54 | 2 |
| | 20-24 | 1,058 | 294 | 236 | 217 | 218 | 15 |
| | 25-29 | 1,414 | 326 | 266 | 235 | 234 | 15 |
| | 30-34 | 1,022 | 219 | 186 | 169 | 170 | 14 |
| | 35-39 | 513 | 86 | 73 | 67 | 66 | 10 |
| | 40-44 | 112 | 17 | 16 | 13 | 12 | 8 |
| | 45+ | 7 | 0 | 0 | 0 | 0 | 1 |
| | Unknown | 1 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 4,382 | 1,020 | 846 | 763 | 762 | 65 | |
| Cumberland | <15 | 4 | 1 | 0 | 0 | 0 | 0 |
| | 15-17 | 64 | 6 | 5 | 4 | 3 | 1 |
| | 18-19 | 253 | 40 | 26 | 17 | 13 | 5 |
| | 20-24 | 1,899 | 315 | 208 | 154 | 150 | 25 |
| | 25-29 | 3,943 | 437 | 300 | 253 | 242 | 27 |
| | 30-34 | 4,486 | 328 | 242 | 209 | 207 | 24 |
| | 35-39 | 2,108 | 146 | 96 | 78 | 73 | 12 |
| | 40-44 | 386 | 17 | 11 | 9 | 9 | 2 |
| | 45+ | 33 | 3 | 3 | 3 | 3 | 1 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 13,176 | 1,293 | 891 | 727 | 700 | 97 | |
| Dauphin | <15 | 3 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 215 | 17 | 7 | 5 | 4 | 1 |
| | 18-19 | 584 | 46 | 32 | 24 | 19 | 13 |
| | 20-24 | 3,169 | 402 | 260 | 201 | 184 | 50 |
| | 25-29 | 5,001 | 631 | 446 | 380 | 356 | 67 |
| | 30-34 | 4,750 | 458 | 330 | 287 | 284 | 54 |
| | 35-39 | 2,366 | 218 | 160 | 142 | 138 | 20 |
| | 40-44 | 492 | 43 | 37 | 33 | 29 | 4 |
| | 45+ | 42 | 4 | 3 | 3 | 4 | 2 |
| | Unknown | 4 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 16,626 | 1,819 | 1,275 | 1,075 | 1,018 | 211 | |
| Delaware | <15 | 7 | 0 | 0 | 0 | 0 | 1 |
| | 15-17 | 246 | 4 | 1 | 1 | 1 | 27 |
| | 18-19 | 639 | 39 | 20 | 11 | 11 | 42 |
| | 20-24 | 3,586 | 340 | 188 | 141 | 124 | 211 |
| | 25-29 | 7,454 | 670 | 441 | 329 | 303 | 331 |
| | 30-34 | 12,064 | 713 | 468 | 383 | 372 | 389 |
| | 35-39 | 6,673 | 355 | 237 | 200 | 185 | 211 |
| | 40-44 | 1,228 | 66 | 55 | 44 | 41 | 49 |
| | 45+ | 110 | 4 | 2 | 2 | 2 | 3 |
| | Unknown | 3 | 0 | 0 | 0 | 0 | 2 |
| All Ages | 32,010 | 2,191 | 1,412 | 1,111 | 1,039 | 1,266 | |
| Elk | <15 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 4 | 2 | 1 | 1 | 1 | 0 |
| | 18-19 | 39 | 13 | 10 | 7 | 8 | 1 |
| | 20-24 | 257 | 88 | 71 | 57 | 56 | 6 |
| | 25-29 | 475 | 106 | 82 | 80 | 76 | 6 |
| | 30-34 | 374 | 79 | 54 | 45 | 46 | 2 |
| | 35-39 | 132 | 30 | 24 | 21 | 22 | 3 |
| | 40-44 | 28 | 10 | 10 | 10 | 10 | 0 |
| | 45+ | 4 | 1 | 1 | 1 | 1 | 0 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 1,313 | 329 | 253 | 222 | 220 | 18 | |

*Unknown smoking status during first, second, and last three months of pregnancy.

Note: Smoking status is defined as cigarette use.

Commonwealth of Pennsylvania - Department of Health
Division of Health Informatics

Resident Live Births by Age of Mother and Smoking Status Prior to and During Pregnancy
Counties and Pennsylvania, 2018-2022

| County | Age of Mother | Total Births | Smoked 3 Months Prior to Pregnancy | Smoking Status During Pregnancy | | | Unknown* Smoking Status |
|----------|---------------|--------------|---------------------------------------|---|--|---|----------------------------|
| | | | | Smoked During First 3 Months of Pregnancy | Smoked During Second 3 Months of Pregnancy | Smoked During Third 3 Months of Pregnancy | |
| Erie | <15 | 8 | 2 | 2 | 2 | 1 | 0 |
| | 15-17 | 201 | 17 | 13 | 9 | 8 | 0 |
| | 18-19 | 572 | 102 | 68 | 58 | 57 | 2 |
| | 20-24 | 2,914 | 567 | 415 | 365 | 357 | 8 |
| | 25-29 | 4,127 | 851 | 663 | 584 | 564 | 18 |
| | 30-34 | 3,804 | 649 | 493 | 447 | 437 | 23 |
| | 35-39 | 1,627 | 232 | 182 | 167 | 167 | 9 |
| | 40-44 | 299 | 51 | 44 | 41 | 40 | 2 |
| | 45+ | 42 | 9 | 7 | 6 | 6 | 2 |
| | Unknown | 1 | 1 | 1 | 0 | 0 | 0 |
| All Ages | 13,595 | 2,481 | 1,888 | 1,679 | 1,637 | 64 | |
| Fayette | <15 | 6 | 0 | 0 | 0 | 0 | 1 |
| | 15-17 | 99 | 15 | 12 | 8 | 8 | 23 |
| | 18-19 | 278 | 55 | 43 | 33 | 34 | 69 |
| | 20-24 | 1,565 | 444 | 361 | 310 | 296 | 294 |
| | 25-29 | 2,023 | 434 | 369 | 334 | 327 | 388 |
| | 30-34 | 1,398 | 277 | 222 | 213 | 215 | 283 |
| | 35-39 | 617 | 118 | 99 | 96 | 91 | 141 |
| | 40-44 | 102 | 21 | 18 | 17 | 18 | 23 |
| | 45+ | 13 | 4 | 4 | 4 | 4 | 3 |
| | Unknown | 3 | 2 | 2 | 1 | 1 | 1 |
| All Ages | 6,104 | 1,370 | 1,130 | 1,016 | 994 | 1,226 | |
| Forest | <15 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 1 | 0 | 0 | 0 | 0 | 0 |
| | 18-19 | 1 | 0 | 0 | 0 | 0 | 0 |
| | 20-24 | 32 | 15 | 11 | 9 | 9 | 0 |
| | 25-29 | 38 | 11 | 9 | 7 | 7 | 1 |
| | 30-34 | 39 | 5 | 5 | 3 | 4 | 0 |
| | 35-39 | 13 | 4 | 3 | 3 | 3 | 0 |
| | 40-44 | 4 | 1 | 0 | 0 | 0 | 0 |
| | 45+ | 0 | 0 | 0 | 0 | 0 | 0 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 128 | 36 | 28 | 22 | 23 | 1 | |
| Franklin | <15 | 5 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 91 | 8 | 6 | 5 | 5 | 3 |
| | 18-19 | 276 | 55 | 37 | 27 | 23 | 7 |
| | 20-24 | 1,838 | 311 | 208 | 158 | 151 | 52 |
| | 25-29 | 2,849 | 355 | 244 | 210 | 207 | 170 |
| | 30-34 | 2,234 | 224 | 162 | 135 | 131 | 134 |
| | 35-39 | 1,016 | 116 | 90 | 75 | 71 | 62 |
| | 40-44 | 177 | 20 | 17 | 17 | 16 | 8 |
| | 45+ | 14 | 2 | 1 | 1 | 1 | 3 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 8,500 | 1,091 | 765 | 628 | 605 | 439 | |
| Fulton | <15 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 5 | 3 | 1 | 1 | 0 | 2 |
| | 18-19 | 28 | 3 | 2 | 0 | 0 | 0 |
| | 20-24 | 202 | 33 | 22 | 20 | 19 | 12 |
| | 25-29 | 253 | 39 | 29 | 28 | 27 | 21 |
| | 30-34 | 151 | 35 | 29 | 22 | 21 | 14 |
| | 35-39 | 51 | 14 | 11 | 8 | 8 | 11 |
| | 40-44 | 8 | 2 | 2 | 2 | 2 | 2 |
| | 45+ | 0 | 0 | 0 | 0 | 0 | 0 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 698 | 129 | 96 | 81 | 77 | 62 | |

*Unknown smoking status during first, second, and last three months of pregnancy.

Note: Smoking status is defined as cigarette use.

Commonwealth of Pennsylvania - Department of Health
Division of Health Informatics

Resident Live Births by Age of Mother and Smoking Status Prior to and During Pregnancy
Counties and Pennsylvania, 2018-2022

| County | Age of Mother | Total Births | Smoked 3 Months Prior to Pregnancy | Smoking Status During Pregnancy | | | Unknown* Smoking Status |
|------------|---------------|--------------|---------------------------------------|---|--|---|----------------------------|
| | | | | Smoked During First 3 Months of Pregnancy | Smoked During Second 3 Months of Pregnancy | Smoked During Third 3 Months of Pregnancy | |
| Greene | <15 | 1 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 23 | 6 | 5 | 4 | 4 | 3 |
| | 18-19 | 64 | 15 | 12 | 11 | 11 | 10 |
| | 20-24 | 428 | 102 | 82 | 80 | 80 | 81 |
| | 25-29 | 534 | 110 | 94 | 93 | 94 | 124 |
| | 30-34 | 361 | 74 | 68 | 65 | 66 | 86 |
| | 35-39 | 132 | 28 | 25 | 25 | 25 | 30 |
| | 40-44 | 21 | 4 | 2 | 2 | 2 | 5 |
| | 45+ | 1 | 1 | 1 | 1 | 1 | 0 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 1,565 | 340 | 289 | 281 | 283 | 339 | |
| Huntingdon | <15 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 20 | 2 | 2 | 1 | 1 | 0 |
| | 18-19 | 86 | 26 | 13 | 8 | 7 | 0 |
| | 20-24 | 525 | 123 | 84 | 73 | 69 | 7 |
| | 25-29 | 689 | 149 | 122 | 95 | 93 | 4 |
| | 30-34 | 448 | 105 | 84 | 81 | 75 | 3 |
| | 35-39 | 158 | 31 | 24 | 23 | 22 | 2 |
| | 40-44 | 41 | 5 | 2 | 1 | 1 | 0 |
| | 45+ | 0 | 0 | 0 | 0 | 0 | 0 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 1,967 | 441 | 331 | 282 | 268 | 16 | |
| Indiana | <15 | 4 | 1 | 0 | 0 | 0 | 0 |
| | 15-17 | 36 | 2 | 1 | 0 | 0 | 0 |
| | 18-19 | 114 | 26 | 15 | 13 | 12 | 0 |
| | 20-24 | 978 | 229 | 158 | 137 | 132 | 8 |
| | 25-29 | 1,252 | 213 | 163 | 150 | 144 | 5 |
| | 30-34 | 975 | 124 | 99 | 91 | 88 | 5 |
| | 35-39 | 436 | 45 | 41 | 39 | 38 | 7 |
| | 40-44 | 88 | 10 | 9 | 9 | 9 | 1 |
| | 45+ | 10 | 2 | 2 | 1 | 0 | 0 |
| | Unknown | 2 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 3,895 | 652 | 488 | 440 | 423 | 26 | |
| Jefferson | <15 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 11 | 2 | 1 | 1 | 1 | 0 |
| | 18-19 | 88 | 24 | 19 | 16 | 13 | 2 |
| | 20-24 | 633 | 151 | 111 | 102 | 103 | 5 |
| | 25-29 | 770 | 143 | 114 | 105 | 107 | 4 |
| | 30-34 | 582 | 125 | 94 | 84 | 82 | 2 |
| | 35-39 | 211 | 49 | 33 | 29 | 29 | 1 |
| | 40-44 | 33 | 8 | 8 | 8 | 8 | 0 |
| | 45+ | 5 | 0 | 0 | 0 | 0 | 0 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 2,333 | 502 | 380 | 345 | 343 | 14 | |
| Juniata | <15 | 1 | 1 | 1 | 0 | 0 | 0 |
| | 15-17 | 17 | 1 | 1 | 1 | 1 | 0 |
| | 18-19 | 42 | 9 | 7 | 3 | 3 | 1 |
| | 20-24 | 345 | 56 | 44 | 38 | 34 | 4 |
| | 25-29 | 470 | 48 | 38 | 33 | 35 | 5 |
| | 30-34 | 385 | 44 | 34 | 28 | 29 | 2 |
| | 35-39 | 161 | 17 | 16 | 13 | 14 | 0 |
| | 40-44 | 40 | 1 | 1 | 1 | 1 | 1 |
| | 45+ | 0 | 0 | 0 | 0 | 0 | 0 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 1,461 | 177 | 142 | 117 | 117 | 13 | |

*Unknown smoking status during first, second, and last three months of pregnancy.

Note: Smoking status is defined as cigarette use.

Commonwealth of Pennsylvania - Department of Health
Division of Health Informatics

Resident Live Births by Age of Mother and Smoking Status Prior to and During Pregnancy
Counties and Pennsylvania, 2018-2022

| County | Age of Mother | Total Births | Smoked 3 Months Prior to Pregnancy | Smoking Status During Pregnancy | | | Unknown* Smoking Status |
|------------|---------------|--------------|---------------------------------------|---|--|---|----------------------------|
| | | | | Smoked During First 3 Months of Pregnancy | Smoked During Second 3 Months of Pregnancy | Smoked During Third 3 Months of Pregnancy | |
| Lackawanna | <15 | 5 | 0 | 0 | 0 | 0 | 1 |
| | 15-17 | 112 | 16 | 15 | 12 | 11 | 6 |
| | 18-19 | 313 | 63 | 50 | 40 | 39 | 5 |
| | 20-24 | 1,798 | 443 | 314 | 274 | 251 | 33 |
| | 25-29 | 2,806 | 606 | 451 | 401 | 383 | 32 |
| | 30-34 | 3,228 | 501 | 366 | 332 | 324 | 27 |
| | 35-39 | 1,615 | 225 | 167 | 139 | 134 | 23 |
| | 40-44 | 304 | 55 | 43 | 36 | 36 | 3 |
| | 45+ | 30 | 0 | 0 | 0 | 0 | 7 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | |
| All Ages | 10,211 | 1,909 | 1,406 | 1,234 | 1,178 | 137 | |
| Lancaster | <15 | 10 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 241 | 16 | 7 | 6 | 4 | 5 |
| | 18-19 | 674 | 86 | 49 | 30 | 28 | 12 |
| | 20-24 | 6,465 | 605 | 375 | 291 | 264 | 89 |
| | 25-29 | 11,129 | 881 | 575 | 467 | 443 | 135 |
| | 30-34 | 10,477 | 670 | 434 | 367 | 354 | 130 |
| | 35-39 | 4,798 | 292 | 202 | 177 | 163 | 47 |
| | 40-44 | 965 | 54 | 37 | 32 | 31 | 13 |
| | 45+ | 87 | 6 | 6 | 6 | 7 | 3 |
| Unknown | 11 | 0 | 0 | 0 | 0 | 0 | |
| All Ages | 34,857 | 2,610 | 1,685 | 1,376 | 1,294 | 434 | |
| Lawrence | <15 | 2 | 1 | 1 | 0 | 0 | 0 |
| | 15-17 | 45 | 10 | 7 | 6 | 6 | 0 |
| | 18-19 | 151 | 43 | 37 | 33 | 28 | 4 |
| | 20-24 | 843 | 231 | 182 | 151 | 151 | 8 |
| | 25-29 | 1,374 | 343 | 275 | 249 | 240 | 31 |
| | 30-34 | 1,091 | 251 | 199 | 180 | 175 | 37 |
| | 35-39 | 497 | 100 | 82 | 78 | 79 | 12 |
| | 40-44 | 85 | 22 | 17 | 15 | 16 | 1 |
| | 45+ | 6 | 2 | 2 | 2 | 2 | 0 |
| Unknown | 1 | 0 | 0 | 0 | 0 | 0 | |
| All Ages | 4,095 | 1,003 | 802 | 714 | 697 | 93 | |
| Lebanon | <15 | 4 | 1 | 0 | 0 | 0 | 0 |
| | 15-17 | 92 | 3 | 3 | 2 | 2 | 1 |
| | 18-19 | 285 | 28 | 17 | 13 | 15 | 3 |
| | 20-24 | 1,700 | 221 | 157 | 124 | 117 | 17 |
| | 25-29 | 2,551 | 267 | 194 | 163 | 157 | 32 |
| | 30-34 | 2,130 | 199 | 144 | 126 | 123 | 25 |
| | 35-39 | 876 | 71 | 55 | 50 | 48 | 6 |
| | 40-44 | 212 | 22 | 16 | 12 | 11 | 1 |
| | 45+ | 10 | 0 | 0 | 0 | 0 | 0 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | |
| All Ages | 7,860 | 812 | 586 | 490 | 473 | 85 | |
| Lehigh | <15 | 14 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 276 | 17 | 11 | 8 | 8 | 9 |
| | 18-19 | 722 | 51 | 28 | 21 | 17 | 10 |
| | 20-24 | 3,772 | 407 | 252 | 180 | 168 | 85 |
| | 25-29 | 5,809 | 556 | 352 | 258 | 236 | 87 |
| | 30-34 | 6,232 | 522 | 354 | 277 | 269 | 87 |
| | 35-39 | 3,049 | 257 | 194 | 155 | 150 | 27 |
| | 40-44 | 643 | 46 | 34 | 29 | 28 | 11 |
| | 45+ | 44 | 3 | 2 | 1 | 1 | 1 |
| Unknown | 6 | 0 | 0 | 0 | 0 | 3 | |
| All Ages | 20,567 | 1,859 | 1,227 | 929 | 877 | 320 | |

*Unknown smoking status during first, second, and last three months of pregnancy.

Note: Smoking status is defined as cigarette use.

Commonwealth of Pennsylvania - Department of Health
Division of Health Informatics

Resident Live Births by Age of Mother and Smoking Status Prior to and During Pregnancy
Counties and Pennsylvania, 2018-2022

| County | Age of Mother | Total Births | Smoked 3 Months Prior to Pregnancy | Smoking Status During Pregnancy | | | Unknown* Smoking Status |
|----------|---------------|--------------|---------------------------------------|---|--|---|----------------------------|
| | | | | Smoked During First 3 Months of Pregnancy | Smoked During Second 3 Months of Pregnancy | Smoked During Third 3 Months of Pregnancy | |
| Luzerne | <15 | 7 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 240 | 14 | 9 | 6 | 6 | 11 |
| | 18-19 | 656 | 110 | 77 | 65 | 62 | 22 |
| | 20-24 | 3,367 | 614 | 424 | 345 | 313 | 126 |
| | 25-29 | 4,713 | 868 | 642 | 559 | 535 | 139 |
| | 30-34 | 4,499 | 655 | 475 | 402 | 399 | 124 |
| | 35-39 | 2,072 | 267 | 204 | 185 | 179 | 62 |
| | 40-44 | 441 | 77 | 60 | 54 | 53 | 19 |
| | 45+ | 28 | 5 | 4 | 4 | 4 | 5 |
| | Unknown | 6 | 0 | 0 | 0 | 0 | 3 |
| All Ages | 16,029 | 2,610 | 1,895 | 1,620 | 1,551 | 511 | |
| Lycoming | <15 | 2 | 1 | 0 | 0 | 0 | 0 |
| | 15-17 | 59 | 11 | 9 | 7 | 7 | 2 |
| | 18-19 | 225 | 47 | 34 | 30 | 28 | 3 |
| | 20-24 | 1,246 | 319 | 234 | 187 | 179 | 19 |
| | 25-29 | 1,885 | 391 | 292 | 257 | 244 | 23 |
| | 30-34 | 1,608 | 273 | 207 | 186 | 179 | 12 |
| | 35-39 | 619 | 120 | 96 | 90 | 86 | 5 |
| | 40-44 | 123 | 15 | 10 | 9 | 9 | 3 |
| | 45+ | 11 | 3 | 3 | 2 | 2 | 0 |
| | Unknown | 4 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 5,782 | 1,180 | 885 | 768 | 734 | 67 | |
| McKean | <15 | 3 | 1 | 1 | 1 | 0 | 1 |
| | 15-17 | 31 | 7 | 7 | 6 | 6 | 10 |
| | 18-19 | 76 | 17 | 14 | 8 | 9 | 18 |
| | 20-24 | 499 | 130 | 94 | 79 | 73 | 97 |
| | 25-29 | 570 | 120 | 85 | 76 | 76 | 117 |
| | 30-34 | 411 | 84 | 56 | 53 | 52 | 98 |
| | 35-39 | 142 | 25 | 19 | 14 | 14 | 29 |
| | 40-44 | 30 | 5 | 1 | 1 | 1 | 6 |
| | 45+ | 3 | 0 | 0 | 0 | 0 | 1 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 1,765 | 389 | 277 | 238 | 231 | 377 | |
| Mercer | <15 | 1 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 58 | 7 | 3 | 2 | 2 | 2 |
| | 18-19 | 180 | 52 | 35 | 30 | 29 | 2 |
| | 20-24 | 1,173 | 326 | 235 | 213 | 204 | 18 |
| | 25-29 | 1,673 | 397 | 309 | 268 | 260 | 26 |
| | 30-34 | 1,279 | 226 | 179 | 156 | 156 | 21 |
| | 35-39 | 580 | 105 | 81 | 72 | 74 | 6 |
| | 40-44 | 134 | 21 | 17 | 17 | 17 | 0 |
| | 45+ | 10 | 1 | 1 | 1 | 1 | 0 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 5,088 | 1,135 | 860 | 759 | 743 | 75 | |
| Mifflin | <15 | 3 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 17 | 3 | 1 | 1 | 1 | 0 |
| | 18-19 | 85 | 27 | 19 | 14 | 15 | 5 |
| | 20-24 | 774 | 152 | 115 | 98 | 97 | 9 |
| | 25-29 | 955 | 179 | 139 | 129 | 123 | 14 |
| | 30-34 | 633 | 99 | 76 | 69 | 70 | 9 |
| | 35-39 | 271 | 37 | 32 | 29 | 28 | 3 |
| | 40-44 | 64 | 3 | 2 | 2 | 2 | 1 |
| | 45+ | 5 | 0 | 0 | 0 | 0 | 0 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 2,807 | 500 | 384 | 342 | 336 | 41 | |

*Unknown smoking status during first, second, and last three months of pregnancy.

Note: Smoking status is defined as cigarette use.

Commonwealth of Pennsylvania - Department of Health
Division of Health Informatics

Resident Live Births by Age of Mother and Smoking Status Prior to and During Pregnancy
Counties and Pennsylvania, 2018-2022

| County | Age of Mother | Total Births | Smoked 3 Months Prior to Pregnancy | Smoking Status During Pregnancy | | | Unknown* Smoking Status |
|----------------|---------------|--------------|---------------------------------------|---|--|---|----------------------------|
| | | | | Smoked During First 3 Months of Pregnancy | Smoked During Second 3 Months of Pregnancy | Smoked During Third 3 Months of Pregnancy | |
| Monroe | <15 | 2 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 47 | 4 | 3 | 1 | 1 | 4 |
| | 18-19 | 169 | 16 | 11 | 9 | 11 | 4 |
| | 20-24 | 1,213 | 199 | 121 | 88 | 85 | 27 |
| | 25-29 | 2,253 | 343 | 215 | 160 | 150 | 31 |
| | 30-34 | 2,051 | 267 | 180 | 137 | 131 | 43 |
| | 35-39 | 1,121 | 142 | 97 | 76 | 74 | 38 |
| | 40-44 | 275 | 37 | 23 | 21 | 22 | 14 |
| | 45+ | 27 | 3 | 3 | 3 | 3 | 1 |
| | Unknown | 1 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 7,159 | 1,011 | 653 | 495 | 477 | 159 | |
| Montgomery | <15 | 7 | 0 | 0 | 0 | 0 | 1 |
| | 15-17 | 166 | 8 | 3 | 1 | 1 | 6 |
| | 18-19 | 544 | 51 | 26 | 21 | 18 | 15 |
| | 20-24 | 3,221 | 402 | 247 | 187 | 170 | 106 |
| | 25-29 | 9,035 | 692 | 416 | 328 | 292 | 169 |
| | 30-34 | 17,639 | 701 | 423 | 338 | 317 | 261 |
| | 35-39 | 9,937 | 413 | 255 | 211 | 208 | 157 |
| | 40-44 | 1,836 | 77 | 49 | 36 | 33 | 39 |
| | 45+ | 119 | 5 | 4 | 4 | 4 | 6 |
| | Unknown | 3 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 42,507 | 2,349 | 1,423 | 1,126 | 1,043 | 760 | |
| Montour | <15 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 6 | 0 | 0 | 0 | 0 | 1 |
| | 18-19 | 18 | 3 | 2 | 2 | 1 | 0 |
| | 20-24 | 150 | 14 | 9 | 8 | 7 | 2 |
| | 25-29 | 277 | 28 | 21 | 20 | 20 | 2 |
| | 30-34 | 420 | 24 | 18 | 15 | 15 | 1 |
| | 35-39 | 174 | 12 | 12 | 12 | 10 | 0 |
| | 40-44 | 25 | 2 | 2 | 2 | 2 | 1 |
| | 45+ | 6 | 0 | 0 | 0 | 0 | 0 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 1,076 | 83 | 64 | 59 | 55 | 7 | |
| Northampton | <15 | 3 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 107 | 6 | 4 | 1 | 1 | 0 |
| | 18-19 | 359 | 39 | 23 | 15 | 12 | 2 |
| | 20-24 | 1,912 | 285 | 145 | 107 | 98 | 20 |
| | 25-29 | 3,933 | 516 | 327 | 252 | 238 | 49 |
| | 30-34 | 4,729 | 432 | 264 | 202 | 188 | 61 |
| | 35-39 | 2,371 | 226 | 135 | 115 | 111 | 24 |
| | 40-44 | 474 | 36 | 20 | 14 | 14 | 12 |
| | 45+ | 42 | 6 | 3 | 3 | 3 | 1 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 13,930 | 1,546 | 921 | 709 | 665 | 169 | |
| Northumberland | <15 | 3 | 1 | 0 | 0 | 0 | 0 |
| | 15-17 | 56 | 14 | 12 | 11 | 8 | 3 |
| | 18-19 | 176 | 48 | 37 | 35 | 31 | 5 |
| | 20-24 | 1,050 | 262 | 193 | 170 | 155 | 23 |
| | 25-29 | 1,401 | 319 | 254 | 237 | 225 | 25 |
| | 30-34 | 1,134 | 206 | 177 | 159 | 158 | 12 |
| | 35-39 | 484 | 85 | 72 | 64 | 65 | 10 |
| | 40-44 | 80 | 12 | 11 | 11 | 10 | 2 |
| | 45+ | 10 | 1 | 1 | 1 | 0 | 1 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 4,394 | 948 | 757 | 688 | 652 | 81 | |

*Unknown smoking status during first, second, and last three months of pregnancy.

Note: Smoking status is defined as cigarette use.

Commonwealth of Pennsylvania - Department of Health
Division of Health Informatics

Resident Live Births by Age of Mother and Smoking Status Prior to and During Pregnancy
Counties and Pennsylvania, 2018-2022

| County | Age of Mother | Total Births | Smoked 3 Months Prior to Pregnancy | Smoking Status During Pregnancy | | | Unknown* Smoking Status |
|--------------|---------------|--------------|---------------------------------------|---|--|---|----------------------------|
| | | | | Smoked During First 3 Months of Pregnancy | Smoked During Second 3 Months of Pregnancy | Smoked During Third 3 Months of Pregnancy | |
| Perry | <15 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 16 | 5 | 3 | 3 | 2 | 0 |
| | 18-19 | 86 | 23 | 17 | 13 | 12 | 1 |
| | 20-24 | 494 | 96 | 75 | 65 | 60 | 4 |
| | 25-29 | 789 | 134 | 93 | 79 | 79 | 7 |
| | 30-34 | 714 | 89 | 76 | 66 | 69 | 1 |
| | 35-39 | 332 | 40 | 31 | 31 | 30 | 4 |
| | 40-44 | 64 | 5 | 5 | 5 | 5 | 0 |
| | 45+ | 5 | 0 | 0 | 0 | 0 | 0 |
| | Unknown | 2 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 2,502 | 392 | 300 | 262 | 257 | 17 | |
| Philadelphia | <15 | 80 | 0 | 0 | 0 | 0 | 5 |
| | 15-17 | 1,515 | 18 | 13 | 7 | 5 | 76 |
| | 18-19 | 3,722 | 127 | 82 | 56 | 45 | 167 |
| | 20-24 | 17,901 | 950 | 578 | 454 | 408 | 867 |
| | 25-29 | 26,456 | 1,768 | 1,166 | 961 | 880 | 1,174 |
| | 30-34 | 30,122 | 1,862 | 1,325 | 1,109 | 1,033 | 1,123 |
| | 35-39 | 15,868 | 986 | 726 | 639 | 612 | 564 |
| | 40-44 | 3,510 | 215 | 173 | 155 | 159 | 138 |
| | 45+ | 293 | 18 | 11 | 12 | 13 | 15 |
| | Unknown | 10 | 1 | 1 | 1 | 1 | 4 |
| All Ages | 99,477 | 5,945 | 4,075 | 3,394 | 3,156 | 4,133 | |
| Pike | <15 | 2 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 4 | 1 | 0 | 0 | 0 | 0 |
| | 18-19 | 46 | 10 | 6 | 5 | 3 | 5 |
| | 20-24 | 294 | 63 | 38 | 32 | 31 | 25 |
| | 25-29 | 656 | 118 | 78 | 67 | 62 | 84 |
| | 30-34 | 650 | 79 | 52 | 39 | 39 | 93 |
| | 35-39 | 350 | 55 | 45 | 33 | 32 | 51 |
| | 40-44 | 80 | 11 | 9 | 7 | 7 | 12 |
| | 45+ | 11 | 3 | 1 | 1 | 1 | 4 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 2,093 | 340 | 229 | 184 | 175 | 274 | |
| Potter | <15 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 7 | 0 | 0 | 0 | 0 | 0 |
| | 18-19 | 38 | 12 | 8 | 9 | 9 | 2 |
| | 20-24 | 254 | 51 | 38 | 36 | 33 | 26 |
| | 25-29 | 261 | 40 | 30 | 28 | 28 | 18 |
| | 30-34 | 179 | 27 | 23 | 23 | 23 | 27 |
| | 35-39 | 61 | 6 | 4 | 4 | 4 | 5 |
| | 40-44 | 16 | 2 | 2 | 2 | 2 | 1 |
| | 45+ | 0 | 0 | 0 | 0 | 0 | 0 |
| | Unknown | 1 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 817 | 138 | 105 | 102 | 99 | 79 | |
| Schuylkill | <15 | 3 | 1 | 1 | 1 | 1 | 0 |
| | 15-17 | 90 | 12 | 7 | 7 | 5 | 1 |
| | 18-19 | 244 | 62 | 43 | 38 | 35 | 6 |
| | 20-24 | 1,356 | 360 | 274 | 228 | 209 | 29 |
| | 25-29 | 2,035 | 465 | 359 | 319 | 300 | 19 |
| | 30-34 | 1,675 | 327 | 262 | 236 | 227 | 23 |
| | 35-39 | 773 | 164 | 122 | 110 | 110 | 9 |
| | 40-44 | 121 | 17 | 14 | 14 | 12 | 2 |
| | 45+ | 15 | 5 | 5 | 5 | 5 | 2 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 6,312 | 1,413 | 1,087 | 958 | 904 | 91 | |

*Unknown smoking status during first, second, and last three months of pregnancy.

Note: Smoking status is defined as cigarette use.

Commonwealth of Pennsylvania - Department of Health
Division of Health Informatics

Resident Live Births by Age of Mother and Smoking Status Prior to and During Pregnancy
Counties and Pennsylvania, 2018-2022

| County | Age of Mother | Total Births | Smoked 3 Months Prior to Pregnancy | Smoking Status During Pregnancy | | | Unknown* Smoking Status |
|-------------|---------------|--------------|---------------------------------------|---|--|---|----------------------------|
| | | | | Smoked During First 3 Months of Pregnancy | Smoked During Second 3 Months of Pregnancy | Smoked During Third 3 Months of Pregnancy | |
| Snyder | <15 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 18 | 3 | 2 | 2 | 2 | 2 |
| | 18-19 | 61 | 14 | 11 | 11 | 11 | 1 |
| | 20-24 | 462 | 80 | 58 | 39 | 37 | 8 |
| | 25-29 | 676 | 85 | 59 | 53 | 50 | 7 |
| | 30-34 | 547 | 68 | 53 | 45 | 44 | 7 |
| | 35-39 | 201 | 19 | 18 | 18 | 19 | 1 |
| | 40-44 | 56 | 4 | 3 | 3 | 3 | 0 |
| | 45+ | 5 | 1 | 1 | 1 | 1 | 0 |
| Unknown | 3 | 0 | 0 | 0 | 0 | 0 | |
| All Ages | 2,029 | 274 | 205 | 172 | 167 | 26 | |
| Somerset | <15 | 1 | 1 | 1 | 1 | 1 | 0 |
| | 15-17 | 21 | 4 | 2 | 1 | 1 | 0 |
| | 18-19 | 104 | 26 | 20 | 15 | 13 | 7 |
| | 20-24 | 706 | 153 | 127 | 105 | 100 | 20 |
| | 25-29 | 1,066 | 203 | 160 | 147 | 144 | 38 |
| | 30-34 | 898 | 158 | 128 | 114 | 115 | 40 |
| | 35-39 | 329 | 56 | 40 | 37 | 36 | 14 |
| | 40-44 | 72 | 9 | 7 | 7 | 6 | 4 |
| | 45+ | 4 | 1 | 0 | 0 | 0 | 1 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | |
| All Ages | 3,201 | 611 | 485 | 427 | 416 | 124 | |
| Sullivan | <15 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 1 | 0 | 0 | 0 | 0 | 0 |
| | 18-19 | 9 | 3 | 3 | 3 | 3 | 1 |
| | 20-24 | 47 | 15 | 12 | 11 | 11 | 0 |
| | 25-29 | 76 | 18 | 12 | 11 | 9 | 2 |
| | 30-34 | 63 | 8 | 4 | 2 | 2 | 1 |
| | 35-39 | 23 | 6 | 5 | 4 | 3 | 1 |
| | 40-44 | 1 | 0 | 0 | 0 | 0 | 0 |
| | 45+ | 1 | 1 | 1 | 0 | 0 | 0 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | |
| All Ages | 221 | 51 | 37 | 31 | 28 | 5 | |
| Susquehanna | <15 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 12 | 5 | 4 | 3 | 2 | 1 |
| | 18-19 | 63 | 23 | 12 | 10 | 9 | 4 |
| | 20-24 | 406 | 99 | 70 | 63 | 58 | 32 |
| | 25-29 | 605 | 139 | 112 | 98 | 95 | 67 |
| | 30-34 | 496 | 82 | 73 | 65 | 64 | 77 |
| | 35-39 | 201 | 30 | 26 | 21 | 18 | 35 |
| | 40-44 | 34 | 3 | 3 | 3 | 3 | 2 |
| | 45+ | 2 | 0 | 0 | 0 | 0 | 0 |
| Unknown | 1 | 1 | 1 | 1 | 1 | 0 | |
| All Ages | 1,820 | 382 | 301 | 264 | 250 | 218 | |
| Tioga | <15 | 1 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 36 | 4 | 5 | 2 | 2 | 2 |
| | 18-19 | 83 | 20 | 14 | 11 | 9 | 8 |
| | 20-24 | 493 | 122 | 95 | 90 | 87 | 82 |
| | 25-29 | 643 | 130 | 99 | 95 | 89 | 112 |
| | 30-34 | 491 | 89 | 68 | 64 | 64 | 82 |
| | 35-39 | 197 | 28 | 23 | 22 | 21 | 28 |
| | 40-44 | 30 | 2 | 2 | 2 | 2 | 7 |
| | 45+ | 2 | 0 | 0 | 0 | 0 | 0 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | |
| All Ages | 1,976 | 395 | 306 | 286 | 274 | 321 | |

*Unknown smoking status during first, second, and last three months of pregnancy.

Note: Smoking status is defined as cigarette use.

Commonwealth of Pennsylvania - Department of Health
Division of Health Informatics

Resident Live Births by Age of Mother and Smoking Status Prior to and During Pregnancy
Counties and Pennsylvania, 2018-2022

| County | Age of Mother | Total Births | Smoked 3 Months Prior to Pregnancy | Smoking Status During Pregnancy | | | Unknown* Smoking Status |
|------------|---------------|--------------|---------------------------------------|---|--|---|----------------------------|
| | | | | Smoked During First 3 Months of Pregnancy | Smoked During Second 3 Months of Pregnancy | Smoked During Third 3 Months of Pregnancy | |
| Union | <15 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 18 | 2 | 1 | 1 | 1 | 0 |
| | 18-19 | 43 | 11 | 6 | 4 | 4 | 1 |
| | 20-24 | 368 | 59 | 39 | 32 | 31 | 9 |
| | 25-29 | 581 | 63 | 45 | 41 | 38 | 5 |
| | 30-34 | 591 | 55 | 45 | 39 | 34 | 9 |
| | 35-39 | 258 | 11 | 8 | 6 | 6 | 3 |
| | 40-44 | 62 | 1 | 1 | 0 | 0 | 2 |
| | 45+ | 3 | 0 | 0 | 0 | 0 | 0 |
| | Unknown | 1 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 1,925 | 202 | 145 | 123 | 114 | 29 | |
| Venango | <15 | 1 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 27 | 2 | 2 | 1 | 1 | 0 |
| | 18-19 | 103 | 32 | 20 | 17 | 15 | 0 |
| | 20-24 | 582 | 203 | 157 | 141 | 134 | 0 |
| | 25-29 | 718 | 220 | 183 | 157 | 150 | 2 |
| | 30-34 | 534 | 151 | 120 | 113 | 116 | 3 |
| | 35-39 | 221 | 50 | 44 | 40 | 42 | 2 |
| | 40-44 | 47 | 13 | 12 | 12 | 11 | 1 |
| | 45+ | 3 | 2 | 2 | 2 | 2 | 0 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 2,236 | 673 | 540 | 483 | 471 | 8 | |
| Warren | <15 | 1 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 16 | 7 | 5 | 5 | 5 | 0 |
| | 18-19 | 62 | 26 | 19 | 20 | 20 | 1 |
| | 20-24 | 479 | 131 | 103 | 85 | 82 | 43 |
| | 25-29 | 630 | 126 | 100 | 90 | 89 | 46 |
| | 30-34 | 460 | 90 | 73 | 70 | 67 | 36 |
| | 35-39 | 165 | 37 | 33 | 29 | 30 | 15 |
| | 40-44 | 29 | 5 | 5 | 5 | 4 | 2 |
| | 45+ | 2 | 0 | 0 | 0 | 0 | 1 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 1,844 | 422 | 338 | 304 | 297 | 144 | |
| Washington | <15 | 5 | 0 | 0 | 0 | 0 | 2 |
| | 15-17 | 57 | 8 | 7 | 5 | 4 | 0 |
| | 18-19 | 209 | 63 | 50 | 45 | 44 | 5 |
| | 20-24 | 1,450 | 385 | 314 | 290 | 276 | 47 |
| | 25-29 | 2,965 | 527 | 418 | 385 | 374 | 88 |
| | 30-34 | 3,200 | 405 | 325 | 306 | 290 | 68 |
| | 35-39 | 1,510 | 187 | 144 | 135 | 133 | 33 |
| | 40-44 | 234 | 29 | 21 | 21 | 23 | 10 |
| | 45+ | 19 | 0 | 0 | 0 | 0 | 0 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 9,649 | 1,604 | 1,279 | 1,187 | 1,144 | 253 | |
| Wayne | <15 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 19 | 4 | 1 | 1 | 1 | 0 |
| | 18-19 | 55 | 18 | 14 | 13 | 12 | 2 |
| | 20-24 | 334 | 99 | 75 | 63 | 55 | 11 |
| | 25-29 | 629 | 119 | 89 | 74 | 68 | 11 |
| | 30-34 | 600 | 83 | 60 | 51 | 48 | 15 |
| | 35-39 | 316 | 45 | 35 | 32 | 32 | 8 |
| | 40-44 | 81 | 16 | 14 | 11 | 10 | 4 |
| | 45+ | 1 | 1 | 1 | 1 | 1 | 0 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 2,035 | 385 | 289 | 246 | 227 | 51 | |

*Unknown smoking status during first, second, and last three months of pregnancy.

Note: Smoking status is defined as cigarette use.

Commonwealth of Pennsylvania - Department of Health
Division of Health Informatics

Resident Live Births by Age of Mother and Smoking Status Prior to and During Pregnancy
Counties and Pennsylvania, 2018-2022

| County | Age of Mother | Total Births | Smoked 3 Months Prior to Pregnancy | Smoking Status During Pregnancy | | | Unknown* Smoking Status |
|--------------|---------------|--------------|---------------------------------------|---|--|---|----------------------------|
| | | | | Smoked During First 3 Months of Pregnancy | Smoked During Second 3 Months of Pregnancy | Smoked During Third 3 Months of Pregnancy | |
| Westmoreland | <15 | 4 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 86 | 16 | 9 | 8 | 6 | 0 |
| | 18-19 | 337 | 78 | 52 | 41 | 43 | 6 |
| | 20-24 | 2,139 | 502 | 387 | 336 | 320 | 30 |
| | 25-29 | 4,600 | 764 | 581 | 524 | 516 | 60 |
| | 30-34 | 4,884 | 564 | 432 | 392 | 379 | 43 |
| | 35-39 | 2,133 | 231 | 187 | 168 | 162 | 18 |
| | 40-44 | 328 | 43 | 37 | 34 | 35 | 9 |
| | 45+ | 29 | 6 | 6 | 5 | 5 | 1 |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 14,540 | 2,204 | 1,691 | 1,508 | 1,466 | 167 | |
| Wyoming | <15 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 7 | 2 | 2 | 1 | 1 | 1 |
| | 18-19 | 46 | 16 | 14 | 13 | 12 | 1 |
| | 20-24 | 245 | 83 | 66 | 61 | 54 | 6 |
| | 25-29 | 357 | 82 | 65 | 56 | 59 | 2 |
| | 30-34 | 324 | 58 | 45 | 38 | 34 | 5 |
| | 35-39 | 144 | 32 | 23 | 21 | 21 | 3 |
| | 40-44 | 25 | 3 | 4 | 3 | 3 | 0 |
| | 45+ | 1 | 0 | 0 | 0 | 0 | 0 |
| | Unknown | 1 | 0 | 0 | 0 | 0 | 0 |
| All Ages | 1,150 | 276 | 219 | 193 | 184 | 18 | |
| York | <15 | 11 | 0 | 0 | 0 | 0 | 0 |
| | 15-17 | 231 | 18 | 11 | 8 | 9 | 0 |
| | 18-19 | 718 | 78 | 47 | 35 | 32 | 15 |
| | 20-24 | 4,441 | 642 | 427 | 345 | 316 | 82 |
| | 25-29 | 7,701 | 905 | 638 | 550 | 526 | 197 |
| | 30-34 | 6,989 | 619 | 454 | 381 | 365 | 219 |
| | 35-39 | 3,064 | 270 | 209 | 177 | 170 | 118 |
| | 40-44 | 600 | 48 | 38 | 33 | 31 | 28 |
| | 45+ | 64 | 8 | 8 | 8 | 8 | 5 |
| | Unknown | 6 | 1 | 1 | 1 | 1 | 0 |
| All Ages | 23,825 | 2,589 | 1,833 | 1,538 | 1,458 | 664 | |

*Unknown smoking status during first, second, and last three months of pregnancy.

Note: Smoking status is defined as cigarette use.