

Bituminous Concrete Mixtures, Design Procedures, and Specifications for Special Bituminous Mixtures

Pub. 27
January 2003 Edition
CHANGE 5



pennsylvania
DEPARTMENT OF TRANSPORTATION

INDEX

SECTION	SECTION TITLE	PAGE(S)
	Introduction	ii
	References	iii
Chapter 1	Department Specifications for Bituminous Mixing Plants for Hot-Mixed, Hot-Laid Paving Mixtures	1-1 to 1-16
Chapter 1A	Specifications for Bituminous Mixing Plants for Cold-Mixed Paving Mixtures	1A-1 to 1A-2
Chapter 2	Design and Control of Bituminous Mixtures Using a Modified Marshall Design Procedure	2-1 to 2-29
	Mix Design Method for Cold Recycled Base Course, In-Place or Central Plant Mix Recycling	2-23 to 2-24
Chapter 2A	Design and Control of Hot-Mix Asphalt Mixtures Using the Superpave Asphalt Mixture Design and Analysis System	2A-1 to 2A-20
Chapter 2B	Design and Control of Stone Matrix Asphalt (SMA) Using a Modified AASHTO PP 41 Standard Practice	2B-1 to 2B-4
Chapter 3	Bituminous Patching Materials	3-1 to 3-15
Chapter 4	Glossary	4-1 to 4-6
APPENDIX	APPENDIX TITLE	PAGE(S)
A	Selecting and Preparing Aggregates	A-1 to A-4
B	Blending Forms for Combining Aggregates	B-1 to B-23
C	Examples of Computing Bin Proportions When 4 Hot Bins are Used	C-1 to C-15
D	Worksheets	D-1 to D-22
E	Pennsylvania Design Method for Seal Coats and Surface Treatments	E-1 to E-36
F	Plant Printed Ticket Approval Procedure	F-1
G	Hot-Mix Asphalt Surge Silo/Storage System Approval Procedure	G-1 to G-6
H	Superpave Design Guidelines for Using Hot-Mix Recycled Asphalt Pavement and Recycled Asphalt Shingles	H-1 to H-12
I	Procedures for the Determination of HMA Volumetric Properties During Volumetric Mix Design and Production	I-1 to I-8
J	Annual Asphalt Concrete Mix Design Submittal Procedure	J-1 to J-8

INTRODUCTION

The contents of this Bulletin are intended for PENNDOT, Contractor and Producer personnel for use in conjunction with the [Field Test Manual \(Publication 19\)](#), [Specifications \(Publication 408\)](#), Special Provisions and Supplements and the Construction Manual (Publication 8).

[Chapter 1](#) gives Department requirements for mixing plants producing hot-mixed, hot-laid bituminous paving mixtures.

[Chapter 1A](#) gives Department requirements for mixing plants producing cold-mixed bituminous paving mixtures.

[Chapter 2](#) contains Department approved procedures for design and control of bituminous paving mixtures using a modified Marshall design procedure and includes procedures for design of Cold Recycled Base Course and Full Depth Reclamation.

[Chapter 2A](#) contains Department references to and modifications of the AASHTO R 35 *Standard Practice for Superpave Volumetric Design for Hot-Mix Asphalt* and the AASHTO M 323 *Standard Specification for Superpave Volumetric Mix Design*.

[Chapter 2B](#) contains Department references to and modification of the AASHTO R 46 *Standard Practice for Designing Stone Matrix Asphalt (SMA)*

[Chapter 3](#) contains Department specifications for bituminous stockpile patching materials including inspection, sampling and approval.

[Chapter 4](#) contains a glossary of commonly used terms related to bituminous binder materials, mineral aggregates and bituminous concrete.

Appendices [A](#), [B](#), [C](#), and [D](#) give Department procedures for blending aggregates for mix design and production.

[Appendix E](#) gives the Department design method for seal coats and surface treatments.

[Appendix F](#) gives the Department procedure for obtaining approval to use printed tickets in place of laboratory testing of the completed mix for asphalt content.

[Appendix G](#) describes the Department Hot-Mix Asphalt surge silo/storage system approval procedure.

[Appendix H](#) gives Department Superpave design guidelines for using hot-mix recycled asphalt pavement (RAP) and manufacturer waste recycled asphalt shingles (RAS).

[Appendix I](#) outlines Department requirements for testing of the mixture's theoretical maximum specific gravity and Voids in Mineral Aggregate during volumetric mix design and production quality control.

[Appendix J](#) outlines Department procedures for annual asphalt concrete mix design submittal for both new mix designs and existing mix designs with 0 to < 5 and ≥ 5 Production Quality Control (QC) test results from the previous calendar year.

REFERENCES

The reference materials listed below should be used in conjunction with this manual. All references to AASHTO and ASTM standard practices, specifications, and test procedures refer to the current approved and published version available at the time of project bid letting. The version dates below are provided for information only, and are current as of October 2010.

CURRENT DIRECTIVES

PENNDOT PUBLICATIONS, including:

- 2** Project Office Manual
- 8** Construction Manual
- 23** Maintenance Manual
- 37** Specifications for Bituminous Materials (Bulletin No. 25)
- 41** Producers of Bituminous Mixtures (Bulletin No. 41)
- 351** Bituminous Plant & Field Technicians Manual

To obtain references with a PENNDOT Publication Number, please contact:

PENNDOT Sales Store
P.O. Box 2028
Harrisburg PA 17105-2028
Tel: (717) 787-6746
Fax: (717) 787-8779

AASHTO SPECIFICATIONS AND TEST METHODS, including:

Test Number

- | | |
|-----------------|--|
| T 2-91 (2006) | Sampling of Aggregates |
| T 11-05 (2009) | Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing |
| T 19M/T 19-09 | Bulk Density ("Unit Weight") and Voids in Aggregate |
| T 40-02 (2006) | Sampling Bituminous Materials |
| T 49-07 | Penetration of Bituminous Materials |
| T 55-02 (2006) | Water in Petroleum Products and Bituminous Materials by Distillation |
| T 59-09 | Testing Emulsified Asphalts |
| T 84-10 | Specific Gravity and Absorption of Fine Aggregate |
| T 85-10 | Specific Gravity and Absorption of Coarse Aggregate |
| T 96-02 (2006) | Resistance to Degradation of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine |
| T 133-98 (2006) | Density of Hydraulic Cement |
| T 182-84 (2002) | <i>Discontinued</i> - Coating and Stripping of Bitumen-Aggregate Mixtures |
| T 195-67 (2007) | Determining Degree of Particle Coating of Bituminous-Aggregate Mixtures |
| T 209-10 | Theoretical Maximum Specific Gravity and Density of Bituminous Paving Mixtures |
| T 228-09 | Specific Gravity of Semi-Solid Bituminous Materials |
| T 248-02 (2006) | Reducing Samples of Aggregate to Testing Size |
| T 283-07 | Resistance of Compacted Asphalt Mixtures to Moisture-Induced Damage |

T 312-09	Preparing and Determining the Density of the Hot-Mix Asphalt Specimens by Means of the Superpave Gyratory Compactor.
TP 71-09	Evaluation of Superpave Gyratory Compactor (SGC) Internal Angle of Gyration Using Simulated Loading

AASHTO Standard/Specification Number

M 92-10	Wire-Cloth Sieves for Testing Purposes
M 320-10	Performance-Graded Asphalt Binder
M 323-07	Superpave Volumetric Mix Design
M 325-08	Stone Matrix Asphalt (SMA)
R 30-02 (2006)	Mixture Conditioning of HMA
R 35-09	Superpave Volumetric Design for HMA
R 46-08	Designing Stone Matrix Asphalt (SMA)

SPECIFICATIONS (Pub. 408), including:

Section

105	Control of Work
106	Control of Material
309	Superpave Asphalt Mixture Design, HMA Base Course (Standard)
316	Flexible Base Replacement
320	Aggregate Bituminous Base Course
341	Cold Recycled Bituminous Base Course, Cold-In-Place
342	Cold Recycled Bituminous Base Course, Central Plant Mix
360	Asphalt Treated Permeable Base Course
404	Evaluation of Bituminous Pavement Ride Quality and Payment of Incentive
409	Superpave Mixture Design, Std. & RPS Construction of Plant-Mixed HMA Courses
410	Superpave Mixture Design, Std. & RPS Construction of Plant Mixed HMA Fine-Graded Courses
419	Stone Matrix Asphalt Mixture Design, RPS Construction of Plant-Mixed HMA Wearing Course
422	Bituminous Wearing Course -FJ-1 and FJ-1C
430	Bituminous Wearing Course -FB-2
431	Bituminous Binder Course -FB-2
439	Bituminous Wearing Course -FB-1
440	Bituminous Binder Course -FB-1
450	Manual Bituminous Patching
460	Bituminous Tack Coat
461	Bituminous Prime Coat
469	Asphalt Joint and Crack Sealing
470	Bituminous Seal Coat
471	Bituminous Seal Coat Using Precoated Aggregate
480	Bituminous Surface Treatment
481	Bituminous Surface Treatment Using Precoated Aggregate
482	Slurry Seal
504	Pavement Relief Joint
515	Sawing and Sealing of Bituminous Overlays
636	Bituminous Concrete Curb
651	Paved Shoulders - Type 1, Type 1-F, Type 1-S, and Type 1-SP
653	Paved Shoulders - Type 3

654	Paved Shoulders - Type 4
656	Paved Shoulders - Type 6, 6-F, 6-S and 6-SP
657	Paved Shoulders - Type 7
702	Bituminous Material
703	Aggregate
705	Joint Material
723	Hydrated Lime

ASTM STANDARDS, including:

C 70-06	Standard Test Method for Surface Moisture in Fine Aggregate
D 2419-09	Standard Test Method for Sand Equivalent Value of Soils and Fine Aggregate
D 3625-96 (2005)	Standard Practice for Effect of Water on Bituminous-Coated Aggregate Using Boiling Water
D 4318-10	Standard Test Methods for Liquid Limit, Plastic Limit, and Plasticity Index of Soils
D 5821-01 (2006)	Standard Test Method for Determining the Percentage of Fractured Particles in Coarse Aggregate

FIELD AND LABORATORY TESTING MANUAL (Pub. 19), including:

PA Test Method (PTM) No.

100	Amount of Material Finer Than 75 μ m (No. 200) Sieve in Aggregate.
402	Determining Moisture or Density of Construction Materials by use of Nuclear Gauges.
616	Sieve Analysis of Coarse and Fine Aggregate
702	Quantitative Extraction of Bitumen from Bituminous Paving Mixtures
703	Method of Calibration for Volumeter
704	Method of Calibration for Bitumenometer
705	Marshall Criteria for Compacted Bituminous Specimens
706	Determination of Specific Gravity of Solvents
709	Effective Asphalt content of Bituminous Paving Mixtures
715	Determination of Bulk Specific Gravity of Compacted Bituminous Mixtures
716	Determination of Bulk Specific Gravity of Compacted Bituminous Mixtures that Absorb More than 3.0 Percent Water by Volume
723	Operation of an Automatic Mechanical Recording Tester (Type 1) for Use in the PENNDOT Design and Control Methods
724	Operation of an Automatic Mechanical Recording Tester (Type 2) for Use in the PENNDOT Design and Control Methods
728	Operation of an Automatic Mechanical Recording Tester (Type 3) for Use in PENNDOT Design and Control Methods
729	Sampling Roadway Bituminous Concrete
737	Measuring the Thickness of Bituminous Concrete Courses
739	Sieve Analysis of Extracted Aggregate
742	Bitumen Content of Bituminous Concrete Mixtures (PA Pycnometer)
743	Determination of Combined Gradation of Aggregate from Hot Bins
744	Chemical Analysis of Asphalt (Modified Rostler Method)
746	Sampling Bituminous Paving Mixtures
747	Determination of Distributor Application Rate in the Field
749	Apparent Moisture in Bituminous Paving Mixtures

- 750 Determination of Optimum Emulsion Content for Open-Graded Emulsion Mixtures (Pennsylvania Runoff Method)
- 751 Measuring Surface Macrot texture Depth Using a Volumetric Technique and Determining Pattern Segregation
- 757 Determination of Asphalt Content & Gradation of Hot Mix Asphalt (HMA) by the Ignition Method