M-945J (7-14)



## COMPUTATION SHEET FOR HIGHWAY RESTORATION SECURITY

APPLICANT:
APPLICATION NO:
COMPUTED BY:
DATE:

ITEM (Unit of Measurement) *	Unit Price	x NUMBER	= \$ TOTAL	
EXCAVATION				
Pavement Removal (Including Sawcut to Neat Lines) (CY)	20.00	х	= \$	
Utility Trench Excavation (Below Subgrade) (CY)	68.00	x	= \$	
RIGID PAVEMENT				
10" RCC Pavement (SY)	90.00	X	= \$	
8" PCC Pavement (SY)	86.00	X	= \$	
DITUMINOUS DAVEME	-NIT			
BITUMINOUS PAVEME				
Full Depth Flexible Pavement Restoration (SY)				
Superpave Wearing Course, 1 ½" Depth (SY)				
Superpave Binder Course, 2 ½" Depth (SY)				
Superpave Base Course, 5" Depth (SY)	21.00	X	= \$	
SHOULDERS				
Paved Shoulders, Type 6 (SY)	28.00	Χ	= \$	
Paved Shoulders, Type 3 (SY)				
INCIDENTAL ITEMS				
2-RC Trench Backfill (CY)	47.00	X	= \$	
Curb Replacement (LF)	30.00	X	= \$	
2-S Guide Rail (LF)	15.00	x	= \$	
Foundation Underdrain (LF)	10.00	x	= \$	
Seeding and Mulching (SY)	1.20	x	= \$	
Flowable Backfill, Type A (CY)	150.00	x	= \$	
Cement Concrete Sidewalk (SY)	82.00	x	= \$	
Fine Aggregate Backfill (CY)	50.00	x	= \$	
		\$		
· cost amounts based on 2014 data. INFLATION AD				
SUBTOTAL W				
TRAFFIC CONTROL, MOBILIZATION & II				
		Χ		
SECURITY AMOUNT \$	AND IUIAL	\$		

This sheet has been prepared based upon the restoration Figures 7-3 through 7-7 available on the PennDOT HOP website, for the purpose of determining the Security Amount. The applicant(s) may use this form directly or may prepare a separate cost estimate to properly document the Security Amount.