



# FORM OF PROPOSAL

## SUBSURFACE BORING, SAMPLING, AND TESTING CONTRACT FOR

MPMS #: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

TO: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Date: \_\_\_\_\_

Attention: \_\_\_\_\_

The undersigned has carefully examined the premises and conditions affecting the Work, as well as the CONTRACT DOCUMENTS (including THE INSTRUCTIONS TO BIDDERS, the FORM OF PROPOSAL, the CONTRACT AGREEMENT, the STANDARD SPECIFICATIONS FOR SUBSURFACE BORING, SAMPLING, AND TESTING, the ATTACHMENTS, and the PLAN AND LOCATION OF BORINGS) for the subject Subsurface Boring, Sampling, and Testing Contract.

The undersigned agrees to furnish all tools, equipment, materials, supplies, transportation, labor, supervision, logs, records, and all other items necessary or proper for, and to perform all Work necessary and incidental to the drilling of test borings and making test pits, complete in every respect, subject to all the terms and conditions set forth in the Contract Documents.

### ARTICLE A – COMPENSATION

It is understood that the proposed bid price per unit specified in Article B herein must govern and that the estimated number of items and estimated units of these items are only approximate, and are used herein only to obtain a total price for comparing proposals. Depending on soil and rock conditions encountered during the actual boring, sampling and testing operations in the field, the PGM reserves the right to increase or decrease the number of borings and total quantity of work as specified in the General Provisions of the Standard Specifications for Subsurface Boring, Sampling, and Testing.

The award will be given within sixty (60) days of the letting unless the time is extended by the Bidder, and then execution and notice-to-proceed will be given within thirty (30) days of award unless the time is extended by the Bidder. The Contractor agrees that they will honor the proposed bid prices per unit quoted herein in Article B for the said sixty (60) day period.

**ARTICLE B – SCHEDULE OF UNIT PRICES**

| ITEM NUMBER [1]  | ITEM  | SPECIAL PROVISIONS [2] | ESTIMATED QUANTITY | UNITS      | PROPOSED BID PRICE PER UNIT | PROPOSED TOTAL BID PRICE |
|------------------|---|------------------------|--------------------|------------|-----------------------------|--------------------------|
| <b>201</b>       | <b>Mobilization</b>                                       |                        |                    |            |                             |                          |
| 201.02           | Mobilization  |                        |                    | Lump Sum   |                             |                          |
| <b>202.04(a)</b> | <b>Soil Borings, NX-Diameter (minimum)</b>                |                        |                    |            |                             |                          |
| 202.04(a)(1)     | With Continuous SPT Sampling                              |                        |                    | Linear Ft. |                             |                          |
| 202.04(a)(2)     | With 5-ft Interval SPT Sampling                           |                        |                    | Linear Ft. |                             |                          |
| 202.04(a)(3)     | With ___-ft. Interval SPT Sampling                        |                        |                    | Linear Ft. |                             |                          |
| 202.04(a)(4)     | Unsampled   |                        |                    | Linear Ft. |                             |                          |
| 202.04(a)(5)     | Premium for Soil Borings on Water                         |                        |                    | Linear Ft. |                             |                          |
| 202.04(a)(6)     | Premium for Deep Continuous SPT Sampling (60-120 ft.)     |                        |                    | Linear Ft. | [3]                         |                          |
| 202.04(a)(7)     | Premium for Extra Deep Continuous SPT Sampling (>120 ft.) |                        |                    | Linear Ft. | [4]                         |                          |
| <b>202.04(b)</b> | <b>Soil Borings, ___ - Diameter</b>                       |                        |                    |            |                             |                          |
| 202.04(b)(1)     | With Continuous SPT Sampling                              |                        |                    | Linear Ft. |                             |                          |
| 202.04(b)(2)     | With 5-ft Interval SPT Sampling                           |                        |                    | Linear Ft. |                             |                          |
| 202.04(b)(3)     | With ___-ft. Interval SPT Sampling                        |                        |                    | Linear Ft. |                             |                          |
| 202.04(b)(4)     | Unsampled   |                        |                    | Linear Ft. |                             |                          |
| 202.04(b)(5)     | Premium for Soil Borings on Water                         |                        |                    | Linear Ft. |                             |                          |
| 202.04(b)(6)     | Premium for Deep Continuous SPT Sampling (60-120 ft.)     |                        |                    | Linear Ft. | [5]                         |                          |
| 202.04(b)(7)     | Premium for Extra Deep Continuous SPT Sampling (>120 ft.) |                        |                    | Linear Ft. | [6]                         |                          |
| <b>203</b>       | <b>Undisturbed Soil Sampling</b>                          |                        |                    |            |                             |                          |
| 203.04(a)        | Thin-wall Tube Sampling of Soil, 3-Inch Diameter          |                        |                    | Each       |                             |                          |
| 203.04(b)        | Thin-wall Tube Sampling of Soil, ___-Inch Diameter        |                        |                    | Each       |                             |                          |
| <b>204</b>       | <b>Rock Drilling and Coring</b>                           |                        |                    |            |                             |                          |
| 204.03(a)        | NX or NQ Rock Coring                                      |                        |                    | Linear Ft. |                             |                          |
| 204.03(b)        | ____ Inch Diameter Rock Coring                            |                        |                    | Linear Ft. |                             |                          |
| 204.03(c)        | ____ Inch Diameter Unsampled Rock Drilling                |                        |                    | Linear Ft. |                             |                          |
| 204.03(d)        | Premium for Rock Drilling and Coring on Water             |                        |                    | Linear Ft. |                             |                          |

| ITEM NUMBER [1] | ITEM  | SPECIAL PROVISIONS [2] | ESTIMATED QUANTITY | UNITS             | PROPOSED BID PRICE PER UNIT | PROPOSED TOTAL BID PRICE |
|-----------------|---|------------------------|--------------------|-------------------|-----------------------------|--------------------------|
| <b>205</b>      | <b>Concrete/Masonry Drilling and Coring</b>               |                        |                    |                   |                             |                          |
| 205.03(a)       | ____ Inch Diameter Concrete/Masonry - Coring and Sampling |                        |                    | Linear Ft. (Each) |                             |                          |
| 205.03(b)       | ____ Inch Diameter Unsampled Concrete/Masonry Drilling    |                        |                    | Linear Ft.        |                             |                          |
| 205.03(c)       | Premium for Concrete/Masonry Drilling and Coring on Water |                        |                    | Linear Ft. (Each) |                             |                          |
| <b>206</b>      | <b>Standpipe Piezometers</b>                              |                        |                    |                   |                             |                          |
| 206.03(a)       | Standpipe Piezometer                                      |                        |                    | Linear Ft.        |                             |                          |
| 206.03(b)       | Porous Piezometer Tip                                     |                        |                    | Each              |                             |                          |
| 206.03(c)       | Protective Casing, Above-ground                           |                        |                    | Each              |                             |                          |
| 206.03(d)       | Protective Casing, Flush                                  |                        |                    | Each              |                             |                          |
| 206.03(e)       | Low-pressure Artesian Monitoring Assembly                 |                        |                    | Each              |                             |                          |
| <b>207</b>      | <b>Inclinometer Casings</b>                               |                        |                    |                   |                             |                          |
| 207.03(a)       | Inclinometer Casing                                       |                        |                    | Linear Ft.        |                             |                          |
| 207.03(b)       | Protective Casing, Above-ground                           |                        |                    | Each              |                             |                          |
| 207.03(c)       | Protective Casing, Flush                                  |                        |                    | Each              |                             |                          |
| <b>209</b>      | <b>Backfilling and Plugging Borings</b>                   |                        |                    |                   |                             |                          |
| 209.03(a)       | Grout Backfill in Soil or Rock                            |                        |                    | Linear Ft.        |                             |                          |
| 209.03(b)       | Grouting Basket or Plug in Soil or Rock                   |                        |                    | Each              |                             |                          |
| 209.03(c)       | Non-Shrink Cement Grout Plug in Concrete Structure        |                        |                    | Linear Ft.        |                             |                          |
| 209.03(d)       | Non-Shrink Cement Grout Plug in Concrete or Asphalt       |                        |                    | Each              |                             |                          |
| <b>210</b>      | <b>Test Pits</b>  |                        |                    |                   |                             |                          |
| 210.03(a)       | Test Pit, Mobilization                                    |                        |                    | Each              |                             |                          |
| 210.03(b)       | Test Pit, Excavation                                      |                        |                    | Hours             |                             |                          |
| 210.03(c)       | Test Pit, Standby   |                        |                    | Hours             |                             |                          |







Prepared by: \_\_\_\_\_ Date: \_\_\_\_\_

Prior to sending the bid package, the preparer (Consultant or DGE) of this form must sign above to indicate all project information is complete including listed estimated quantities in Article B and all special provisions for the SBSTC (above). If preparing electronically, signing above will lock this information making it no longer accessible. Failure to sign above (in ink or digitally) will result in an incomplete or rejected bid.

**ARTICLE C – SUBCONTRACTORS**

The following items from Article B will be performed by the indicated subcontractor during completion of the Work under this Contract:

ITEM NO.      SUBCONTRACTOR NAME AND ADDRESS

|       |       |
|-------|-------|
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |

ITEM NO.      SUBCONTRACTOR NAME AND ADDRESS

|       |       |
|-------|-------|
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |

ITEM NO.      SUBCONTRACTOR NAME AND ADDRESS

|       |       |
|-------|-------|
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |

ITEM NO.      SUBCONTRACTOR NAME AND ADDRESS

|       |       |
|-------|-------|
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |

**ARTICLE D – AUTHORIZED SIGNATURE OF OFFERER**

\_\_\_\_\_  
**Contractor**

By \_\_\_\_\_  
(sign) \*

Typed Name \_\_\_\_\_

Title \_\_\_\_\_

Date \_\_\_\_\_

ATTEST:

\_\_\_\_\_

Date \_\_\_\_\_

**NOTE:**

\*The following signature, in ink or digitally, is required for legal execution of Contract Documents and Bonds:

- (1) For Corporations: President or Vice President plus Secretary or Treasurer or their assistants.
- (2) For Partnerships: General Partner plus Witness.
- (3) For Sole Proprietors: Owner plus Witness.