STATE GAME LANDS #:128 SALE: 128-2024-01 NAME:WALKING STICK II

PENNSYLVANIA GAME COMMISSION 2001 ELMERTON AVENUE HARRISBURG, PA 17110-9797 ATTN: FORESTRY DIVISION, BUREAU OF WILDLIFE HABITAT MANAGEMENT

Gentlemen:

	In ansv	ver to a rece	ent adverti	iseme	nt for lu	ımp sur	m bids (on an e	estima	ted 2	251,772	board	d feet	of sawle	ogs
and :	279 tons (of pulpwood	I located of	on 78	acres	of State	Game	Lands	No. 1	128,	Bethel	and U	nion ⁻	Townsh	ips,
Fulto	n County,	I offer the f	ollowing:												

\$_____(BID QUOTATION MUST BE TYPEWRITTEN OR IN INK)

Full payment will be made when agreements are signed or payment in full for each individual cutting block before cutting operations are started on that block.

It is further understood that an acceptable bond of **\$15,000.00** will be provided to guarantee faithful performance of the agreement.

Removal of timber to be subject to the terms, conditions and stipulations included in the Timber Sale Agreement. It is understood that the contract will run until **June 30, 2027**.

ATTACHED IS **CERTIFIED**, **CASHIER'S OR TREASURER'S CHECK OR MONEY ORDER**, (PERSONAL, COMPANY, CORPORATE CHECK OR CASH ARE NOT ACCEPTED), IN THE AMOUNT OF \$1,000.00 as evidence of good faith in bidding. I understand that it will be forfeited as fully liquidated damages upon my failure within 45 days after presentation to accept and execute the contract and provide a bond as required.

IN CASE OF PARTNERSHIP, EACH PARTNER SIGNS: IF A CORPORATION, THE AUTHORIZED OFFICER MUST SIGN, GIVING HIS/HER TITLE AND NAME OF CORPORATION.

Sincoroly yours

	Sincerely yours,
(Tax No. or Social Security No.)	Signature of Bidder - Sign In Ink
(Telephone Number)	Print Name
	Firm Name
	Street Address (Name, Number, Etc.)
	City State Zip

BIDS MUST BE SUBMITTED IN AN ENVELOPE THAT CLEARLY STATES ON THE OUTSIDE: **BID PROPOSAL FOR TIMBER SGL #128.** Bids will be opened in the Bureau of Wildlife Habitat Management, 2001 Elmerton Avenue, Harrisburg, PA 17110-9797, at **2:00 P.M., Monday, June 2, 2025**. The Commission reserves the right to reject any and all bids and to award the contract as deemed to its best interests.

STATE GAME LANDS #:128 SALE #: 128-2024-01 NAME: WALKING STICK II

- INSTRUCTIONS TO BIDDERS -

The following information covers details concerning the proposed lump sum sale of an estimated 251,772 board feet of sawlogs and 279 tons of pulpwood located on 78 acres of State Game Lands No.128, Bethel and Union Townships, Fulton County.

See attached sheets for additional volume information. The volume and percentages are not guaranteed and each prospective bidder is urged to examine the sale area and bid on the basis of his own estimate.

- SHOW DATE -

Timber will be shown to prospective bidders on May 15, 2025. Viewers will be met at the PGC parking area off of Deneens Gap Rd (SR 3007), approximately 5 miles north of Warfordsburg. (GPS coordinates: N 39.797600/ W -78.230770), at 10:00 a.m., and conducted to the sale area.

The timber to be sold will be clearly designated by <u>Roy Bucher</u>, <u>8627 William Penn Highway</u>, <u>Huntingdon PA</u>, <u>16652</u>, telephone: 1-814-643-1831, Ext 40484, the Regional Forester.

- BIDS -

BIDS SHOULD BE MAILED AT LEAST FOUR (4) WORKING DAYS PRIOR TO BID OPENING TO PERMIT U.S. POSTAL SERVICE DELIVERY. USE SPECIAL MAIL SERVICE IF MAILED LATER THAN FOUR DAYS PRIOR TO BID OPENING. SPECIAL DELIVERY BIDS SHOULD BE ADDRESSED TO: PENNSYLVANIA GAME COMMISSION, FORESTRY DIVISION, 2001 ELMERTON AVENUE, HARRISBURG, PA 17110-9797.

Bids must be submitted in an envelope that clearly states on the outside: **BID PROPOSAL FOR TIMBER. SGL #128.** Bids received in envelopes not containing this information will be rejected.

In order to be considered, the bid shall be accompanied by a **CERTIFIED**, **CASHIER'S OR TREASURER'S CHECK**, **OR A BANK**, **POSTAL OR EXPRESS MONEY ORDER**, payable to the Pennsylvania Game Commission in the amount of \$1,000.00, as evidence of good faith in bidding, to be forfeited as fully liquidated damages upon the bidders failure to accept the award, execute the contract and give bond as required. Bid deposits will be returned to the successful bidder when the contract has been executed and a satisfactory performance deposit has been furnished.

In lieu of bid deposit, bidders may submit an open bid bond to cover the deposit requirement. Any bid bond must be filed for an annual period and both the amount of bond and the surety shall receive prior approval of the Pennsylvania Game Commission.

The Commission reserves the right to reject any and all bids and to award the contract as deemed to its best interests.

Bids will be opened in the Bureau of Wildlife Habitat Management, 2001 Elmerton Avenue, Harrisburg, Pennsylvania 17110-9797, at 2:00 P.M., **Monday, June 2, 2025**, telephone: 717/787-2039. **BIDS RECEIVED LATER THAN 2:00 P.M., THIS DATE, WILL BE REJECTED.**

- PERFORMANCE DEPOSIT -

A performance bond in the amount of **\$15,000.00** will be required in the form of a Certified Check or a Postal Money Order drawn to the order of the Pennsylvania Game Commission. Negotiable securities, including assignment of a bank savings account may be furnished in lieu of above. A bond with corporate surety approved by the Attorney General, or a bank Irrevocable Letter of Credit, may be posted provided the bond has an expiration date a minimum of 1 year beyond the expiration date of the timber contract.

- EXPIRATION OF CONTRACT -

Contract will expire June 30, 2027.

- PAYMENTS -

The sale is divided into 5 cutting blocks. Payment may be made by:

1. Total payment when agreement is signed.

or

2. Payment by individual block or blocks.

1 - 22% - 16 acres

2 - 23% - 17 acres

3 - 21% - 19 acres

4 - 27% - 21 acres

5 - 6% - 5 acres

Block 1 payment (22% of the bid price) is due at Agreement execution. Final payment is due No Later Than 120 days before the expiration of the Agreement.

- ANTI DISCRIMINATION -

The contractor awarded the Timber Sale Agreement agrees he will not discriminate against any employee or other persons on account of race, sex, creed, age, ancestry or national origin.

- SAFETY and ENVIRONMENTAL PROTECTION -

The Buyer, his employees and sub-contractors are expected to perform all logging operations in a safe manner as required by applicable laws and regulations. The Commission expects the Buyer to ensure that logging crewmembers dress in protective attire, and perform their duties with equipment in accordance with standards established by the logging industry and the Occupational Safety and Health Administration (OSHA).

The PGC recommends that logging crews working on State Game Lands be trained in safe logging techniques and sound environmental logging practices though a formal training program such as the one provided by the Pennsylvania Sustainable Forestry Initiative (PA SFI) or another similar program.

Contractor must comply with the erosion and sediment control plan for disturbed areas that is included as a part of the timber contract.

- SPECIAL PROVISIONS -

See 9 (nine) attached sheet(s) of Special Provisions.

EXHIBIT A SPECIAL PROVISIONS FOR THE "<u>WALKING STICK II</u>" TIMBER SALE SGL #128 – TS # 128-2024-01

1) ADMINISTATIVE ITEMS

- a) All contractors, subcontractors and consultants of the Buyer must be pre-approved by the Commission. The Commission reserves the right to reject any subcontractor at its sole discretion. If Contractor enters into any subcontract(s) not previously approved by the Commission, the Commission shall have the right to require the Contractor to terminate such contracts.
- **b)** This sale consists of four (4) Overstory Removal blocks totaling 73 acres and one (1) Clearcut with Reserve block totaling 5 acres.
- c) The contractor shall provide the Regional Forester or his designee with at least five (5) business days advanced notice prior to moving equipment on-site in anticipation of start-up.
- **d)** Sawtimber volumes in all Blocks were all determined by a 100% tally. Pulpwood volumes were determined by a 10 BAF prism, 1 plot/acre cruise.
- e) Payment for Block 1 (22% of the bid price) is due at Agreement execution. Final payment is due No Later Than 120 days before the expiration of the Agreement.
- f) Operator is responsible for contacting PA One Call (8-1-1) at least three (3) business days prior to any earth moving activities, skidding, or hauling to ensure all utility lines are clearly identified. PA One Call will alert the appropriate facility owners of the intent to conduct earth moving activities or cross underground lines. Utility lines will be crossed in accordance to the requirements of the respective owner of that right-of-way. For more information, visit www.pa1call.org.
- g) The Contractor is responsible for the control and collection of fluids leaking from any equipment used on the site. The Contractor must have a spill containment and cleanup kit appropriate for the equipment being used. At a minimum, the kit will contain: plugs and clamps to control hydraulic line breaks, a container to collect leaking fluids, fluid absorbent pads and a shovel. Operating any equipment noticeably leaking fluids is prohibited. The Contractor must collect and control fluids leaking from any equipment and dispose of properly.
- h) All skidding and hauling will be restricted to dry or frozen periods to minimize damage. If, in the opinion of the Regional Forester or his designee, site conditions on the sale area becomes too wet and/or muddy for skidding or hauling, all phases of the job will be suspended until site conditions are favorable. The decision of the Regional Forester or his designee will be final.
- i) The Regional Forester or his designee will closely monitor harvest and skidding damage to residual trees. If damage becomes excessive additional restrictions will be placed on the harvest. Total disregard to the residual trees and failure to take corrective actions will result in payment of damages and/or termination of the timber contract.
- j) No permanent paint may be used by bidder for marking/cruising this timber sale area.
- **k)** Operator will supply all employees working on this site with a sale map and copy of the special provisions.

I) Any contractor wishing to visit the project site outside of the scheduled sale tour must contact the Regional Forester to obtain information on the procedure to obtain access to the gamelands.

2) **BOUNDARIES, BLOCKS, AND CUTTING RESTRICTIONS**

- a) The sale consists of five (5) cutting blocks. The sale boundary is delineated with BLUE-marked trees with two (2) slashes. Corners are marked with three (3) slashes. The block lines between timber blocks are marked with two (2) Blue bands. All Blue-marked trees shall remain standing.
- b) Blocks 1 and 2 must be cut first and harvesting operations completed within one year of Agreement execution. The remaining blocks may be cut in any order.
- c) Due to HCP constraints and this project being located within threatened species habitat, <u>no tree felling</u> is permitted from June 1 to July 31.
- d) Blocks 1-4 All Blue-marked trees are reserved and shall remain standing, as well as conifers, dogwoods, hawthorn, and serviceberry. Trees designated for cutting include all UNPAINTED trees greater than two (2) inch dbh. All reserved trees shall remain standing. If a reserve tree constitutes a safety hazard to the contractor, the tree may be felled but it must remain at the stump. The contractor is required to immediately notify the Regional Forester or his designee if a reserve tree is felled.
- e) Block 5– All Blue-marked trees are reserved and shall remain standing, as well as dogwoods, hawthorn, and serviceberry. Trees designated for cutting include all UNPAINTED trees greater than two (2) inch dbh within the sale boundary. All reserved trees shall remain standing. If a reserve tree constitutes a safety hazard to the contractor, the tree may be felled but it must remain at the stump. The contractor is required to immediately notify the Regional Forester or his designee if a reserve tree is felled.
 - <u>Block 5 All YELLOW-marked trees between the Habitat Management Crew building and the gate</u> shall be cut.
- f) No cutting or skidding is permitted in the reserve area(s).
- **g)** Within a block, cutting of polewood and sawtimber shall proceed in a complete and orderly manner. All cutting in one block must be completed to the satisfaction of the Regional Forester or his designee before commencing operations in a subsequent block.
- h) Cull portions of the tree are to be left at the stump. All logs and pulpwood are to be marked to length in the woods to eliminate shorts ends at the landings.
- i) No whole tree harvesting is permitted.
- j) All stumps must be less than 12 inches in height when measured from the ground.
- **k)** Trees designated for cutting must be completely severed from the stump and placed on the ground.
- I) All top wood 3-inch diameter and smaller is reserved and shall not be removed from the site.
- **m)** All tops must be pulled back 15 feet from all SGL boundaries, roads, road ditches/diversions, culvert pipes, powerlines and spring runs.

3) <u>US/STATE/LOCAL ROADS</u>

- **a)** Hauling will take place along McKees Gap Rd. (SR 731) and Deneens Gap Rd. (SR 3007). Contact Penn Dot District #9, 1620 N. Juniata St., Hollidaysburg PA, Telephone: 814-696-7250
- **b)** Hauling will take place along Moss Road (T-318) and Hendershot Road (T-319). Contact Union Township, 1296 McKibbin Ln., Warfordsburg PA 17267, Telephone: 717-294-6251

4) GAME LAND ROAD TO BUILD / IMPROVE / MAINTAIN

a) Road to Build, Improve, Maintain:

- 1. Locations of haul road to improve is identified on the sale map.
- 2. The operator will notify the Regional Forester or designee three (3) business days prior to beginning road improvement work.
- 3. All roadways used on state gamelands shall be graded with a dozer with a six-way blade at the conclusion of use. Ditches and other drainage structures must be opened and re-established where needed and/or as directed by Regional Forester or his designee. The road must be crowned to drain all water into the ditches and culverts.
- **4.** All road improvement work must be completed within one year of Agreement execution. All road construction and/or improvement must be allowed to settle for 30 days prior to any usage.
- **5.** Site conditions must be favorable for road building and/or improvement work with no wet or frozen ground.
- 6. Upon conclusion of use and as directed by the Regional Forester or his designee, the haul road will be graded smooth and rut-free, with a 12-foot running surface or to the roadway original width, whichever is wider, and with positive drainage including ditches, broad-based dips, and turnouts. Roads must be crowned or sloped, as directed by the Regional Forester or designee, to drain all water into ditches and culverts. Any and all piles of surface sidecast should be graded level by feathering it back into the road berms and/or road surface during final grading. Road berms should be graded to a mow-able contour. A bulldozer with a six-way blade will be required for final grading.
- 7. There are existing culverts along the hauling route. These culverts are to be maintained in good working condition throughout hailing operations. The contractor is responsible for damage to culverts/headwalls resulting from timber operation. The contractor will immediately repair and/or replace damaged culverts with new black corrugated double-walled smoothbore plastic culvert pipes of equivalent diameter and length as the damaged culvert, will remove damaged culverts from the Game Lands, and will re-construct headwalls as directed by the Regional Forester or his designee.
- **8.** Any freshly disturbed soil from road work must be immediately seeded with oats or wheat (as determined by the Regional Forester or his designee) at a rate of 30 lbs./acre while the soil is freshly disturbed.
- **9.** A dozer with a six-way blade will be required to complete road improvements and final grading. Additional equipment will be needed to complete road construction.

10. Shale is available on the Game Lands. If unforeseen circumstances arise where the operator is unable to use the Game Lands borrow pit, the operator will have to obtain shale off site at the expense of the operator.

b) Summary of road to build, improve, maintain:

- 1. Approximately 1,281 feet of existing roadway will be maintained.
- 2. Approximately 4,636 feet of existing roadway will be improved.
- 3. There are no roads to build.
- **4.** Sections of the haul road will require shale and/or stone applied at times to sustain heavy hailing and as directed by the Regional Forester or his designee.
- 5. A minimum of 138 tons of Shale.
- **6.** The contractor is responsible for supplying all shale and/or stone fill necessary for road to improve.
- **7.** All road to construct and road improvements must be approved by the Regional Forester or his designee.
- 8. All improvements must be completed prior to commencing harvesting operations.

c) Details of Road to Maintain:

- 1. Segment C (shale pit road beginning at Moss Road (T-318) up to the shale pit)
 - a. 770 feet of road to maintain.
 - b. Road surface will require 2A modified limestone as needed to sustain heavy hauling. This will be at the discretion of the Regional Forester or his designee.
- 2. Segment D (haul road beginning at Deneens Gap Road (SR 2007) up to gate 5)
 - a. 511 feet of road to maintain.
 - b. Road surface will require 2A modified limestone as needed to sustain heavy hauling. This will be at the discretion of the Regional Forester or his designee

d) Details of Road to Improve:

- 1. Segment A (haul road beginning at gate 5 to the Block 5 landing).
 - a. 903 feet of road to improve.
 - b. The operator must use a bulldozer or road grader to grade the haul road to a 12-foot running surface, ditch lines established leading into cutouts or culverts, positively drained with broadbased dips and cutouts, crowned to drain all water into the ditches as needed.
 - c. Road surface will require Shale as needed to sustain heavy hauling. This will be at the discretion of the Regional Forester or his designee
- 2. Segment B (haul road beginning at Hendershot Road (T-319) to the Block 4 landing).
 - a. 3,733 feet of road to improve.
 - b. Prior to hauling, the existing PGC administrative road, approximately 3,733 feet will be graded to a 12-foot running surface, ditch lines established leading into cutouts or culverts, positively drained with broad-based dips and cutouts, crowned to drain all water into the ditches and shale applied in soft spots in order to sustain heavy hauling. The operator is responsible for any haul road upgrades prior to, and during, hauling.

c. A minimum of **138 tons of Shale** will be applied to the improve haul road. Location and amounts will be at the discretion of the Regional Forester or his designee.

e) During and Following Hauling Operations:

- 1. Roads must be kept clear of tree tops, branches, and other logging debris.
- 2. Once hauling begins the contractor will supply and apply shale and/or stone to the haul road as necessary to sustain heavy hauling. This will be at the discretion of the Regional Forester or his designee.
- **3.** During the operational period, the contractor shall keep haul roads in a passable condition for low-clearance 2-wheel drive vehicles at all times.
- **4.** Immediately after final grading and while the surface is freshly disturbed, the contractor will apply seed to disturbed banks, side ditches, turnouts, berms, etc. along the haul road during the appropriate spring or fall seeding period in accordance with Section "7a-7e", Special Provisions.
- **5.** The contractor must provide the Regional Forester or his designee with at least three (3) business days advance notice of final grading and seeding of the haul roads.
- 6. If the Game Lands shale pit is used, the contractor must dig out and leave approximately 40 tons of loose shale at the shale pit. Shale pit will be graded to a 1:1 contour (no high wall) and all freshly exposed soil will be seeded with 30 lbs./ac of either oats in the spring or wheat in the fall.

5) LOG LANDINGS

- **a)** Main landing locations are designated on the sale map. Any additional landings are to be approved by the Regional Forester or his designee.
- b) There is One (1) landing to build. Landing location is marked with an ORANGE "L" adjacent to the location. The log landing may require the excavation of stumps and rocks as well as leveling the site and establishment of positive drainage. Stumps are to be scattered singularly at the edge of the landing boundary. Landing size should be approximately 150 feet x 150 feet in size. Larger landings must have prior approval from the Regional Forester or his designee. Landing may require the application of shale prior to use to stabilize the site and allow for operations. Shale amount will be determined by Regional Forester or his designee.
- c) There are Three (3) existing landings to use. These landings are designated with an Orange "L" that is marked on a tree adjacent to the landing area. The log landings may require the excavation of stumps and rocks as well as leveling the site and establishment of positive drainage. Stumps are to be scattered singularly at the edge of the landing boundary. Landing size should be approximately 150 feet x 150 feet in size. Larger landings must have prior approval from the Regional Forester or his designee. Landings may require the application of shale prior to use to stabilize the site and allow for operations. Shale amount will be determined by Regional Forester or his designee.
- d) Logging debris on the landings must be kept to a minimum. All logs and pulpwood are to be marked to length in the woods to eliminate short ends at the landings. All excessive logging debris on the landings is to be removed from the Game Lands by the operator at the conclusion of the sale.
- e) Immediately following initial landing work, disturbed areas adjacent to the landings must be seeded with oats or wheat (as determined by the Regional Forester or his designee) at a rate of 30 lbs./acre while the soil is freshly disturbed.

- f) Upon conclusion of use, the landings will be cleared of debris (including bark debris and rocks), graded smooth with positive drainage, and ditched as directed by the Regional Forester or his designee. A bulldozer with a six-way blade is required for final grading. Immediately after final grading, the contractor will apply seed and straw mulch to the landings during the appropriate spring or fall seeding period in accordance with Section "7a-7e", Special Provisions.
- **g)** The contractor must provide the Regional Forester or his designee with at least three (3) business days advance notice of final grading and seeding of the log landing.

6) **SKIDDING**

- a) Skidding is restricted to within the sale block boundary. Skid trails should be located to avoid steep gradients, as well as spring seeps and other potentially wet areas. All skid trails are subject to the approval of the Regional Forester or his designee.
- **b)** Bulldozed skid trails may be required in several blocks. Trail locations will be determined by PGC personnel in coordination with the sale operator.
- c) Designated, existing access skid trails will be utilized for Blocks 3 and 4, which totals 1,240 feet.
- **d)** No skidding is permitted on the haul road or any PGC administrative roads that are located within the sale boundary.
- e) No whole tree skidding is permitted.
- f) The contractor shall supply skid bridges on skid trails at the discretion of the Regional Forester or his designee.
- **g)** If a skid trail will be sitting idle for one month or more, the contractor must install open and functional water bars.
- h) Main skid trails are to be leveled, open and have water bars added at the conclusion of the harvesting.
- i) Upon conclusion of logging operations, the contractor will grade the skid trails to a rut-free condition and install water bars as directed by the Regional Forester or his designee. A bulldozer with a six-way blade is required for final grading. Final grading and seeding of skid trails shall be completed during the appropriate spring or fall seeding period in accordance with Section"7a-7e", Special Provisions.
- j) The contractor must provide the Regional Forester or his designee with at least three (3) business days advance notice of final grading and seeding of the skid trails.

7) <u>SEEDING OF ROADWAYS, LOG LANDINGS, AND SKID TRAILS</u>

a) Seed:

- 1. Landings:
 - a. 100 lbs. per acre: Oats (spring) or 60 lbs. per acre: Wheat (fall)
 - b. 10 lbs. per acre Crimson Clover
 - c. <u>Lime:</u>
 - High calcium, Pelletized limestone will be applied at rate of 1,200 lbs. per acre.
 - d. Fertilizer:
 - 0-20-20 Fertilizer will be applied at a rate of 300 lbs. per acre.

- **2.** Skid trails and Haul road:
 - a. 100 lbs. per acre: Oats (spring) or 60 lbs. per acre: Wheat (fall)

b) Weed-free Straw Mulch:

- 1. Immediately following seeding, weed-free straw mulch will be applied to designated areas at the rate of 5,000 lbs. per acre (100 bales per acre). A mechanized mulch spreader is required to apply straw uniformly to treated surfaces. Straw must be spread to a depth of less than 1/2" over the entire seeded location. Log landings will be the only surface area receiving straw mulch.
- c) Seeding and mulching applications must be done while the soil is freshly disturbed.
- **d)** The anticipated minimum area of soil disturbance is 7.5 acres, but total acreage could vary depending on contractor's operations. Acreage estimate was calculated as follows:

Haul road: 2.4 acres
 Log Landing: 2.0 acres
 Skid trails: 3.1 acres

e) Guaranteed catch of cover must be obtained before the bond will be released. This will be determined by the Regional Forester or his designee. Seeding done after September 30 will not be inspected until May 15 of the following year in order to assure winter survival.

8) OPERATIONS AND NON-WORK DAYS

- a) No in-woods operations will be permitted on the following days for the period of this contract:
 - 1. All Saturdays in the months of October, November, December, and January and any Sunday open to hunting.
 - 2. The opening day and all Saturdays during spring gobbler season, including youth spring gobbler hunt
 - **3.** All the days of general firearms bear season.
 - **4.** The entire 2 weeks of the general firearms deer season.
 - **5.** The opening day of flintlock muzzleloader season.

Any variance from the Non-Work Days must have advanced approval from the Regional Forester.

- **b)** No operations including hauling will be permitted from <u>March 15 to April 15</u> without the approval of the Regional Forester.
- c) The contractor, employees, and subcontractors may not hunt to, from, or at the job site when the work location is beyond a gated road that is closed to public traffic. The contractor may travel to and from the work location on non-work days to check the condition of equipment. No felling, trucking, equipment repair or access for the purpose of hunting at the job site will be permitted.
- d) The contractor shall comply with all State Game Lands regulations.

9) MISCELLANEOUS

a) The timber contractor shall comply with the E&S Plan for the sale area. The plan must be on site and available for inspection at all times. A completed plan will be provided to the successful bidder. The timber operator should review the plan, due to his responsibility for the implementation of erosion controls during the harvest operation. A copy of the E&S Plan is available to potential bidders at the following locations: the PGC South Central Region Office or the PGC Harrisburg Office.

- b) The contractor shall supply locks for access gates as necessary. Except for seasonally opened gates, PGC gates are to be kept closed and locked, at all times, except when the contractor is present on the site. Repeated failure to close gates will be penalized.
- c) It is unlawful to be present on State Game Lands from November 15 through December 15 inclusive when not engaged in lawful hunting or trapping and fail to wear a minimum of 250 square inches of daylight fluorescent-orange material on the head, chest, and back combined, or in lieu thereof, a hat of the same colored material. The material shall be worn so it is visible in a 360-degree arc.
- d) Vehicle traffic on PGC access roads shall not exceed 25 MPH.
- e) Except for the contractor, no persons shall be permitted to cut or remove firewood.
- f) Necessary E&S controls within a sale block must be implemented to the satisfaction of the Regional Forester or his designee before the contractor will be permitted to move into the next cutting block.
- **g)** If contractor's operation involves on-site chipping, the contractor shall remove <u>all</u> chipping debris from the Game Lands prior to final grading and seeding of log landings.
- h) To minimize the spread of invasive plants, all earth-moving and logging equipment (bulldozers, mechanical fellers, skidders, loaders, chippers, etc.) should be thoroughly cleaned prior to entering the State Game Lands (SGL).
- i) The contractor will furnish **weigh slips** for shale and/or stone and **receipts** for <u>all</u> seed, lime, fertilizer, and mulch to the Regional Forester immediately following sale retirement.
- j) This timber sale falls in the spotted lanternfly quarantine area. The buyer is responsible for understanding and complying with all applicable requirements. Up to date information can be found at www.agriculture.pa.gov
- **k)** Violations of contract provisions by the operator may subject the operator or its employees or contractors to fine based on Title 34 and 58 regulations.

10) FORESTER CONTACT INFORMATION

Forester Dan Strunk: (814) 251-2252

Regional Forester Roy Bucher: (814) 643-1831 x.40484

Please contact with any questions.

11) PA RIGHT TO KNOW PROVISIONS

- a) The Pennsylvania Right-to-know Law, 65 P.S. §§ 67.101-3104, applied to this contract.
- b) Unless the Contractor provides the Commonwealth, in writing, with the name and contact information of another person, the agency shall notify the Contractor using the Contractor information provided by the Contractor in SRM [or "the legal contact information provided in this contract"] if the agency needs to Contractor's assistance in any matter arising out of the Right to Know Law ("RTKL"). The Contractor shall notify the agency in writing of any change in the name or the contact information within a reasonable time prior to the change.
- c) Upon Notification from the Commonwealth that the Commonwealth requires the Contractor's assistance in responding to a RTKL request for records in the Contractor's possession, the Contractor shall provide the Commonwealth, within fourteen (14) calendar days after receipt of such notification, access to, and copies of, any document or information in the Contractor's possession which arises out of the contract that the Commonwealth requests ("Requested Information") and provided such other assistance as the Commonwealth may request in order to comply with the RTKL. If the Contractor fails to provide the Requested Information within fourteen (14) calendar days after receipt of such request, the Contractor shall indemnify and hold the Commonwealth harmless for any damages, penalties, detriment or harm that the Commonwealth may incur as a result of the Contractor's failure, including any statutory damages assessed against the Commonwealth.
- d) The Commonwealth's determination as to whether the Requested Information is a public record is dispositive of the question as between the parties. Contractor agrees not to challenge the Commonwealth's decision to deem the Requested Information a Public Record. If the Contractor considers the Requested Information to include a request for a Trade Secret or Confidential Proprietary Information, as those terms are defined by the RTKL, the Contractor will immediately notify the Commonwealth, and will provide a written statement signed by a representative of the Contractor explaining why the requested material is exempt from public disclosure under the RTKL within seven (7) calendar days of receiving the request. If, upon review of the Contractor's written statement, the Commonwealth still decides to provide the Requested Information, Contractor will not challenge or in any way hold the Commonwealth liable for such a decision.
- **e)** The Commonwealth will reimburse the Contractor for any costs associated with complying with this provision only to the extent allowed under the fee schedule established by the Office of Open Records or as otherwise provided by the RTKL if the fee schedule is inapplicable.
- f) Contractor agrees to abide by any decision to release a record to the public made by the Office of Open Records, or by the Pennsylvania Courts. The Contractor agrees to waive all rights or remedies that may be available to it as a result of the Commonwealth's disclosure of Requested Information pursuant to the RTKL. Contractor's duties relating to the RTKL are continuing duties that survive the expiration of this contract and shall continue as long as the Contractor has Requested Information in its possession.

ESTIMATED TIMBER HARVEST COSTS


SALE NAME: WALKING STICK II SALE NUMBER: 128-2024-01


HAUL ROAD COSTS

ROAD CONSTRUCTION	ON		\$ -
ROAD IMPROVEMEN	IT		\$ 2,712.00
5,148 feet to ir	nprove		\$ 2,700.00
Temp seeding			\$ 12.00
		Sub-Total	\$ 2,712.00
LANDINGS			
1 landing - buil	d		\$ 600.00
3 landings - im	orove		\$ 750.00
184 tons shale			\$ 920.00
Temp seeding			\$ 4.80
		Sub-Total	\$ 2,274.80
CLEAN-UP			
Final road grad	ing (5,148 feet)		\$ 2,400.00
Retirement see	eding		\$ 939.20
Level, grade &	retire landings & skid trails		\$ 3,400.00
		Sub-Total	\$ 6,739.20
OTHER			
			\$ -
		Sub-Total	\$ -
		TOTAL	\$11,726.00

The above timber harvest costs are not guaranteed, but they are our best estimate and may vary according to different contractors and locations. The bidder should devise their costs using this sheet for assistance only in formulating their own costs.

SGL 128 Walking Stick II Township: Bethel, Union **Timber Sale** Timber Block **County: Fulton** Compartment: 1; 2 Active Shale Pit # 128-2024-01 Stand: 5, 26; 7 Game Land Boundary 6**43** Brush Sale Tour Meets at Parking Area Creek Twp Buchanan off Deneens Gap Road (SR 3007). State GPS Location: N 39.797600 Forest GREAT COVE RD W 78.230770 VENEENS GAP RD Bethel Tw Union Twp 3004 3011 MCKEES GAP RD 522 Union Twp PIGEON COVERD PIGEON COVERD ? Bethel Twp THOMPSONRD BUCK VALLEY RD 655 Thompson 484 Twp Warfordsburg HARMONIA THOMPSON RD 3005 JCK VALLEY RD **Union Twp** Bethel Twp Pennsylvania Maryland Forester: dstrunk 3 02/10/2025 Miles 1 inch = 1 miles





Report For Walking Stick II

Sale Name:	Walking Stick II	SGL Number:	128
Forester:	Strunk	Report Date:	01/21/2025
Blocks Numbers in Sale:	1,2,3,4,5	Acres:	79
County:	Fulton	Township:	BETHEL,UNION

The Pennsylvania Game Commission SGL #128 - Walking Stick II Timbersale Scribner Rule (BDFT) - All Volumes are Estimates

				Sale Si	ummary	by Harve	st Block							
		Area			Sawti	mber			Pulp	wood			Culls	
Block Number	Acres	% of Sale	Harvest Type	Method	BDFT	Per Acre	% of Sale	Method	Tons	Per Acre	% of Sale	2 - 4"	6 - 10"	12 +"
1	16	21%	Overstory Removal	100% Tally	56,081	3,448	22%	BAF 10 Plot	46	3	17%	0	0	24
2	17	22%	Overstory Removal	100% Tally	58,314	3,421	23%	BAF 10 Plot	24	1	9%	460	0	50
3	19	24%	Overstory Removal	100% Tally	52,986	2,758	21%	BAF 10 Plot	45	2	16%	116	0	50
4	21	27%	Overstory Removal	100% Tally	68,713	3,223	27%	BAF 10 Plot	19	1	7%	111	0	47
5	5	7%	Clearcut with Reserves	100% Tally	15,679	3,020	6%	BAF 10 Plot	144	28	52%	0	121	18
Total	79	100%			251,772		100%		279	3.5	100%	686	121	189

Pulpwood was sampled in block(s) 1, 2, 3, 4, 5 with a precision of \pm 35.4% (90% C.I.)

										ī	Block	All - 79) acre	·c											
		-12" BH	14"	DBH	16"	DBH	18"	DBH	20'	' DBH	l	DBH		DBH	26"	DBH	28"	DBH		0"+ BH	Saw	timber To	otals	Pulp	wood
Species	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	Total Trees	Total Volume	Avg Vol Per Tree	Trees	Tons
N. Red Oak	36	1,627	77	6,538	111	14,470	114	21,880	112	27,755	48	16,480	26	10,239	12	5,625	5	2,885	2	1,054	543	108,553	200	187	51
Chestnut Oak	133	5,410	231	17,759	209	26,136	133	21,876	63	14,365	27	7,509	9	2,148	5	1,704	4	1,800	1	566	815	99,273	122	211	67
Black Oak	21	940	52	4,154	54	7,269	31	5,251	15	3,668	13	3,924	2	710	1	424	0	0	0	0	189	26,340	139	125	19
Black Walnut	20	531	14	886	5	446	5	592	7	1,189	3	444	2	389	0	0	0	0	0	0	56	4,475	80	0	0
Black Cherry	17	702	18	1,472	5	501	1	143	3	474	2	443	0	0	0	0	0	0	0	0	46	3,736	81	92	31
White Oak	3	135	7	698	6	892	2	493	3	641	0	0	1	445	1	307	0	0	0	0	23	3,611	157	0	0
Scarlet Oak	3	147	2	93	1	135	3	442	1	228	2	708	0	0	1	176	0	0	0	0	13	1,929	148	0	0
Hickories	3	127	3	187	3	453	1	173	0	0	0	0	0	0	0	0	0	0	0	0	10	941	94	29	4
Black Gum	2	79	5	324	2	292	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	696	77	51	6
White Pine	0	0	0	0	1	131	1	173	1	276	0	0	0	0	0	0	0	0	0	0	3	580	193	0	0
Chestnut Oak - dead	3	113	1	46	1	135	3	245	0	0	0	0	0	0	0	0	0	0	0	0	8	539	67	13	7
N. Red Oak - dead	0	0	0	0	0	0	1	239	1	182	0	0	0	0	0	0	0	0	0	0	2	421	211	0	0
Other Hardwoods	0	0	1	71	0	0	1	128	0	0	0	0	0	0	0	0	0	0	0	0	2	199	100	0	0
Sweet Birch	1	53	0	0	1	142	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	195	98	0	0
Yellow- poplar	0	0	0	0	1	161	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	161	161	0	0
Red Maple	1	54	0	0	1	68	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	122	61	70	13
Virginia Pine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	112	68
Sassafras	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	112	14
Total	243	9,918	411	32,228	401	51,232	296	51,638	206	48,777	95	29,508	40	13,930	20	8,237	9	4,684	3	1,620	1,724	251,772	146	1,002	279

											Bl	ock 1 -	16 a	cres											
		'-12" BH	14"	DBH	16'	' DBH	18"	DBH	20"	DBH	22"	DBH	24"	DBH	26"	DBH	28"	DBH)"+ BH	Sa	wtimber T	otals	Pulp	wood
Species	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	Total Trees	Total Volume	Avg Vol Per Tree	Trees	Tons
Chestnut Oak	60	2,437	84	6,460	59	7,403	25	3,998	12	2,626	2	491	3	752	1	519	2	836	0	0	248	25,523	103	32	15
N. Red Oak	16	648	23	2,172	38	5,204	21	4,498	20	5,633	12	4,209	2	829	1	670	1	794	0	0	134	24,658	184	102	26
Black Oak	8	407	13	1,094	11	1,547	3	538	5	1,276	1	364	0	0	0	0	0	0	0	0	41	5,226	127	0	0
White Oak	1	51	0	0	0	0	0	0	1	172	0	0	0	0	0	0	0	0	0	0	2	223	112	0	0
Chestnut Oak - dead	2	81	0	0	1	135	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	216	72	0	0
N. Red Oak - dead	0	0	0	0	0	0	0	0	1	182	0	0	0	0	0	0	0	0	0	0	1	182	182	0	0
Sweet Birch	1	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	53	53	0	0
Red Maple	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	52	6
Total	88	3,677	120	9,726	109	14,290	49	9,034	39	9,890	15	5,064	5	1,581	2	1,190	3	1,630			430	56,081	130	185	46
																						•			

											Blo	ock 2 -	17 a	eres											
		'-12" BH	14"	DBH	16'	' DBH	18"	DBH	20'	' DBH				DBH	26"	DBH	28"	DBH	_)"+ BH	Sa	wtimber T	otals	Pulp	wood
Species	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	Total Trees	Total Volume	Avg Vol Per Tree	Trees	Tons
Chestnut Oak	20	792	35	2,737	53	6,836	28	4,842	19	4,949	7	2,185	0	0	2	589	0	0	0	0	164	22,930	140	88	18
N. Red Oak	5	248	20	1,552	21	2,642	14	2,600	22	5,338	7	2,588	4	1,783	2	1,011	1	666	0	0	96	18,428	192	0	0
Black Oak	6	268	27	2,116	34	4,618	18	3,217	4	1,047	4	1,239	1	355	0	0	0	0	0	0	94	12,860	137	0	0
White Oak	1	51	3	275	6	892	2	493	2	469	0	0	1	445	0	0	0	0	0	0	15	2,626	175	0	0
Scarlet Oak	0	0	0	0	0	0	3	442	0	0	2	708	0	0	1	176	0	0	0	0	6	1,327	221	0	0
Sweet Birch	0	0	0	0	1	142	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	142	142	0	0
Black Gum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	6
Total	32	1,359	85	6,680	115	15,131	65	11,595	47	11,804	20	6,721	6	2,583	5	1,775	1	666			376	58,314	155	139	24

											Blo	ock 3 -	19 a	cres											
		"-12" BH	14"	DBH	16"	DBH	18"	DBH	20"	DBH	22"	DBH	24"	DBH	26"	DBH	28"	DBH	_	0"+ BH	Sa	wtimber T	otals	Pulp	wood
Species	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	Total Trees	Total Volume	Avg Vol Per Tree	Trees	Tons
N. Red Oak	7	339	16	1,261	24	3,013	31	5,897	27	5,985	14	5,023	13	4,926	5	1,476	1	380	2	1,054	140	29,353	210	19	7
Chestnut Oak	21	864	50	3,845	46	5,468	26	4,173	12	2,349	8	2,327	3	745	1	298	0	0	0	0	167	20,068	120	56	21
Black Oak	2	65	2	123	4	516	4	539	2	469	3	869	1	355	0	0	0	0	0	0	18	2,935	163	0	0
N. Red Oak - dead	0	0	0	0	0	0	1	239	0	0	0	0	0	0	0	0	0	0	0	0	1	239	239	0	0
Chestnut Oak - dead	0	0	0	0	0	0	2	163	0	0	0	0	0	0	0	0	0	0	0	0	2	163	82	13	7
Yellow- poplar	0	0	0	0	1	161	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	161	161	0	0
Black Cherry	1	34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	34	34	0	0
Hickories	1	31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	31	31	29	4
Red Maple	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	19	7
Total	32	1,333	68	5,229	75	9,158	64	11,011	41	8,802	25	8,219	17	6,026	6	1,775	1	380	2	1,054	331	52,986	160	135	45
								_																-	

											Bloc	k 4 - 2	1 acı	es											
		'-12" BH	14"	DBH	16'	' DBH	18"	DBH	20"	DBH	22"	DBH	24"	DBH	26"	DBH	28"	DBH)"+ BH	Sav	vtimber T	otals	Pulpy	wood
Species	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	Total Trees	Total Volume	Avg Vol Per Tree	Trees	Tons
N. Red Oak	5	250	17	1,474	27	3,501	46	8,599	43	10,799	15	4,659	7	2,701	4	2,467	2	1,045	0	0	166	35,497	214	18	6
Chestnut Oak	32	1,317	62	4,717	50	6,329	53	8,685	20	4,440	10	2,506	3	651	1	298	2	964	1	566	234	30,472	130	36	13
Black Oak	0	0	2	175	3	345	3	455	1	172	3	796	0	0	1	424	0	0	0	0	13	2,368	182	0	0
Chestnut Oak - dead	1	32	1	46	0	0	1	82	0	0	0	0	0	0	0	0	0	0	0	0	3	160	53	0	0
White Oak	0	0	1	122	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	122	122	0	0
Hickories	1	48	1	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	93	47	0	0
Total	39	1,647	84	6,580	80	10,176	103	17,820	64	15,411	28	7,962	10	3,352	6	3,190	4	2,009	1	566	419	68,713	164	53	19

											В	lock 5	- 5 ac	eres											
		'-12" BH	14"	DBH	16"	DBH	18"	DBH	20"	DBH	22"	DBH	24"	DBH	26"	DBH	28"	DBH)"+ BH	Sa	wtimber T	otals	Pulp	wood
Species	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	Total Trees	Total Volume	Avg Vol Per Tree		Tons
Black Walnut	20	531	14	886	5	446	5	592	7	1,189	3	444	2	389	0	0	0	0	0	0	56	4,475	80	0	0
Black Cherry	16	668	18	1,472	5	501	1	143	3	474	2	443	0	0	0	0	0	0	0	0	45	3,701	82	92	31
Black Oak	5	200	8	646	2	242	3	503	3	703	2	656	0	0	0	0	0	0	0	0	23	2,950	128	125	19
Hickories	1	48	2	142	3	453	1	173	0	0	0	0	0	0	0	0	0	0	0	0	7	817	117	0	0
Black Gum	2	79	5	324	2	292	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	696	77	0	0
White Oak	1	33	3	300	0	0	0	0	0	0	0	0	0	0	1	307	0	0	0	0	5	639	128	0	0
N. Red Oak	3	142	1	79	1	109	2	286	0	0	0	0	0	0	0	0	0	0	0	0	7	617	88	49	12
Scarlet Oak	3	147	2	93	1	135	0	0	1	228	0	0	0	0	0	0	0	0	0	0	7	603	86	0	0
White Pine	0	0	0	0	1	131	1	173	1	276	0	0	0	0	0	0	0	0	0	0	3	580	193	0	0
Chestnut Oak	0	0	0	0	1	101	1	178	0	0	0	0	0	0	0	0	0	0	0	0	2	279	139	0	0
Other Hardwoods	0	0	1	71	0	0	1	128	0	0	0	0	0	0	0	0	0	0	0	0	2	199	100	0	0
Red Maple	1	54	0	0	1	68	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	122	61	0	0
Virginia Pine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	112	68
Sassafras	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	112	14
Total	52	1,902	54	4,013	22	2,478	15	2,178	15	2,870	7	1,542	2	389	1	307					168	15,679	93	490	144
											•	•										•			

						Ble	ock A	11 - 79	9 acre	s - Pu	lp Tr	ee Sta	nd ar	nd Sto	ck Ta	ble						
	2"]	DBH	4" I	DBH	6"]	DBH	8"]	DBH	10"	DBH	12"	DBH	14"	DBH	16"	DBH	18"	DBH	20"+	DBH	Pulp	wood
Species	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	#TR	VOL	Total Trees	Total Tons
Chestnut Oak	0	0	0	0	51	5	0	0	147	54	26	14	0	0	0	0	0	0	0	0	223	73
Virginia Pine	0	0	0	0	0	0	30	6	19	6	26	14	19	15	7	8	6	9	0	0	112	68
N. Red Oak	0	0	0	0	52	5	30	6	93	33	13	8	0	0	0	0	0	0	0	0	187	51
Black Cherry	0	0	0	0	0	0	59	14	19	8	13	9	0	0	0	0	0	0	0	0	92	31
Black Oak	0	0	0	0	106	14	0	0	19	5	0	0	0	0	0	0	0	0	0	0	125	19
Sassafras	0	0	0	0	53	6	59	8	0	0	0	0	0	0	0	0	0	0	0	0	112	14
Red Maple	0	0	0	0	52	6	0	0	19	7	0	0	0	0	0	0	0	0	0	0	70	13
Black Gum	0	0	0	0	51	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	6
Hickories	0	0	0	0	0	0	29	4	0	0	0	0	0	0	0	0	0	0	0	0	29	4
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total					364	41	207	37	315	113	78	45	19	15	7	8	6	9			1,002	279

| | | | | | B | ock A | All - 7

 | 9 acr | es - La | arge ' | Tree S | tand

 | and S
 | tock 7 | able
 | | |
 | | |
|-------|--|--|--|--|--|--
--
--
--|--|--|--
--

--
---|--------
--
--|---|--|--|--
--|
| <30 | <30" DBH | | 30" DBH | | 32" DBH | | 34" DBH

 | | 36" DBH | | 38" DBH |

 | 40" DBH
 | |
 | Sawtimber Totals Pulpv | |
 | | wood |
| #TR | VOL | #TR | VOL | #TR | VOL | #TR | VOL

 | #TR | VOL. | #TR | VOL | #TR

 | VOL.
 | #TR. | VOL
 | Total
Trees | Total
Volume | Avg Vol Per
Tree
 | Trees | Tons |
| 541 | 107,499 | 2 | 1,054 | 0 | 0 | 0 | 0

 | 0 | 0 | 0 | 0 | 0

 | 0
 | 0 | 0
 | 543 | 108,553 | 200
 | 187 | 51 |
| 814 | 98,707 | 1 | 566 | 0 | 0 | 0 | 0

 | 0 | 0 | 0 | 0 | 0

 | 0
 | 0 | 0
 | 815 | 99,273 | 122
 | 211 | 67 |
| 189 | 26,340 | 0 | 0 | 0 | 0 | 0 | 0

 | 0 | 0 | 0 | 0 | 0

 | 0
 | 0 | 0
 | 189 | 26,340 | 139
 | 125 | 19 |
| 56 | 4,475 | 0 | 0 | 0 | 0 | 0 | 0

 | 0 | 0 | 0 | 0 | 0

 | 0
 | 0 | 0
 | 56 | 4,475 | 80
 | 0 | 0 |
| 46 | 3,736 | 0 | 0 | 0 | 0 | 0 | 0

 | 0 | 0 | 0 | 0 | 0

 | 0
 | 0 | 0
 | 46 | 3,736 | 81
 | 92 | 31 |
| 23 | 3,611 | 0 | 0 | 0 | 0 | 0 | 0

 | 0 | 0 | 0 | 0 | 0

 | 0
 | 0 | 0
 | 23 | 3,611 | 157
 | 0 | 0 |
| 13 | 1,929 | 0 | 0 | 0 | 0 | 0 | 0

 | 0 | 0 | 0 | 0 | 0

 | 0
 | 0 | 0
 | 13 | 1,929 | 148
 | 0 | 0 |
| 10 | 941 | 0 | 0 | 0 | 0 | 0 | 0

 | 0 | 0 | 0 | 0 | 0

 | 0
 | 0 | 0
 | 10 | 941 | 94
 | 29 | 4 |
| 9 | 696 | 0 | 0 | 0 | 0 | 0 | 0

 | 0 | 0 | 0 | 0 | 0

 | 0
 | 0 | 0
 | 9 | 696 | 77
 | 51 | 6 |
| 3 | 580 | 0 | 0 | 0 | 0 | 0 | 0

 | 0 | 0 | 0 | 0 | 0

 | 0
 | 0 | 0
 | 3 | 580 | 193
 | 0 | 0 |
| 8 | 539 | 0 | 0 | 0 | 0 | 0 | 0

 | 0 | 0 | 0 | 0 | 0

 | 0
 | 0 | 0
 | 8 | 539 | 67
 | 13 | 7 |
| 2 | 421 | 0 | 0 | 0 | 0 | 0 | 0

 | 0 | 0 | 0 | 0 | 0

 | 0
 | 0 | 0
 | 2 | 421 | 211
 | 0 | 0 |
| 2 | 199 | 0 | 0 | 0 | 0 | 0 | 0

 | 0 | 0 | 0 | 0 | 0

 | 0
 | 0 | 0
 | 2 | 199 | 100
 | 0 | 0 |
| 2 | 195 | 0 | 0 | 0 | 0 | 0 | 0

 | 0 | 0 | 0 | 0 | 0

 | 0
 | 0 | 0
 | 2 | 195 | 98
 | 0 | 0 |
| 1 | 161 | 0 | 0 | 0 | 0 | 0 | 0

 | 0 | 0 | 0 | 0 | 0

 | 0
 | 0 | 0
 | 1 | 161 | 161
 | 0 | 0 |
| 2 | 122 | 0 | 0 | 0 | 0 | 0 | 0

 | 0 | 0 | 0 | 0 | 0

 | 0
 | 0 | 0
 | 2 | 122 | 61
 | 70 | 13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0

 | 0 | 0 | 0 | 0 | 0

 | 0
 | 0 | 0
 | 0 | 0 | 0
 | 112 | 68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0

 | 0 | 0 | 0 | 0 | 0

 | 0
 | 0 | 0
 | 0 | 0 | 0
 | 112 | 14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0

 | 0 | 0 | 0 | 0 | 0

 | 0
 | 0 | 0
 | 0 | 0 | 0
 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0

 | 0 | 0 | 0 | 0 | 0

 | 0
 | 0 | 0
 | 0 | 0 | 0
 | 0 | 0 |
| 1,721 | 250,152 | 3 | 1,620 | | | |

 | | | | |

 |
 | |
 | 1,724 | 251,772 | 1,990
 | 1,002 | 279 |
| | #TR 541 814 189 56 46 23 13 10 9 3 8 2 2 1 2 0 0 0 0 | 541 107,499 814 98,707 189 26,340 56 4,475 46 3,736 23 3,611 13 1,929 10 941 9 696 3 580 8 539 2 421 2 199 2 195 1 161 2 122 0 0 0 0 0 0 0 0 | #TR VOL #TR 541 107,499 2 814 98,707 1 189 26,340 0 56 4,475 0 46 3,736 0 23 3,611 0 13 1,929 0 10 941 0 9 696 0 3 580 0 8 539 0 2 421 0 2 199 0 2 195 0 1 161 0 2 122 0 0 0 0 0 0 0 0 | #TR VOL #TR VOL 541 107,499 2 1,054 814 98,707 1 566 189 26,340 0 0 56 4,475 0 0 46 3,736 0 0 23 3,611 0 0 13 1,929 0 0 10 941 0 0 9 696 0 0 3 580 0 0 8 539 0 0 2 421 0 0 2 199 0 0 2 195 0 0 1 161 0 0 2 122 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | #TR VOL #TR VOL #TR 541 107,499 2 1,054 0 814 98,707 1 566 0 189 26,340 0 0 0 56 4,475 0 0 0 46 3,736 0 0 0 23 3,611 0 0 0 13 1,929 0 0 0 10 941 0 0 0 9 696 0 0 0 3 580 0 0 0 8 539 0 0 0 2 421 0 0 0 2 199 0 0 0 2 195 0 0 0 2 195 0 0 0 1 161 0 0 0 2 122 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | <30" DBH 30" DBH 32" DBH #TR VOL #TR VOL #TR VOL 541 107,499 2 1,054 0 0 814 98,707 1 566 0 0 189 26,340 0 0 0 0 56 4,475 0 0 0 0 46 3,736 0 0 0 0 23 3,611 0 0 0 0 13 1,929 0 0 0 0 9 696 0 0 0 0 3 580 0 0 0 0 8 539 0 0 0 0 2 421 0 0 0 0 2 199 0 0 0 0 2 195 0 0 0 0 | <30" DBH 30" DBH 32" DBH 34" #TR VOL #TR VOL #TR VOL #TR 541 107,499 2 1,054 0 0 0 814 98,707 1 566 0 0 0 0 189 26,340 0 </td <td><30" DBH 30" DBH 32" DBH 34" DBH #TR VOL *TR</td> <td><30" DBH 30" DBH 32" DBH 34" DBH 36" #TR VOL #TR VOL</td> <td><30" DBH 30" DBH 32" DBH 34" DBH 36" DBH #TR VOL #TR VOL</td> <td><30" DBH 30" DBH 32" DBH 34" DBH 36" DBH 38" #TR VOL #TR</td> <td><30" DBH 30" DBH 32" DBH 34" DBH 36" DBH 38" DBH #TR VOL #TR<!--</td--><td><30" DBH 30" DBH 32" DBH 34" DBH 36" DBH 38" DBH 40" #TR VOL #TR VOL<!--</td--><td> </td><td><30" DBH 30" DBH 32" DBH 34" DBH 36" DBH 38" DBH 40" DBH <th< td=""><td>#TR VOL #TR VOL *TR VOL *TR </td><td> S30" DBH S30" DBH S2" DBH S4" DBH S6" DBH S8" DBH S8</td><td> Sawtimber Sawt</td><td> Savignesis Sav</td><td> Savignost Savi</td></th<></td></td></td> | <30" DBH 30" DBH 32" DBH 34" DBH #TR VOL *TR | <30" DBH 30" DBH 32" DBH 34" DBH 36" #TR VOL #TR VOL | <30" DBH 30" DBH 32" DBH 34" DBH 36" DBH #TR VOL #TR VOL | <30" DBH 30" DBH 32" DBH 34" DBH 36" DBH 38" #TR VOL #TR | <30" DBH 30" DBH 32" DBH 34" DBH 36" DBH 38" DBH #TR VOL #TR </td <td><30" DBH 30" DBH 32" DBH 34" DBH 36" DBH 38" DBH 40" #TR VOL #TR VOL<!--</td--><td> </td><td><30" DBH 30" DBH 32" DBH 34" DBH 36" DBH 38" DBH 40" DBH <th< td=""><td>#TR VOL #TR VOL *TR VOL *TR </td><td> S30" DBH S30" DBH S2" DBH S4" DBH S6" DBH S8" DBH S8</td><td> Sawtimber Sawt</td><td> Savignesis Sav</td><td> Savignost Savi</td></th<></td></td> | <30" DBH 30" DBH 32" DBH 34" DBH 36" DBH 38" DBH 40" #TR VOL #TR VOL </td <td> </td> <td><30" DBH 30" DBH 32" DBH 34" DBH 36" DBH 38" DBH 40" DBH <th< td=""><td>#TR VOL #TR VOL *TR VOL *TR </td><td> S30" DBH S30" DBH S2" DBH S4" DBH S6" DBH S8" DBH S8</td><td> Sawtimber Sawt</td><td> Savignesis Sav</td><td> Savignost Savi</td></th<></td> | | <30" DBH 30" DBH 32" DBH 34" DBH 36" DBH 38" DBH 40" DBH DBH <th< td=""><td>#TR VOL #TR VOL *TR VOL *TR </td><td> S30" DBH S30" DBH S2" DBH S4" DBH S6" DBH S8" DBH S8</td><td> Sawtimber Sawt</td><td> Savignesis Sav</td><td> Savignost Savi</td></th<> | #TR VOL *TR VOL *TR | S30" DBH S30" DBH S2" DBH S4" DBH S6" DBH S8" DBH S8 | Sawtimber Sawt | Savignesis Sav | Savignost Savi |